

2014-10-03 18:42:17,005 [main] INFO org.apache.catalina.core.AprLifecycleListener- The APR based Apache Tomcat Native library which allows optimal performance in production environments was not found on the `java.library.path`:  
`/usr/lib/jvm/java-6-openjdk-amd64/jre/lib/amd64/server:/usr/lib/jvm/java-6-openjdk-amd64/jre/lib/amd64:/usr/lib/jvm/java-6-openjdk-amd64/jre/../lib/amd64::/opt/openkm-6.3.0-community/tomcat/lib/sigar:/usr/java/packages/lib/amd64:/usr/lib/jni:/lib:/usr/lib`

2014-10-03 18:42:17,415 [main] INFO org.apache.coyote.http11.Http11Protocol- Initializing ProtocolHandler ["http-bio-0.0.0-8080"]

2014-10-03 18:42:17,430 [main] INFO org.apache.coyote.ajp.AjpProtocol- Initializing ProtocolHandler ["ajp-bio-127.0.0.1-8009"]

2014-10-03 18:42:17,432 [main] INFO org.apache.catalina.startup.Catalina- Initialization processed in 884 ms

2014-10-03 18:42:17,481 [main] INFO org.apache.catalina.core.StandardService- Starting service Catalina

2014-10-03 18:42:17,481 [main] INFO org.apache.catalina.core.StandardEngine- Starting Servlet Engine: Apache Tomcat/7.0.53

2014-10-03 18:42:17,532 [`localhost-startStop-1`] INFO org.apache.catalina.startup.HostConfig- Deploying web application archive `/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM.war`

2014-10-03 18:42:31,886 [`localhost-startStop-1`] INFO org.apache.tomcat.websocket.server.WsSci- JSR 356 WebSocket (Java WebSocket 1.0) support is not available when running on Java 6. To suppress this message, run Tomcat on Java 7, remove the WebSocket JARs from `$CATALINA_HOME/lib` or add the WebSocketJARs to the `tomcat.util.scan.DefaultJarScanner.jarsToSkip` property in `$CATALINA_BASE/conf/catalina.properties`. Note that the deprecated Tomcat 7 WebSocket API will be available.

2014-10-03 18:42:31,887 [`localhost-startStop-1`] INFO org.apache.catalina.core.ContainerBase.[Catalina].[`localhost`].[/OpenKM]- No Spring WebApplicationInitializer types detected on `classpath`

2014-10-03 18:42:31,921 [`localhost-startStop-1`] INFO org.apache.catalina.core.ContainerBase.[Catalina].[`localhost`].[/OpenKM]- Initializing Spring root WebApplicationContext

2014-10-03 18:42:31,921 [`localhost-startStop-1`] INFO org.springframework.web.context.ContextLoader- Root WebApplicationContext: initialization started

2014-10-03 18:42:31,997 [`localhost-startStop-1`] INFO org.springframework.web.context.support.XmlWebApplicationContext- Refreshing Root WebApplicationContext: `startup date [Fri Oct 03 18:42:31 CEST 2014]`; root of context hierarchy

2014-10-03 18:42:32,067 [`localhost-startStop-1`] INFO org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from ServletContext resource [/WEB-INF/applicationContext.xml]

2014-10-03 18:42:32,602 [`localhost-startStop-1`] INFO org.springframework.context.annotation.ClassPathBeanDefinitionScanner- JSR-250 'javax.annotation.ManagedBean' found and supported for component scanning

2014-10-03 18:42:33,917 [`localhost-startStop-1`] INFO org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from class path resource [META-INF/cxf/cxf.xml]

2014-10-03 18:42:33,932 [`localhost-startStop-1`] INFO org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from class path resource [META-INF/cxf/cxf-servlet.xml]

2014-10-03 18:42:34,021 [`localhost-startStop-1`] INFO org.springframework.security.core.SpringSecurityCoreVersion- You are running with Spring Security Core 3.1.0.RELEASE

2014-10-03 18:42:34,021 [`localhost-startStop-1`] INFO org.springframework.security.config.SecurityNamespaceHandler- Spring Security '`config`' module version is 3.1.0.RELEASE

2014-10-03 18:42:34,088 [`localhost-startStop-1`] INFO

```
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#0>, order = 2000]
2014-10-03 18:42:34,092 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#1>, order = 2000]
2014-10-03 18:42:34,094 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
```

```
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1600, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#2>, order = 2000]
2014-10-03 18:42:34,097 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#3>, order = 2000]
2014-10-03 18:42:34,100 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
```

```
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#4>, order = 2000]
2014-10-03 18:42:34,103 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#5>, order = 2000]
2014-10-03 18:42:34,106 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#6>, order = 2000]
2014-10-03 18:42:34,112 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
```

```
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#7>, order = 2000]
2014-10-03 18:42:34,116 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#8>, order = 2000]
2014-10-03 18:42:34,130 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300,
<org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter#0>,
order = 800, Root bean: class
[org.springframework.security.web.savedrequest.RequestCacheAwareFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1300, Root bean: class
```

```
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.session.SessionManagementFilter]; scope=; abstract=false;
lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false;
factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null,
order = 1800, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#9>, order = 2000]
2014-10-03 18:42:34,135 [localhost-startStop-1] INFO
org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions
from URL [file:/opt/openkm-6.3.0-community/tomcat/OpenKM.xml]
2014-10-03 18:42:34,372 [localhost-startStop-1] INFO
org.springframework.beans.factory.support.DefaultListableBeanFactory- Pre-instantiating
singletons in org.springframework.beans.factory.support.DefaultListableBeanFactory@3cac2b19:
defining beans
[dbAuthModule,org.springframework.context.annotation.internalConfigurationAnnotationProcessor,
org.springframework.context.annotation.internalAutowiredAnnotationProcessor,org.springframework.context.annotation.internalRequiredAnnotationProcessor,org.springframework.context.annotation.internalCommonAnnotationProcessor,org.springframework.context.annotation.internalPersistenceAnnotationProcessor,cxf,org.apache.cxf.bus.spring.BusWiringBeanFactoryPostProcessor,org.apache.cxf.bus.spring.Jsr250BeanPostProcessor,org.apache.cxf.bus.spring.BusExtensionPostProcessor,WS-S4JInInterceptor,authService,bookmarkService,documentService,folderService,mailService,noteService,notificationService,propertyGroupService,propertyService,repositoryService,searchService,dashboardService,workflowService,testService,cmisNavigationService,cmisPolicyService,cmisDiscoveryService,cmisMultiFilingService,cmisRepositoryService,cmisRelationshipService,cmisVersioningService,cmisObjectService,cmisAclService,restAuth,restDocument,restFolder,restMail,restNote,restPropertyGroup,restSearch,restRepository,restProperty,restTest,org.springframework.security.access.method.DelegatingMethodSecurityMetadataSource#0,org.springframework.security.access.vote.AffirmativeBased#0,org.springframework.security.access.intercept.aopalliance.MethodSecurityInterceptor#0,org.springframework.security.methodSecurityMetadataSourceAdvisor,org.springframework.aop.config.internalAutoProxyCreator,org.springframework.security.access.vote.RoleVoter#0,CmisLifecycleBean,CmisServiceFactory,org.springframework.security.filterChains,org.springframework.security.filterChainProxy,org.springframework.security.web.PortMapperImpl#0,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#0,org.springframework.security.authentication.ProviderManager#0,org.springframework.security.web.context.NullSecurityContextRepository#0,org.springframework.security.web.savedrequest.NullRequestCache#0,org.springframework.security.access.vote.AffirmativeBased#1,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#0,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#0,org.springframework.security.authentication.AnonymousAuthenticationProvider#0,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#0,org.springframework.security.userdetails.UserDetailsService,org.springframework.security.web.DefaultSecurityFilterChain#0,org.springframework.security.web.PortMapperImpl#1,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#1,org.springframework.security.authentication.ProviderManager#1,org.springframework.security.web.context.NullSecurityContextRepository#1,org.springframework.security.web.savedrequest.NullRequestCache#1,org.springframework.security.access.vote.AffirmativeBased#2,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#1,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#1,org.springframework.security.authentication.AnonymousAuthenticationProvider#1,org.springfram
```



2014-10-03 18:42:36,198 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMNote from class com.openkm.ws.endpoint.NoteService  
2014-10-03 18:42:36,240 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMNote  
2014-10-03 18:42:36,247 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMNotification from class com.openkm.ws.endpoint.NotificationService  
2014-10-03 18:42:36,286 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMNotification  
2014-10-03 18:42:36,294 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMPropertyGroup from class com.openkm.ws.endpoint.PropertyGroupService  
2014-10-03 18:42:36,383 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMPropertyGroup  
2014-10-03 18:42:36,390 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMProperty from class com.openkm.ws.endpoint.PropertyService  
2014-10-03 18:42:36,422 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMProperty  
2014-10-03 18:42:36,430 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMRepository from class com.openkm.ws.endpoint.RepositoryService  
2014-10-03 18:42:36,541 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMRepository  
2014-10-03 18:42:36,550 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMSearch from class com.openkm.ws.endpoint.SearchService  
2014-10-03 18:42:36,707 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMSearch  
2014-10-03 18:42:36,716 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMDashboard from class com.openkm.ws.endpoint.DashboardService  
2014-10-03 18:42:36,860 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMDashboard  
2014-10-03 18:42:36,872 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMWorkflow from class com.openkm.ws.endpoint.WorkflowService  
2014-10-03 18:42:37,164 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMWorkflow  
2014-10-03 18:42:37,170 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMTest from class com.openkm.ws.endpoint.TestService  
2014-10-03 18:42:37,206 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMTest  
2014-10-03 18:42:37,229 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}NavigationServiceService from  
class org.apache.chemistry.opencmis.commons.impl.jaxb.NavigationServicePort  
2014-10-03 18:42:37,803 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/NavigationService  
2014-10-03 18:42:37,816 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}PolicyServiceService from  
class org.apache.chemistry.opencmis.commons.impl.jaxb.PolicyServicePort  
2014-10-03 18:42:38,181 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/PolicyService

2014-10-03 18:42:38,188 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}DiscoveryServiceService from class org.apache.chemistry.opencmis.commons.impl.jaxb.DiscoveryServicePort  
2014-10-03 18:42:38,433 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/DiscoveryService  
2014-10-03 18:42:38,439 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}MultiFilingServiceService from class org.apache.chemistry.opencmis.commons.impl.jaxb.MultiFilingServicePort  
2014-10-03 18:42:38,675 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/MultiFilingService  
2014-10-03 18:42:38,686 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}RepositoryServiceService from class org.apache.chemistry.opencmis.commons.impl.jaxb.RepositoryServicePort  
2014-10-03 18:42:38,899 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/RepositoryService  
2014-10-03 18:42:38,905 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}RelationshipServiceService from class org.apache.chemistry.opencmis.commons.impl.jaxb.RelationshipServicePort  
2014-10-03 18:42:39,146 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/RelationshipService  
2014-10-03 18:42:39,156 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}VersioningServiceService from class org.apache.chemistry.opencmis.commons.impl.jaxb.VersioningServicePort  
2014-10-03 18:42:39,364 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/VersioningService  
2014-10-03 18:42:39,380 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}ObjectServiceService from class org.apache.chemistry.opencmis.commons.impl.jaxb.ObjectServicePort  
2014-10-03 18:42:39,673 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/ObjectService  
2014-10-03 18:42:39,682 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}AclServiceService from class org.apache.chemistry.opencmis.commons.impl.jaxb.ACLServicePort  
2014-10-03 18:42:39,868 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/ACLService  
2014-10-03 18:42:39,958 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /rest/auth  
2014-10-03 18:42:40,008 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /rest/document  
2014-10-03 18:42:40,016 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /rest/folder  
2014-10-03 18:42:40,022 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /rest/mail  
2014-10-03 18:42:40,029 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /rest/note  
2014-10-03 18:42:40,035 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /rest/propertyGroup  
2014-10-03 18:42:40,045 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /rest/search  
2014-10-03 18:42:40,053 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-

Setting the server's publish address to be /rest/repository  
2014-10-03 18:42:40,059 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /rest/property  
2014-10-03 18:42:40,065 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /rest/test  
2014-10-03 18:42:40,227 [localhost-startStop-1] INFO  
org.springframework.security.provisioning.JdbcUserDetailsManager- No authentication manager  
set. Reauthentication of users when changing passwords will not be performed.  
2014-10-03 18:42:40,324 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/status'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@589663e6,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@7978be79,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@6621383c,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@ef31f86,  
org.springframework.security.web.access.ExceptionTranslationFilter@7b9a9e14,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@64007271]  
2014-10-03 18:42:40,342 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/download'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@13a5c619,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@68709d62,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@396cc27f,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@13553d4d,  
org.springframework.security.web.access.ExceptionTranslationFilter@412b9425,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@140b2a90]  
2014-10-03 18:42:40,359 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/workflow-register'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@dd81806,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@66113903,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@74b6284e,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@631054be,  
org.springframework.security.web.access.ExceptionTranslationFilter@452bb8c1,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@396eaa61]  
2014-10-03 18:42:40,380 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/webdav/\*\*'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@287e1c56,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@6f7666de,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@465bb1fd,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@2e027d21,  
org.springframework.security.web.access.ExceptionTranslationFilter@25651920,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@1054970e]  
2014-10-03 18:42:40,399 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/feed/\*\*'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@12093893,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@1b614425,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@ec0e72e,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@la898493,  
org.springframework.security.web.access.ExceptionTranslationFilter@3a5edc81,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@29deb717]  
2014-10-03 18:42:40,418 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/cmis/browser/\*\*'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@35b822e5,

org.springframework.security.web.authentication.www.BasicAuthenticationFilter@4bfb03f0,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@4cbfa888,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@3ad1a015,  
org.springframework.security.web.access.ExceptionTranslationFilter@1864e0de,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@6e71b55]  
2014-10-03 18:42:40,439 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/cmis/atom/\*\*'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@3bd84050,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@726662e1,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@1fe5dc74,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@2bec5408,  
org.springframework.security.web.access.ExceptionTranslationFilter@2880efbf,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@28fbf95f]  
2014-10-03 18:42:40,461 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/cmis/atom11/\*\*'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@53da43a1,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@1e8e2a09,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@769c48b,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@30e6857a,  
org.springframework.security.web.access.ExceptionTranslationFilter@6e4525aa,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@7dabf474]  
2014-10-03 18:42:40,483 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/services/rest/\*\*'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@78513cb2,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@1d6807d4,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@18d9fe61,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@fcb9f06,  
org.springframework.security.web.access.ExceptionTranslationFilter@1354b04,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@51cff43a]  
2014-10-03 18:42:40,584 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain:  
org.springframework.security.web.util.AnyRequestMatcher@1,  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@54a7c609,  
org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter@52baa44a,  
org.springframework.security.web.savedrequest.RequestCacheAwareFilter@5b7820b4,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@2bab3856,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@75ffac7f,  
org.springframework.security.web.session.SessionManagementFilter@6496025e,  
org.springframework.security.web.access.ExceptionTranslationFilter@34759ce9,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@15909fe7]  
2014-10-03 18:42:40,604 [localhost-startStop-1] INFO  
org.springframework.security.config.http.DefaultFilterChainValidator- Checking whether login  
URL '/login.jsp' is accessible with your configuration  
2014-10-03 18:42:40,622 [localhost-startStop-1] INFO  
org.springframework.web.context.ContextLoader- Root WebApplicationContext: initialization  
completed in 8701 ms  
2014-10-03 18:42:40,638 [localhost-startStop-1] INFO com.openkm.core.Config- \*\* Application  
OpenKM has DTDs at /opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd \*\*  
2014-10-03 18:42:40,638 [localhost-startStop-1] INFO com.openkm.core.Config- \*\* Language  
profiles at /opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/lang-profiles \*\*  
2014-10-03 18:42:40,639 [localhost-startStop-1] INFO com.openkm.core.Config- \*\* Reading  
config file /opt/openkm-6.3.0-community/tomcat/OpenKM.cfg \*\*  
2014-10-03 18:42:40,640 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
hibernate.create.autofix=true

2014-10-03 18:42:40,641 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
hibernate.datasource=java:/comp/env/jdbc/OpenKMDS  
2014-10-03 18:42:40,641 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
hibernate.dialect=org.hibernate.dialect.HSQLDialect  
2014-10-03 18:42:40,641 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
hibernate.hbm2ddl=None  
2014-10-03 18:42:40,641 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
hibernate.search.analyzer=org.apache.lucene.analysis.standard.StandardAnalyzer  
2014-10-03 18:42:40,641 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
hibernate.search.index.exclusive=true  
2014-10-03 18:42:40,641 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
hibernate.search.index.home=/opt/openkm-6.3.0-community/tomcat/repository/index  
2014-10-03 18:42:40,641 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
hibernate.show\_sql=false  
2014-10-03 18:42:40,641 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
hibernate.statistics=false  
2014-10-03 18:42:40,641 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
instance.chroot.path=  
2014-10-03 18:42:40,642 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
instance.home=/opt/openkm-6.3.0-community/tomcat  
2014-10-03 18:42:40,642 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
jbpm.config=/opt/openkm-6.3.0-community/tomcat/jbpm.xml  
2014-10-03 18:42:40,642 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
property.groups.cnd=/opt/openkm-6.3.0-community/tomcat/PropertyGroups.cnd  
2014-10-03 18:42:40,642 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
property.groups.xml=/opt/openkm-6.3.0-community/tomcat/PropertyGroups.xml  
2014-10-03 18:42:40,642 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.cache.dxf=/opt/openkm-6.3.0-community/tomcat/repository/cache/dxf  
2014-10-03 18:42:40,642 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.cache.home=/opt/openkm-6.3.0-community/tomcat/repository/cache  
2014-10-03 18:42:40,642 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.cache.pdf=/opt/openkm-6.3.0-community/tomcat/repository/cache/pdf  
2014-10-03 18:42:40,643 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.cache.swf=/opt/openkm-6.3.0-community/tomcat/repository/cache/swf  
2014-10-03 18:42:40,643 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.config=/dev/null  
2014-10-03 18:42:40,643 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.datastore.backend=fs  
2014-10-03 18:42:40,643 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.datastore.home=/opt/openkm-6.3.0-community/tomcat/repository/datastore  
2014-10-03 18:42:40,643 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.home=/opt/openkm-6.3.0-community/tomcat/repository  
2014-10-03 18:42:40,643 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.native=true  
2014-10-03 18:42:40,643 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
system.multiple.instances=false  
2014-10-03 18:42:40,645 [localhost-startStop-1] INFO com.openkm.util.WarUtils-  
Implementation-Version: 6.3.1-DEV  
2014-10-03 18:42:40,646 [localhost-startStop-1] INFO com.openkm.util.WarUtils-  
Implementation-Build: 8160  
2014-10-03 18:42:40,648 [localhost-startStop-1] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Application version: 6.3.1-DEV (build:  
8160) \*\*\*  
2014-10-03 18:42:40,648 [localhost-startStop-1] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Hibernate initialize \*\*\*  
2014-10-03 18:42:42,088 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-  
Hibernate 'hibernate.dialect' = org.hibernate.dialect.HSQLDialect

2014-10-03 18:42:42,088 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-Hibernate 'hibernate.connection.datasource' = java:/comp/env/jdbc/OpenKMDS  
2014-10-03 18:42:42,088 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-Hibernate 'hibernate.hbm2ddl.auto' = none  
2014-10-03 18:42:42,089 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-Hibernate 'hibernate.show\_sql' = false  
2014-10-03 18:42:42,089 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-Hibernate 'hibernate.generate\_statistics' = false  
2014-10-03 18:42:42,089 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-Hibernate 'hibernate.search.default.directory\_provider' = org.hibernate.search.store.FSDirectoryProvider  
2014-10-03 18:42:42,089 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-Hibernate 'hibernate.search.default.indexBase' = /opt/openkm-6.3.0-community/tomcat/repository/index  
2014-10-03 18:42:43,733 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Node]; using defaults.  
2014-10-03 18:42:43,756 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.Bookmark]; using defaults.  
2014-10-03 18:42:43,791 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.instantiation.Delegation]; using defaults.  
2014-10-03 18:42:43,799 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.User]; using defaults.  
2014-10-03 18:42:43,804 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ProcessDefinition]; using defaults.  
2014-10-03 18:42:43,833 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Action]; using defaults.  
2014-10-03 18:42:43,850 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Transition]; using defaults.  
2014-10-03 18:42:43,926 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.NodeProperty]; using defaults.  
2014-10-03 18:42:43,952 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.Language]; using defaults.  
2014-10-03 18:42:43,982 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.Translation]; using defaults.  
2014-10-03 18:42:43,999 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.DatabaseMetadataValue]; using defaults.  
2014-10-03 18:42:44,004 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.NodeDocumentVersion]; using defaults.  
2014-10-03 18:42:44,041 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.RegisteredPropertyGroup]; using defaults.  
2014-10-03 18:42:44,043 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.module.def.ModuleDefinition]; using defaults.  
2014-10-03 18:42:44,056 [localhost-startStop-1] WARN

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ExceptionHandler]; using defaults.  
2014-10-03 18:42:44,070 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.Css]; using defaults.  
2014-10-03 18:42:44,100 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.DatabaseMetadataType]; using defaults.  
2014-10-03 18:42:44,110 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.MimeType]; using defaults.  
2014-10-03 18:42:44,121 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.DatabaseMetadataSequence]; using defaults.  
2014-10-03 18:42:44,126 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.Role]; using defaults.  
2014-10-03 18:42:44,140 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.taskmgmt.def.Task]; using defaults.  
2014-10-03 18:42:44,162 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Event]; using defaults.  
2014-10-03 18:42:44,184 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.context.def.VariableAccess]; using defaults.  
2014-10-03 18:42:44,196 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.taskmgmt.def.TaskController]; using defaults.  
2014-10-03 18:42:44,217 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.NodeNote]; using defaults.  
2014-10-03 18:42:44,232 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.UserConfig]; using defaults.  
2014-10-03 18:42:44,279 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.Language.translations]; using defaults.  
2014-10-03 18:42:44,317 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ProcessDefinition.nodes]; using defaults.  
2014-10-03 18:42:44,318 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ProcessDefinition.actions]; using defaults.  
2014-10-03 18:42:44,320 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.taskmgmt.def.TaskMgmtDefinition.tasks]; using defaults.  
2014-10-03 18:42:44,320 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Node.events]; using defaults.  
2014-10-03 18:42:44,321 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ProcessDefinitiondefinitions]; using defaults.  
2014-10-03 18:42:44,322 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache

configuration for cache named [org.jbpm.graph.def.Node.leavingTransitions]; using defaults.  
2014-10-03 18:42:44,323 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.taskmgmt.def.Task.events]; using defaults.  
2014-10-03 18:42:44,324 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.node.TaskNode.tasks]; using defaults.  
2014-10-03 18:42:44,325 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ExceptionHandler.actions]; using defaults.  
2014-10-03 18:42:44,327 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Event.actions]; using defaults.  
2014-10-03 18:42:44,327 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.SuperState.nodes]; using defaults.  
2014-10-03 18:42:44,329 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.taskmgmt.def.Task.exceptionHandlers]; using defaults.  
2014-10-03 18:42:44,329 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Transition.exceptionHandlers]; using defaults.  
2014-10-03 18:42:44,330 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Node.arrivingTransitions]; using defaults.  
2014-10-03 18:42:44,331 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Node.exceptionHandlers]; using defaults.  
2014-10-03 18:42:44,331 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ProcessDefinition.exceptionHandlers]; using defaults.  
2014-10-03 18:42:44,332 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.action.Script.variableAccesses]; using defaults.  
2014-10-03 18:42:44,333 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.User.roles]; using defaults.  
2014-10-03 18:42:44,333 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.file.def.FileDefinition.processFiles]; using defaults.  
2014-10-03 18:42:44,334 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.node.ProcessState.variableAccesses]; using defaults.  
2014-10-03 18:42:44,334 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ProcessDefinition.events]; using defaults.  
2014-10-03 18:42:44,335 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.taskmgmt.def.TaskMgmtDefinition.swimlanes]; using defaults.  
2014-10-03 18:42:44,336 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.node.Decision.decisionConditions]; using defaults.

2014-10-03 18:42:44,337 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Transition.events]; using defaults.  
2014-10-03 18:42:44,338 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.taskmgmt.def.Swimlane.tasks]; using defaults.  
2014-10-03 18:42:44,338 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.taskmgmt.def.TaskController.variableAccesses]; using defaults.  
2014-10-03 18:42:44,588 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.hibernate.cache.UpdateTimestampsCache]; using defaults.  
2014-10-03 18:42:44,590 [localhost-startStop-1] WARN  
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.hibernate.cache.StandardQueryCache]; using defaults.  
2014-10-03 18:42:44,859 [localhost-startStop-1] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Initialize property groups... \*\*\*  
2014-10-03 18:42:44,862 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- new  
LocalResolver(/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd)  
2014-10-03 18:42:44,863 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Property Groups 1.0//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/property-groups-1.0.dtd)  
2014-10-03 18:42:44,863 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Workflow Forms 1.0//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/workflow-forms-1.0.dtd)  
2014-10-03 18:42:44,863 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Workflow Forms 2.5//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/workflow-forms-2.5.dtd)  
2014-10-03 18:42:44,863 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Property Groups 1.1//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/property-groups-1.1.dtd)  
2014-10-03 18:42:44,863 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Workflow Forms 2.4//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/workflow-forms-2.4.dtd)  
2014-10-03 18:42:44,863 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Workflow Forms 2.1//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/workflow-forms-2.1.dtd)  
2014-10-03 18:42:44,863 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Property Groups 2.3//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/property-groups-2.3.dtd)  
2014-10-03 18:42:44,863 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Workflow Forms 2.0//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/workflow-forms-2.0.dtd)  
2014-10-03 18:42:44,864 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Property Groups 2.1//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/property-groups-2.1.dtd)  
2014-10-03 18:42:44,864 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Workflow Forms 2.2//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/workflow-forms-2.2.dtd)  
2014-10-03 18:42:44,864 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Property Groups 2.0//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/property-groups-2.0.dtd)  
2014-10-03 18:42:44,864 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Workflow Forms 1.1//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/workflow-forms-1.1.dtd)

2014-10-03 18:42:44,864 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Report Parameters 2.0//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/report-parameters-2.0.dtd)  
2014-10-03 18:42:44,864 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Workflow Forms 2.3//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/workflow-forms-2.3.dtd)  
2014-10-03 18:42:44,864 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- registerDTD(-//OpenKM//DTD Property Groups 2.2//EN,  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/property-groups-2.2.dtd)  
2014-10-03 18:42:44,867 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils\$LocalResolver- resolveEntity(publicId=-//OpenKM//DTD Property Groups 2.0//EN, systemId=<http://www.openkm.com/dtd/property-groups-2.0.dtd>) =>  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-INF/classes/dtd/property-groups-2.0.dtd  
2014-10-03 18:42:44,908 [localhost-startStop-1] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Initialize language detection engine... \*\*\*  
2014-10-03 18:42:44,916 [net.sf.ehcache.CacheManager@cca4b75] INFO  
net.sf.ehcache.util.UpdateChecker- New update(s) found: 2.4.7 [  
<http://www.terracotta.org/confluence/display/release/Release+Notes+Ehcache+Core+2.4>]. Please check <http://ehcache.org> for the latest version.  
2014-10-03 18:42:45,316 [localhost-startStop-1] INFO  
com.openkm.extractor.RegisteredExtractors- Initializing text extractors  
2014-10-03 18:42:45,317 [localhost-startStop-1] INFO  
com.openkm.extractor.RegisteredExtractors- Registering  
org.apache.jackrabbit.extractor.PlainTextExtractor for 'text/plain'  
2014-10-03 18:42:45,325 [localhost-startStop-1] INFO  
com.openkm.extractor.RegisteredExtractors- Registering  
org.apache.jackrabbit.extractor.MsWordTextExtractor for 'application/vnd.ms-word'  
2014-10-03 18:42:45,325 [localhost-startStop-1] INFO  
com.openkm.extractor.RegisteredExtractors- Registering  
org.apache.jackrabbit.extractor.MsWordTextExtractor for 'application/msword'  
2014-10-03 18:42:45,332 [localhost-startStop-1] INFO  
com.openkm.extractor.RegisteredExtractors- Registering  
org.apache.jackrabbit.extractor.MsExcelTextExtractor for 'application/vnd.ms-excel'  
2014-10-03 18:42:45,332 [localhost-startStop-1] INFO  
com.openkm.extractor.RegisteredExtractors- Registering  
org.apache.jackrabbit.extractor.MsExcelTextExtractor for 'application/msexcel'  
2014-10-03 18:42:45,332 [localhost-startStop-1] INFO  
com.openkm.extractor.RegisteredExtractors- Registering  
org.apache.jackrabbit.extractor.MsExcelTextExtractor for 'application/excel'  
2014-10-03 18:42:45,334 [localhost-startStop-1] INFO  
com.openkm.extractor.RegisteredExtractors- Registering  
org.apache.jackrabbit.extractor.MsPowerPointTextExtractor for 'application/vnd.ms-powerpoint'  
2014-10-03 18:42:45,334 [localhost-startStop-1] INFO  
com.openkm.extractor.RegisteredExtractors- Registering  
org.apache.jackrabbit.extractor.MsPowerPointTextExtractor for 'application/mspowerpoint'  
2014-10-03 18:42:45,334 [localhost-startStop-1] INFO  
com.openkm.extractor.RegisteredExtractors- Registering  
org.apache.jackrabbit.extractor.MsPowerPointTextExtractor for 'application/powerpoint'  
2014-10-03 18:42:45,334 [localhost-startStop-1] INFO  
com.openkm.extractor.RegisteredExtractors- Registering  
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for 'application/vnd.oasis.opendocument.database'  
2014-10-03 18:42:45,334 [localhost-startStop-1] INFO  
com.openkm.extractor.RegisteredExtractors- Registering  
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for

```
'application/vnd.oasis.opendocument.formula'
2014-10-03 18:42:45,334 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.oasis.opendocument.graphics'
2014-10-03 18:42:45,334 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.oasis.opendocument.presentation'
2014-10-03 18:42:45,334 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.oasis.opendocument.spreadsheet'
2014-10-03 18:42:45,334 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.oasis.opendocument.text'
2014-10-03 18:42:45,334 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for 'application/vnd.sun.xml.calc'
2014-10-03 18:42:45,334 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for 'application/vnd.sun.xml.draw'
2014-10-03 18:42:45,334 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for 'application/vnd.sun.xml.impress'
2014-10-03 18:42:45,335 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for 'application/vnd.sun.xml.writer'
2014-10-03 18:42:45,335 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.RTFTextExtractor for 'application/rtf'
2014-10-03 18:42:45,335 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.RTFTextExtractor for 'text/rtf'
2014-10-03 18:42:45,336 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.HTMLTextExtractor for 'text/html'
2014-10-03 18:42:45,336 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.XMLTextExtractor for 'text/xml'
2014-10-03 18:42:45,336 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.XMLTextExtractor for 'application/xml'
2014-10-03 18:42:45,337 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.PngTextExtractor for 'image/png'
2014-10-03 18:42:45,337 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.PngTextExtractor for 'image/apng'
2014-10-03 18:42:45,337 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.PngTextExtractor for 'image/mng'
2014-10-03 18:42:45,346 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.MsOutlookTextExtractor for 'application/vnd.ms-outlook'
2014-10-03 18:42:45,348 [localhost-startStop-1] INFO
```

```
com.openkm.extractor.RegisteredExtractors- Registering com.openkm.extractor.PdfTextExtractor
for 'application/pdf'
2014-10-03 18:42:45,349 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.AudioTextExtractor for 'audio/mpeg'
2014-10-03 18:42:45,349 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.AudioTextExtractor for 'audio/x-ogg'
2014-10-03 18:42:45,350 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.ExifTextExtractor for 'image/jpeg'
2014-10-03 18:42:45,351 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.SourceCodeTextExtractor for 'text/x-java'
2014-10-03 18:42:45,351 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.SourceCodeTextExtractor for 'text/css'
2014-10-03 18:42:45,351 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.SourceCodeTextExtractor for 'text/x-csrc'
2014-10-03 18:42:45,351 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.SourceCodeTextExtractor for 'text/x-sql'
2014-10-03 18:42:45,351 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.SourceCodeTextExtractor for 'application/x-php'
2014-10-03 18:42:45,351 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.SourceCodeTextExtractor for 'application/javascript'
2014-10-03 18:42:45,353 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.wordprocessingml.document'
2014-10-03 18:42:45,353 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.wordprocessingml.template'
2014-10-03 18:42:45,353 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.presentationml.template'
2014-10-03 18:42:45,353 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.presentationml.slideshow'
2014-10-03 18:42:45,353 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.presentationml.presentation'
2014-10-03 18:42:45,353 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.spreadsheetml.sheet'
2014-10-03 18:42:45,353 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.spreadsheetml.template'
```

```
2014-10-03 18:42:45,354 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.Tesseract3TextExtractor for 'image/tiff'
2014-10-03 18:42:45,354 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.Tesseract3TextExtractor for 'image/gif'
2014-10-03 18:42:45,354 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.Tesseract3TextExtractor for 'image/jpg'
2014-10-03 18:42:45,354 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.Tesseract3TextExtractor for 'image/jpeg'
2014-10-03 18:42:45,354 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.Tesseract3TextExtractor for 'image/png'
2014-10-03 18:42:45,554 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
amazon.access.key=
2014-10-03 18:42:45,554 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
amazon.secret.key=
2014-10-03 18:42:45,554 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
application.url=http://10.0.0.103:8080/OpenKM/index.jsp
2014-10-03 18:42:45,554 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
default.admin.role=ROLE_ADMIN
2014-10-03 18:42:45,554 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
default.lang=
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
default.script=print("UserId: " + session.getUserID());
print("EventType: " + eventType);
print("EventNode: " + eventNode.getPath());
print("ScriptNode: " + scriptNode.getPath());
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
default.user.role=ROLE_USER
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
hibernate.create.autofix=true
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
hibernate.datasource=java:/comp/env/jdbc/OpenKMDS
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
hibernate.dialect=org.hibernate.dialect.HSQLDialect
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
hibernate.hbm2ddl=none
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
hibernate.indexer.batch.size.load.objects=30
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
hibernate.indexer.mass.indexer=false
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
hibernate.indexer.threads.index.writer=3
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
hibernate.indexer.threads.load.objects=4
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
hibernate.indexer.threads.subsequent.fetching=8
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
hibernate.search.analyzer=org.apache.lucene.analysis.standard.StandardAnalyzer
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
hibernate.search.index.exclusive=true
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
hibernate.search.index.home=/opt/openkm-6.3.0-community/tomcat/repository/index
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -
```

hibernate.show\_sql=false  
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
hibernate.statistics=false  
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
instance.chroot.path=  
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
instance.home=/opt/openkm-6.3.0-community/tomcat  
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
jbpm.config=/opt/openkm-6.3.0-community/tomcat/jbpm.xml  
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
kea.thesaurus.base.url=  
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
kea.thesaurus.owl.file=  
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
kea.thesaurus.skos.file=  
2014-10-03 18:42:45,555 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
kea.thesaurus.tree.childs=  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
kea.thesaurus.tree.root=  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
kea.thesaurus.vocabulary.serql=  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
keep.session.alive.interval=5  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
managed.text.extraction=true  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
managed.text.extraction.batch=10  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
managed.text.extraction.concurrent=false  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
managed.text.extraction.pool.size=5  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
managed.text.extraction.pool.threads=5  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
managed.text.extraction.pool.timeout=1  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
max.file.size=0  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
max.search.results=500  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
min.search.characters=3  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
notification.message.body=<b>Message: </b>\${notificationMessage}<br/><b>User:</b>\${userId}<br/><#list documentList as doc><b>Document: </b><a href="\${doc.url}">\${doc.path}</a><br/></#list>  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
notification.message.subject=OpenKM - NOTIFICATION  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
notify.twitter.password=  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
notify.twitter.status=OpenKM - \${documentUrl} - \${documentPath} - \${userId} - \${eventType}  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
notify.twitter.user=  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
openmeetings.credentials=  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
openmeetings.port=

2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
openmeetings.url=  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
openmeetings.user=  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
plugin.debug=false  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.adapter=com.openkm.principal.DatabasePrincipalAdapter  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.database.filter.inactive.users=true  
2014-10-03 18:42:45,556 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.hide.connection.roles=false  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.identifier.validation='^[\_a-zA-Z0-9\_]+\$'  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.mail.attribute=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.mail.search.base=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.mail.search.filter=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.referral=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.role.attribute=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.role.search.base=[]  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.role.search.filter=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.roles.by.user.attribute=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.roles.by.user.search.base=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.roles.by.user.search.filter=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.security.credentials=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.security.principal=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.server=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.user.attribute=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.user.search.base=[]  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.user.search.filter=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.username.attribute=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.username.search.base=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.username.search.filter=  
2014-10-03 18:42:45,557 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.users.by.role.attribute=  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
principal.ldap.users.by.role.search.base=  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -

principal.ldap.users.by.role.search.filter= RELOAD -  
principal.ldap.users.from.roles=false  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
property.groups.cnd=/opt/openkm-6.3.0-community/tomcat/PropertyGroups.cnd  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
property.groups.xml=/opt/openkm-6.3.0-community/tomcat/PropertyGroups.xml  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
registered.text.extractors=[org.apache.jackrabbit.extractor.PlainTextExtractor,  
org.apache.jackrabbit.extractor.MsWordTextExtractor,  
org.apache.jackrabbit.extractor.MsExcelTextExtractor,  
org.apache.jackrabbit.extractor.MsPowerPointTextExtractor,  
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor,  
org.apache.jackrabbit.extractor.RTFTextExtractor,  
org.apache.jackrabbit.extractor.HTMLTextExtractor,  
org.apache.jackrabbit.extractor.XMLTextExtractor,  
org.apache.jackrabbit.extractor.PngTextExtractor,  
org.apache.jackrabbit.extractor.MsOutlookTextExtractor,  
com.openkm.extractor.PdfTextExtractor, com.openkm.extractor.AudioTextExtractor,  
com.openkm.extractor.ExifTextExtractor, com.openkm.extractor.SourceCodeTextExtractor,  
com.openkm.extractor.MsOffice2007TextExtractor, com.openkm.extractor.Tesseract3TextExtractor]  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
remote.conversion.server=  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
repository.cache.dxf=/opt/openkm-6.3.0-community/tomcat/repository/cache/dxf  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
repository.cache.home=/opt/openkm-6.3.0-community/tomcat/repository/cache  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
repository.cache.pdf=/opt/openkm-6.3.0-community/tomcat/repository/cache/pdf  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
repository.cache.swf=/opt/openkm-6.3.0-community/tomcat/repository/cache/swf  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
repository.config=/dev/null  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
repository.content.checksum=true  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
repository.datastore.backend=fs  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
repository.datastore.home=/opt/openkm-6.3.0-community/tomcat/repository/datastore  
2014-10-03 18:42:45,558 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
repository.home=/opt/openkm-6.3.0-community/tomcat/repository  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
repository.native=true  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
repository.purgatory.home=  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
restrict.file.mime=false  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
restrict.file.name=~\*.\*.bak  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
schedule.dashboard.refresh=30  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
schedule.session.keepalive=15  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
schedule.ui.notification=1  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
security.access.manager=simple

2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - security.live.change.node.limit=100  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - security.mode.multiple=false  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - security.search.evaluation=lucene  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - store.node.path=false  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - subscription.message.body=<b>Document: </b><a href="\${documentUrl}">\${documentPath}</a><br/><b>User: </b>\${userId}<br/><b>Event: </b>\${eventType}<br/><b>Comment: </b>\${subscriptionComment}<br/>  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - subscription.message.subject=OpenKM - \${eventType} - \${documentPath}  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.antivir=  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.apache.request.header.fix=false  
2014-10-03 18:42:45,559 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.catdoc.xls2csv=  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.document.name.mismatch.check=true  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.execution.timeout=5  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.ghostscript.ps2pdf=  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.imagemagick.convert=/usr/bin/convert  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.keyword.lowercase=false  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.login.lowercase=false  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.maintenance=false  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.multiple.instances=false  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.ocr=/usr/bin/tesseract \${fileIn} \${fileOut} -l pol  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.ocr.rotate=90;180;270;  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.openoffice.dictionary=  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.openoffice.path=/usr/lib/libreoffice  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.openoffice.port=2002  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.openoffice.server=  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.openoffice.tasks=200  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.pdf.force.ocr=true  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.preview=flexpaper  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD - system.profiling=false  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -

system.readonly=false  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
system.swftools.pdf2swf=/opt/openkm-6.3.0-community/tomcat/bin/pdf2swf -f -T 9 -t -s  
storeallcharacters \${fileIn} -o \${fileOut}  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
system.webdav.fix=true  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
system.webdav.server=true  
2014-10-03 18:42:45,560 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
tomcat.connector.uri.encoding=ISO-8859-1  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
upload.throttle.filter=false  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
user.admin=okmAdmin  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
user.assign.document.creation=true  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
user.password.reset=false  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
user.system=system  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
validator.password=com.openkm.validator.password.NoPasswordValidator  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
validator.password.max.length=0  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
validator.password.min.digits=0  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
validator.password.min.length=0  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
validator.password.min.lowercase=0  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
validator.password.min.uppercase=0  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
validator.password.mini.special=0  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
version.numeration.adapter=com.openkm.vernum.MajorMinorVersionNumerationAdapter  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
version.numeration.format=%d  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
workflow.run.config.form=run\_config  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
workflow.start.task.auto.run=true  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
zoho.api.key=  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
zoho.password=  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
zoho.secret.key=  
2014-10-03 18:42:45,561 [localhost-startStop-1] INFO com.openkm.core.Config- RELOAD -  
zoho.user=  
2014-10-03 18:42:45,562 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- \*\*\* Repository initializing... \*\*\*  
2014-10-03 18:42:45,602 [localhost-startStop-1] INFO com.openkm.module.db.stuff.SecurityHelper- Configuring AccessManager with  
com.openkm.module.db.stuff.DbSimpleAccessManager  
2014-10-03 18:42:45,613 [localhost-startStop-1] INFO com.openkm.module.db.DbRepositoryModule- Repository already created

2014-10-03 18:42:45,625 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- \*\*\* Repository initialized \*\*\*  
2014-10-03 18:42:45,626 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- \*\*\* User database initialized \*\*\*  
2014-10-03 18:42:45,627 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- \*\*\* Initializing workflow engine... \*\*\*  
2014-10-03 18:42:45,628 [localhost-startStop-1] INFO com.openkm.util.JBPMUtils- Creating JBPM default configuration  
2014-10-03 18:42:45,668 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- \*\*\* Initializing MIME types... \*\*\*  
2014-10-03 18:42:45,733 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- \*\*\* Activating update info \*\*\*  
2014-10-03 18:42:45,733 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- \*\*\* Activating cron \*\*\*  
2014-10-03 18:42:45,734 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- \*\*\* Activating UI Notification \*\*\*  
2014-10-03 18:42:45,783 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- \*\*\* Activating thesaurus repository \*\*\*  
2014-10-03 18:42:45,786 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- \*\*\* Start OpenOffice manager \*\*\*  
2014-10-03 18:42:45,790 [localhost-startStop-1] INFO com.openkm.util.DocConverter- \*\*\* Build Office Manager \*\*\*  
2014-10-03 18:42:45,790 [localhost-startStop-1] INFO com.openkm.util.DocConverter- system.openoffice.path=/usr/lib/libreoffice  
2014-10-03 18:42:45,790 [localhost-startStop-1] INFO com.openkm.util.DocConverter- system.openoffice.tasks=200  
2014-10-03 18:42:45,790 [localhost-startStop-1] INFO com.openkm.util.DocConverter- system.openoffice.port=2002  
2014-10-03 18:42:45,808 [localhost-startStop-1] INFO org.artofsolving.jodconverter.office.ProcessPoolOfficeManager- ProcessManager implementation is SigarProcessManager  
2014-10-03 18:42:45,827 [OfficeProcessThread-0] WARN org.artofsolving.jodconverter.office.OfficeProcess- profile dir '/opt/openkm-6.3.0-community/tomcat/temp/.jodconverter\_socket\_host-127.0.0.1\_port-2002' already exists; deleting  
2014-10-03 18:42:45,836 [OfficeProcessThread-0] INFO org.artofsolving.jodconverter.office.OfficeProcess- starting process with acceptString 'socket,host=127.0.0.1,port=2002,tcpNoDelay=1' and profileDir '/opt/openkm-6.3.0-community/tomcat/temp/.jodconverter\_socket\_host-127.0.0.1\_port-2002'  
2014-10-03 18:42:45,864 [OfficeProcessThread-0] INFO org.artofsolving.jodconverter.office.OfficeProcess- started process; pid = 3519  
2014-10-03 18:42:47,710 [OfficeProcessThread-0] INFO org.artofsolving.jodconverter.office.OfficeConnection- connected:  
'socket,host=127.0.0.1,port=2002,tcpNoDelay=1'  
2014-10-03 18:42:47,712 [localhost-startStop-1] INFO com.openkm.extension.core.ExtensionManager- Initialize and load plugins...  
2014-10-03 18:42:47,754 [localhost-startStop-1] WARN net.xeoh.plugins.base.impl.classpath.loader.FileLoader- Supplied path does not exist. Unable to add plugins from there.  
2014-10-03 18:42:47,755 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- \*\*\* Execute start script \*\*\*  
2014-10-03 18:42:47,757 [localhost-startStop-1] WARN com.openkm.util.ExecutionUtils- Unable to read script: /opt/openkm-6.3.0-community/tomcat/start.bsh  
2014-10-03 18:42:47,757 [localhost-startStop-1] WARN com.openkm.util.ExecutionUtils- Unable to read jar: /opt/openkm-6.3.0-community/tomcat/start.jar  
2014-10-03 18:42:47,757 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- \*\*\* Execute start SQL \*\*\*

2014-10-03 18:42:47,757 [localhost-startStop-1] WARN  
com.openkm.servlet.RepositoryStartupServlet- Unable to read sql:  
/opt/openkm-6.3.0-community/tomcat/start.sql  
2014-10-03 18:42:47,803 [localhost-startStop-1] WARN  
org.apache.chemistry.opencmis.server.impl.atompub.CmisAtomPubServlet- CMIS version is not defined! Setting it to CMIS 1.0.  
2014-10-03 18:42:47,857 [localhost-startStop-1] INFO  
org.apache.catalina.startup.HostConfig- Deploying web application directory  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM.old  
2014-10-03 18:42:59,703 [localhost-startStop-1] INFO  
org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM.old]- No Spring WebApplicationInitializer types detected on classpath  
2014-10-03 18:42:59,723 [localhost-startStop-1] INFO  
org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM.old]- Initializing Spring root WebApplicationContext  
2014-10-03 18:42:59,723 [localhost-startStop-1] INFO  
org.springframework.web.context.ContextLoader- Root WebApplicationContext: initialization started  
2014-10-03 18:42:59,770 [localhost-startStop-1] INFO  
org.springframework.web.context.support.XmlWebApplicationContext- Refreshing Root WebApplicationContext: startup date [Fri Oct 03 18:42:59 CEST 2014]; root of context hierarchy  
2014-10-03 18:42:59,810 [localhost-startStop-1] INFO  
org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from ServletContext resource [/WEB-INF/applicationContext.xml]  
2014-10-03 18:43:00,207 [localhost-startStop-1] INFO  
org.springframework.context.annotation.ClassPathBeanDefinitionScanner- JSR-250 'javax.annotation.ManagedBean' found and supported for component scanning  
2014-10-03 18:43:01,071 [localhost-startStop-1] INFO  
org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from class path resource [META-INF/cxf/cxf.xml]  
2014-10-03 18:43:01,094 [localhost-startStop-1] INFO  
org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from class path resource [META-INF/cxf/cxf-servlet.xml]  
2014-10-03 18:43:01,178 [localhost-startStop-1] INFO  
org.springframework.security.core.SpringSecurityCoreVersion- You are running with Spring Security Core 3.1.0.RELEASE  
2014-10-03 18:43:01,178 [localhost-startStop-1] INFO  
org.springframework.security.config.SecurityNamespaceHandler- Spring Security 'config' module version is 3.1.0.RELEASE  
2014-10-03 18:43:01,236 [localhost-startStop-1] INFO  
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted filter chain: [Root bean: class [org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null, order = 300, Root bean: class [org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null, order = 1200, Root bean: class [org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class [org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;

```
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#0>, order = 2000]
2014-10-03 18:43:01,239 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#1>, order = 2000]
2014-10-03 18:43:01,240 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#2>, order = 2000]
2014-10-03 18:43:01,243 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
```

```
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#3>, order = 2000]
2014-10-03 18:43:01,245 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#4>, order = 2000]
2014-10-03 18:43:01,246 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
```

```
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#5>, order = 2000]
2014-10-03 18:43:01,247 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#6>, order = 2000]
2014-10-03 18:43:01,249 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
```

```
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#7>, order = 2000]
2014-10-03 18:43:01,250 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#8>, order = 2000]
2014-10-03 18:43:01,261 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300,
<org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter#0>,
order = 800, Root bean: class
[org.springframework.security.web.savedrequest.RequestCacheAwareFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1300, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.session.SessionManagementFilter]; scope=; abstract=false;
lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false;
factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null,
order = 1800, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#9>, order = 2000]
```



.www.BasicAuthenticationEntryPoint#3, org.springframework.security.web.DefaultSecurityFilterChain#3, org.springframework.security.web.PortMapperImpl#4, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#4, org.springframework.security.authentication.ProviderManager#4, org.springframework.security.web.context.NullSecurityContextRepository#4, org.springframework.security.web.savedrequest.NullRequestCache#4, org.springframework.security.access.vote.AffirmativeBased#5, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#4, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#4, org.springframework.security.authentication.AnonymousAuthenticationProvider#4, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#4, org.springframework.security.web.DefaultSecurityFilterChain#4, org.springframework.security.web.PortMapperImpl#5, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#5, org.springframework.security.authentication.ProviderManager#5, org.springframework.security.web.context.NullSecurityContextRepository#5, org.springframework.security.web.savedrequest.NullRequestCache#5, org.springframework.security.access.vote.AffirmativeBased#6, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#5, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#5, org.springframework.security.authentication.AnonymousAuthenticationProvider#5, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#5, org.springframework.security.web.DefaultSecurityFilterChain#5, org.springframework.security.web.PortMapperImpl#6, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#6, org.springframework.security.authentication.ProviderManager#6, org.springframework.security.web.context.NullSecurityContextRepository#6, org.springframework.security.web.savedrequest.NullRequestCache#6, org.springframework.security.access.vote.AffirmativeBased#7, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#6, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#6, org.springframework.security.authentication.AnonymousAuthenticationProvider#6, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#6, org.springframework.security.web.DefaultSecurityFilterChain#6, org.springframework.security.web.PortMapperImpl#7, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#7, org.springframework.security.web.context.NullSecurityContextRepository#7, org.springframework.security.web.savedrequest.NullRequestCache#7, org.springframework.security.access.vote.AffirmativeBased#8, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#7, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#7, org.springframework.security.authentication.AnonymousAuthenticationProvider#7, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#7, org.springframework.security.web.DefaultSecurityFilterChain#7, org.springframework.security.web.PortMapperImpl#8, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#8, org.springframework.security.web.context.NullSecurityContextRepository#8, org.springframework.security.web.savedrequest.NullRequestCache#8, org.springframework.security.access.vote.AffirmativeBased#9, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#8, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#8, org.springframework.security.authentication.AnonymousAuthenticationProvider#8, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#8, org.springframework.security.web.DefaultSecurityFilterChain#8, org.springframework.security.web.PortMapperImpl#9, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#9, org.springframework.security.web.context.HttpSessionSecurityContextRepository#0, org.springframework.security.web.authentication.session.SessionFixationProtectionStrategy#0, org.springframework.security.web.savedrequest.HttpSessionRequestCache#0, org.springframework.security.access.vote.AffirmativeBased#10, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#9, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#9, org.springframework.security.authentication.AnonymousAuthenticationProvider#9, org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter#0, org.springframework.security.web.DefaultSecurityFilterChain#9, loggerListener, dataSource, org.springframework.security.provisioning.JdbcUserDetailsManager#0, org.springframework.security.authentication.dao.DaoAuthenticationProvider#0, org.springframework.security.authentication.DefaultAuthenticationEventPublisher#0, org.springframework.security.authentication.AuthenticationManager, org.springframework.context.annotation.ConfigurationClassPostProcessor\$ImportAwareBeanPostProcessor#0]; root of factory hierarchy

```
2014-10-03 18:43:01,771 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMAuth from class com.openkm.ws.endpoint.AuthService  
2014-10-03 18:43:02,426 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMAuth  
2014-10-03 18:43:02,473 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMBookmark from class com.openkm.ws.endpoint.BookmarkService  
2014-10-03 18:43:02,544 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMBookmark  
2014-10-03 18:43:02,561 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMDocument from class com.openkm.ws.endpoint.DocumentService  
2014-10-03 18:43:02,802 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMDocument  
2014-10-03 18:43:02,816 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMFolder from class com.openkm.ws.endpoint.FolderService  
2014-10-03 18:43:02,903 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMFolder  
2014-10-03 18:43:02,915 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMMail from class com.openkm.ws.endpoint.MailService  
2014-10-03 18:43:03,000 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMMail  
2014-10-03 18:43:03,009 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMNote from class com.openkm.ws.endpoint.NoteService  
2014-10-03 18:43:03,051 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMNote  
2014-10-03 18:43:03,063 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMNotification from class com.openkm.ws.endpoint.NotificationService  
2014-10-03 18:43:03,096 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMNotification  
2014-10-03 18:43:03,110 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMPropertyGroup from class com.openkm.ws.endpoint.PropertyGroupService  
2014-10-03 18:43:03,202 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMPropertyGroup  
2014-10-03 18:43:03,213 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMProperty from class com.openkm.ws.endpoint.PropertyService  
2014-10-03 18:43:03,251 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMProperty  
2014-10-03 18:43:03,263 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMRepository from class com.openkm.ws.endpoint.RepositoryService  
2014-10-03 18:43:03,396 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMRepository  
2014-10-03 18:43:03,406 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMSearch from class com.openkm.ws.endpoint.SearchService  
2014-10-03 18:43:03,547 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMSearch  
2014-10-03 18:43:03,555 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {
```

http://ws.openkm.com}OKMDashboard from class com.openkm.ws.endpoint.DashboardService  
2014-10-03 18:43:03,686 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMDashboard  
2014-10-03 18:43:03,697 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMWorkflow from class com.openkm.ws.endpoint.WorkflowService  
2014-10-03 18:43:03,928 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMWorkflow  
2014-10-03 18:43:03,933 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://ws.openkm.com}OKMTest from class com.openkm.ws.endpoint.TestService  
2014-10-03 18:43:03,966 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /OKMTest  
2014-10-03 18:43:03,986 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}NavigationServiceService from  
class org.apache.chemistry.opencmis.commons.impl.jaxb.NavigationServicePort  
2014-10-03 18:43:04,493 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/NavigationService  
2014-10-03 18:43:04,503 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}PolicyServiceService from  
class org.apache.chemistry.opencmis.commons.impl.jaxb.PolicyServicePort  
2014-10-03 18:43:04,768 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/PolicyService  
2014-10-03 18:43:04,779 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}DiscoveryServiceService from  
class org.apache.chemistry.opencmis.commons.impl.jaxb.DiscoveryServicePort  
2014-10-03 18:43:05,007 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/DiscoveryService  
2014-10-03 18:43:05,015 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}MultiFilingServiceService from  
class org.apache.chemistry.opencmis.commons.impl.jaxb.MultiFilingServicePort  
2014-10-03 18:43:05,243 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/MultiFilingService  
2014-10-03 18:43:05,255 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}RepositoryServiceService from  
class org.apache.chemistry.opencmis.commons.impl.jaxb.RepositoryServicePort  
2014-10-03 18:43:05,470 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/RepositoryService  
2014-10-03 18:43:05,476 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}RelationshipServiceService from  
class org.apache.chemistry.opencmis.commons.impl.jaxb.RelationshipServicePort  
2014-10-03 18:43:05,678 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/RelationshipService  
2014-10-03 18:43:05,690 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}VersioningServiceService from  
class org.apache.chemistry.opencmis.commons.impl.jaxb.VersioningServicePort  
2014-10-03 18:43:05,911 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl-  
Setting the server's publish address to be /cmis/VersioningService  
2014-10-03 18:43:05,928 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {

http://webservices.impl.server.opencmis.chemistry.apache.org/}ObjectServiceService from class org.apache.chemistry.opencmis.commons.impl.jaxb.ObjectServicePort  
2014-10-03 18:43:06,416 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl- Setting the server's publish address to be /cmis/ObjectService  
2014-10-03 18:43:06,424 [localhost-startStop-1] INFO org.apache.cxf.service.factory.ReflectionServiceFactoryBean- Creating Service {  
http://webservices.impl.server.opencmis.chemistry.apache.org/}AclServiceService from class org.apache.chemistry.opencmis.commons.impl.jaxb.ACLServicePort  
2014-10-03 18:43:06,633 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl- Setting the server's publish address to be /cmis/ACLService  
2014-10-03 18:43:06,737 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl- Setting the server's publish address to be /rest/auth  
2014-10-03 18:43:06,789 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl- Setting the server's publish address to be /rest/document  
2014-10-03 18:43:06,799 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl- Setting the server's publish address to be /rest/folder  
2014-10-03 18:43:06,807 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl- Setting the server's publish address to be /rest/mail  
2014-10-03 18:43:06,816 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl- Setting the server's publish address to be /rest/note  
2014-10-03 18:43:06,825 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl- Setting the server's publish address to be /rest/propertyGroup  
2014-10-03 18:43:06,835 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl- Setting the server's publish address to be /rest/search  
2014-10-03 18:43:06,844 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl- Setting the server's publish address to be /rest/repository  
2014-10-03 18:43:06,850 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl- Setting the server's publish address to be /rest/property  
2014-10-03 18:43:06,856 [localhost-startStop-1] INFO org.apache.cxf.endpoint.ServerImpl- Setting the server's publish address to be /rest/test  
2014-10-03 18:43:07,019 [localhost-startStop-1] INFO org.springframework.security.provisioning.JdbcUserDetailsManager- No authentication manager set. Reauthentication of users when changing passwords will not be performed.  
2014-10-03 18:43:07,105 [localhost-startStop-1] INFO org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant [pattern='/status'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@37c9b151, org.springframework.security.web.authentication.www.BasicAuthenticationFilter@1a985974, org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@818dc50, org.springframework.security.web.authentication.AnonymousAuthenticationFilter@18280c57, org.springframework.security.web.access.ExceptionTranslationFilter@6d423024, org.springframework.security.web.access.intercept.FilterSecurityInterceptor@1466c386]  
2014-10-03 18:43:07,119 [localhost-startStop-1] INFO org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant [pattern='/download'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@769448d1, org.springframework.security.web.authentication.www.BasicAuthenticationFilter@138ce29, org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@3866e65f, org.springframework.security.web.authentication.AnonymousAuthenticationFilter@6b9e83e6, org.springframework.security.web.access.ExceptionTranslationFilter@73e5a83c, org.springframework.security.web.access.intercept.FilterSecurityInterceptor@6a883695]  
2014-10-03 18:43:07,131 [localhost-startStop-1] INFO org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant [pattern='/workflow-register'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@49d9e3aa, org.springframework.security.web.authentication.www.BasicAuthenticationFilter@7ff1d3c6, org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@5d86adc9,

org.springframework.security.web.authentication.AnonymousAuthenticationFilter@34fb9717,  
org.springframework.security.web.access.ExceptionTranslationFilter@717c822d,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@25469290]  
2014-10-03 18:43:07,144 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/\*webdav/\*\*'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@479bb53e,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@3f981e2c,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@1be4fb52,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@562fd2cc,  
org.springframework.security.web.access.ExceptionTranslationFilter@5db87b48,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@7aa5e409]  
2014-10-03 18:43:07,153 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/\*feed/\*\*'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@32dd1d61,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@52b3e55d,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@20976716,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@33f0e611,  
org.springframework.security.web.access.ExceptionTranslationFilter@c9080bb,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@62f37b6e]  
2014-10-03 18:43:07,164 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/\*cmis/browser/\*\*'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@221f0020,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@21414660,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@447359ae,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@7104d19d,  
org.springframework.security.web.access.ExceptionTranslationFilter@735dd462,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@1522a91a]  
2014-10-03 18:43:07,174 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/\*cmis/atom/\*\*'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@647a9326,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@2b52d753,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@4bb6a05d,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@42da6080,  
org.springframework.security.web.access.ExceptionTranslationFilter@ef595ca,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@1d3d0872]  
2014-10-03 18:43:07,185 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/\*cmis/atom11/\*\*'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@41d98752,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@30433a44,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@da65f1d,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@25ae6feb,  
org.springframework.security.web.access.ExceptionTranslationFilter@5f35c0a0,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@41f97935]  
2014-10-03 18:43:07,197 [localhost-startStop-1] INFO  
org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain: Ant  
[pattern='/\*services/rest/\*\*'],  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@448cc17b,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@74f29565,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@622e55de,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@5007942d,  
org.springframework.security.web.access.ExceptionTranslationFilter@21913f67,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@46d99468]

2014-10-03 18:43:07,282 [localhost-startStop-1] INFO org.springframework.security.web.DefaultSecurityFilterChain- Creating filter chain:  
org.springframework.security.web.util.AnyRequestMatcher@1,  
[org.springframework.security.web.context.SecurityContextPersistenceFilter@7f541044,  
org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter@67f821aa,  
org.springframework.security.web.savedrequest.RequestCacheAwareFilter@536a5539,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@6a013bf7,  
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@77080b7f,  
org.springframework.security.web.session.SessionManagementFilter@312afbe6,  
org.springframework.security.web.access.ExceptionTranslationFilter@7cffd241,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@7f44e983]  
2014-10-03 18:43:07,304 [localhost-startStop-1] INFO org.springframework.security.config.http.DefaultFilterChainValidator- Checking whether login URL '/login.jsp' is accessible with your configuration  
2014-10-03 18:43:07,332 [localhost-startStop-1] INFO org.springframework.web.context.ContextLoader- Root WebApplicationContext: initialization completed in 7609 ms  
2014-10-03 18:43:07,348 [localhost-startStop-1] INFO com.openkm.core.Config- \*\* Application OpenKM has DTDs at /opt/openkm-6.3.0-community/tomcat/webapps/OpenKM.old/WEB-INF/classes/dtd \*\*  
2014-10-03 18:43:07,348 [localhost-startStop-1] INFO com.openkm.core.Config- \*\* Language profiles at /opt/openkm-6.3.0-community/tomcat/webapps/OpenKM.old/WEB-INF/classes/lang-profiles \*\*  
2014-10-03 18:43:07,348 [localhost-startStop-1] INFO com.openkm.core.Config- \*\* Reading config file /opt/openkm-6.3.0-community/tomcat/OpenKM.cfg \*\*  
2014-10-03 18:43:07,349 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - hibernate.create.autofix=true  
2014-10-03 18:43:07,349 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - hibernate.datasource=java:/comp/env/jdbc/OpenKM.oldDS  
2014-10-03 18:43:07,349 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - hibernate.dialect=org.hibernate.dialect.HSQLDialect  
2014-10-03 18:43:07,349 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - hibernate.hbm2ddl=None  
2014-10-03 18:43:07,349 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - hibernate.search.analyzer=org.apache.lucene.analysis.standard.StandardAnalyzer  
2014-10-03 18:43:07,349 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - hibernate.search.index.exclusive=true  
2014-10-03 18:43:07,349 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - hibernate.search.index.home=/opt/openkm-6.3.0-community/tomcat/repository/index  
2014-10-03 18:43:07,349 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - hibernate.show\_sql=false  
2014-10-03 18:43:07,349 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - hibernate.statistics=false  
2014-10-03 18:43:07,349 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - instance.chroot.path=  
2014-10-03 18:43:07,349 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - instance.home=/opt/openkm-6.3.0-community/tomcat  
2014-10-03 18:43:07,349 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - jbpm.config=/opt/openkm-6.3.0-community/tomcat/jbpm.xml  
2014-10-03 18:43:07,350 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - property.groups.cnd=/opt/openkm-6.3.0-community/tomcat/PropertyGroups.cnd  
2014-10-03 18:43:07,350 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - property.groups.xml=/opt/openkm-6.3.0-community/tomcat/PropertyGroups.xml  
2014-10-03 18:43:07,350 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - repository.cache.dxf=/opt/openkm-6.3.0-community/tomcat/repository/cache/dxf  
2014-10-03 18:43:07,350 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD - repository.cache.home=/opt/openkm-6.3.0-community/tomcat/repository/cache

```
2014-10-03 18:43:07,350 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.cache.pdf=/opt/openkm-6.3.0-community/tomcat/repository/cache/pdf  
2014-10-03 18:43:07,350 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.cache.swf=/opt/openkm-6.3.0-community/tomcat/repository/cache/swf  
2014-10-03 18:43:07,350 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.config=/dev/null  
2014-10-03 18:43:07,350 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.datastore.backend=fs  
2014-10-03 18:43:07,350 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.datastore.home=/opt/openkm-6.3.0-community/tomcat/repository/datastore  
2014-10-03 18:43:07,350 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.home=/opt/openkm-6.3.0-community/tomcat/repository  
2014-10-03 18:43:07,350 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
repository.native=true  
2014-10-03 18:43:07,350 [localhost-startStop-1] INFO com.openkm.core.Config- LOAD -  
system.multiple.instances=false  
2014-10-03 18:43:07,352 [localhost-startStop-1] INFO com.openkm.util.WarUtils-  
Implementation-Version: 6.3.0  
2014-10-03 18:43:07,352 [localhost-startStop-1] INFO com.openkm.util.WarUtils-  
Implementation-Build: 8147  
2014-10-03 18:43:07,356 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- *** Application version: 6.3.0 (build: 8147) ***  
2014-10-03 18:43:07,356 [localhost-startStop-1] INFO com.openkm.servlet.RepositoryStartupServlet- *** Hibernate initialize ***  
2014-10-03 18:43:08,816 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-  
Hibernate 'hibernate.dialect' = org.hibernate.dialect.HSQLDialect  
2014-10-03 18:43:08,816 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-  
Hibernate 'hibernate.connection.datasource' = java:/comp/env/jdbc/OpenKM.oldDS  
2014-10-03 18:43:08,816 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-  
Hibernate 'hibernate.hbm2ddl.auto' = none  
2014-10-03 18:43:08,816 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-  
Hibernate 'hibernate.show_sql' = false  
2014-10-03 18:43:08,817 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-  
Hibernate 'hibernate.generate_statistics' = false  
2014-10-03 18:43:08,817 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-  
Hibernate 'hibernate.search.default.directory_provider' =  
org.hibernate.search.store.FSDirectoryProvider  
2014-10-03 18:43:08,817 [localhost-startStop-1] INFO com.openkm.dao.HibernateUtil-  
Hibernate 'hibernate.search.default.indexBase' =  
/opt/openkm-6.3.0-community/tomcat/repository/index  
2014-10-03 18:43:09,363 [localhost-startStop-1] ERROR  
org.hibernate.connection.DatasourceConnectionProvider- Could not find datasource:  
java:/comp/env/jdbc/OpenKM.oldDS  
javax.naming.NameNotFoundException: Name [OpenKM.oldDS] is not bound in this Context. Unable  
to find [OpenKM.oldDS].  
    at org.apache.naming.NamingContext.lookup(NamingContext.java:819)  
    at org.apache.naming.NamingContext.lookup(NamingContext.java:153)  
    at org.apache.naming.NamingContext.lookup(NamingContext.java:830)  
    at org.apache.naming.NamingContext.lookup(NamingContext.java:153)  
    at org.apache.naming.NamingContext.lookup(NamingContext.java:830)  
    at org.apache.naming.NamingContext.lookup(NamingContext.java:153)  
    at org.apache.naming.NamingContext.lookup(NamingContext.java:830)  
    at org.apache.naming.NamingContext.lookup(NamingContext.java:167)  
    at org.apache.naming.SelectorContext.lookup(SelectorContext.java:156)  
    at javax.naming.InitialContext.lookup(InitialContext.java:409)  
    at  
org.hibernate.connection.DatasourceConnectionProvider.configure(DatasourceConnectionProvid
```

```
er.java:75)
at
org.hibernate.connection.ConnectionProviderFactory.newConnectionProvider(ConnectionProvide
rFactory.java:143)
at
org.hibernate.connection.ConnectionProviderFactory.newConnectionProvider(ConnectionProvide
rFactory.java:84)
at org.hibernate.cfg.SettingsFactory.createConnectionProvider(SettingsFactory.java:459)
at org.hibernate.cfg.SettingsFactory.buildSettings(SettingsFactory.java:90)
at org.hibernate.cfg.Configuration.buildSettingsInternal(Configuration.java:2863)
at org.hibernate.cfg.Configuration.buildSettings(Configuration.java:2859)
at org.hibernate.cfg.Configuration.buildSessionFactory(Configuration.java:1870)
at com.openkm.dao.HibernateUtil.getSessionFactory(HibernateUtil.java:176)
at com.openkm.dao.HibernateUtil.getSessionFactory(HibernateUtil.java:90)
at com.openkm.servlet.RepositoryStartupServlet.init(RepositoryStartupServlet.java:100)
at javax.servlet.GenericServlet.init(GenericServlet.java:158)
at org.apache.catalina.core.StandardWrapper.initServlet(StandardWrapper.java:1284)
at org.apache.catalina.core.StandardWrapper.loadServlet(StandardWrapper.java:1197)
at org.apache.catalina.core.StandardWrapper.load(StandardWrapper.java:1087)
at org.apache.catalina.core.StandardContext.loadOnStartup(StandardContext.java:5210)
at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5493)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:150)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:901)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:877)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:632)
at org.apache.catalina.startup.HostConfig.deployDirectory(HostConfig.java:1229)
at org.apache.catalina.startup.HostConfig$DeployDirectory.run(HostConfig.java:1875)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:471)
at java.util.concurrent.FutureTask$Sync.innerRun(FutureTask.java:334)
at java.util.concurrent.FutureTask.run(FutureTask.java:166)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1146)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:615)
at java.lang.Thread.run(Thread.java:701)
```

2014-10-03 18:43:09,365 [localhost-startStop-1] ERROR com.openkm.dao.HibernateUtil - Could  
not find datasource

```
org.hibernate.HibernateException: Could not find datasource
at
org.hibernate.connection.DatasourceConnectionProvider.configure(DatasourceConnectionProvid
er.java:79)
at
org.hibernate.connection.ConnectionProviderFactory.newConnectionProvider(ConnectionProvide
rFactory.java:143)
at
org.hibernate.connection.ConnectionProviderFactory.newConnectionProvider(ConnectionProvide
rFactory.java:84)
at org.hibernate.cfg.SettingsFactory.createConnectionProvider(SettingsFactory.java:459)
at org.hibernate.cfg.SettingsFactory.buildSettings(SettingsFactory.java:90)
at org.hibernate.cfg.Configuration.buildSettingsInternal(Configuration.java:2863)
at org.hibernate.cfg.Configuration.buildSettings(Configuration.java:2859)
at org.hibernate.cfg.Configuration.buildSessionFactory(Configuration.java:1870)
at com.openkm.dao.HibernateUtil.getSessionFactory(HibernateUtil.java:176)
at com.openkm.dao.HibernateUtil.getSessionFactory(HibernateUtil.java:90)
at com.openkm.servlet.RepositoryStartupServlet.init(RepositoryStartupServlet.java:100)
at javax.servlet.GenericServlet.init(GenericServlet.java:158)
at org.apache.catalina.core.StandardWrapper.initServlet(StandardWrapper.java:1284)
at org.apache.catalina.core.StandardWrapper.loadServlet(StandardWrapper.java:1197)
at org.apache.catalina.core.StandardWrapper.load(StandardWrapper.java:1087)
```

```
at org.apache.catalina.core.StandardContext.loadOnStartup(StandardContext.java:5210)
at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5493)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:150)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:901)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:877)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:632)
at org.apache.catalina.startup.HostConfig.deployDirectory(HostConfig.java:1229)
at org.apache.catalina.startup.HostConfig$DeployDirectory.run(HostConfig.java:1875)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:471)
at java.util.concurrent.FutureTask$Sync.innerRun(FutureTask.java:334)
at java.util.concurrent.FutureTask.run(FutureTask.java:166)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1146)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:615)
at java.lang.Thread.run(Thread.java:701)
```

Caused by: javax.naming.NameNotFoundException: Name [OpenKM.oldDS] is not bound in this Context. Unable to find [OpenKM.oldDS].

```
at org.apache.naming.NamingContext.lookup(NamingContext.java:819)
at org.apache.naming.NamingContext.lookup(NamingContext.java:153)
at org.apache.naming.NamingContext.lookup(NamingContext.java:830)
at org.apache.naming.NamingContext.lookup(NamingContext.java:153)
at org.apache.naming.NamingContext.lookup(NamingContext.java:830)
at org.apache.naming.NamingContext.lookup(NamingContext.java:153)
at org.apache.naming.NamingContext.lookup(NamingContext.java:830)
at org.apache.naming.NamingContext.lookup(NamingContext.java:153)
at org.apache.naming.NamingContext.lookup(NamingContext.java:830)
at org.apache.naming.NamingContext.lookup(NamingContext.java:167)
at org.apache.naming.SelectorContext.lookup(SelectorContext.java:156)
at javax.naming.InitialContext.lookup(InitialContext.java:409)
at
org.hibernate.connection.DatasourceConnectionProvider.configure(DatasourceConnectionProvider.java:75)
... 28 more
```

2014-10-03 18:43:09,366 [localhost-startStop-1] ERROR

org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM.old]-StandardWrapper.Throwable

java.lang.ExceptionInInitializerError

```
at com.openkm.dao.HibernateUtil.getSessionFactory(HibernateUtil.java:224)
at com.openkm.dao.HibernateUtil.getSessionFactory(HibernateUtil.java:90)
at com.openkm.servlet.RepositoryStartupServlet.init(RepositoryStartupServlet.java:100)
at javax.servlet.GenericServlet.init(GenericServlet.java:158)
at org.apache.catalina.core.StandardWrapper.initServlet(StandardWrapper.java:1284)
at org.apache.catalina.core.StandardWrapper.loadServlet(StandardWrapper.java:1197)
at org.apache.catalina.core.StandardWrapper.load(StandardWrapper.java:1087)
at org.apache.catalina.core.StandardContext.loadOnStartup(StandardContext.java:5210)
at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5493)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:150)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:901)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:877)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:632)
at org.apache.catalina.startup.HostConfig.deployDirectory(HostConfig.java:1229)
at org.apache.catalina.startup.HostConfig$DeployDirectory.run(HostConfig.java:1875)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:471)
at java.util.concurrent.FutureTask$Sync.innerRun(FutureTask.java:334)
at java.util.concurrent.FutureTask.run(FutureTask.java:166)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1146)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:615)
at java.lang.Thread.run(Thread.java:701)
```

Caused by: org.hibernate.HibernateException: Could not find datasource

at

```
org.hibernate.connection.DatasourceConnectionProvider.configure(DatasourceConnectionProvider.java:79)
at
org.hibernate.connection.ConnectionProviderFactory.newConnectionProvider(ConnectionProviderFactory.java:143)
at
org.hibernate.connection.ConnectionProviderFactory.newConnectionProvider(ConnectionProviderFactory.java:84)
at org.hibernate.cfg.SettingsFactory.createConnectionProvider(SettingsFactory.java:459)
at org.hibernate.cfg.SettingsFactory.buildSettings(SettingsFactory.java:90)
at org.hibernate.cfg.Configuration.buildSettingsInternal(Configuration.java:2863)
at org.hibernate.cfg.Configuration.buildSettings(Configuration.java:2859)
at org.hibernate.cfg.Configuration.buildSessionFactory(Configuration.java:1870)
at com.openkm.dao.HibernateUtil.getSessionFactory(HibernateUtil.java:176)
... 20 more
Caused by: javax.naming.NameNotFoundException: Name [OpenKM.oldDS] is not bound in this Context. Unable to find [OpenKM.oldDS].
at org.apache.naming.NamingContext.lookup(NamingContext.java:819)
at org.apache.naming.NamingContext.lookup(NamingContext.java:153)
at org.apache.naming.NamingContext.lookup(NamingContext.java:830)
at org.apache.naming.NamingContext.lookup(NamingContext.java:153)
at org.apache.naming.NamingContext.lookup(NamingContext.java:830)
at org.apache.naming.NamingContext.lookup(NamingContext.java:153)
at org.apache.naming.NamingContext.lookup(NamingContext.java:830)
at org.apache.naming.NamingContext.lookup(NamingContext.java:167)
at org.apache.naming.SelectorContext.lookup(SelectorContext.java:156)
at javax.naming.InitialContext.lookup(InitialContext.java:409)
at
org.hibernate.connection.DatasourceConnectionProvider.configure(DatasourceConnectionProvider.java:75)
... 28 more
2014-10-03 18:43:09,366 [localhost-startStop-1] ERROR
org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM.old]- Servlet /OpenKM.old threw load() exception
javax.naming.NameNotFoundException: Name [OpenKM.oldDS] is not bound in this Context. Unable to find [OpenKM.oldDS].
at org.apache.naming.NamingContext.lookup(NamingContext.java:819)
at org.apache.naming.NamingContext.lookup(NamingContext.java:153)
at org.apache.naming.NamingContext.lookup(NamingContext.java:830)
at org.apache.naming.NamingContext.lookup(NamingContext.java:153)
at org.apache.naming.NamingContext.lookup(NamingContext.java:830)
at org.apache.naming.NamingContext.lookup(NamingContext.java:153)
at org.apache.naming.NamingContext.lookup(NamingContext.java:830)
at org.apache.naming.NamingContext.lookup(NamingContext.java:167)
at org.apache.naming.SelectorContext.lookup(SelectorContext.java:156)
at javax.naming.InitialContext.lookup(InitialContext.java:409)
at
org.hibernate.connection.DatasourceConnectionProvider.configure(DatasourceConnectionProvider.java:75)
at
org.hibernate.connection.ConnectionProviderFactory.newConnectionProvider(ConnectionProviderFactory.java:143)
at
org.hibernate.connection.ConnectionProviderFactory.newConnectionProvider(ConnectionProviderFactory.java:84)
at org.hibernate.cfg.SettingsFactory.createConnectionProvider(SettingsFactory.java:459)
at org.hibernate.cfg.SettingsFactory.buildSettings(SettingsFactory.java:90)
```

```
at org.hibernate.cfg.Configuration.buildSettingsInternal(Configuration.java:2863)
at org.hibernate.cfg.Configuration.buildSettings(Configuration.java:2859)
at org.hibernate.cfg.Configuration.buildSessionFactory(Configuration.java:1870)
at com.openkm.dao.HibernateUtil.getSessionFactory(HibernateUtil.java:176)
at com.openkm.dao.HibernateUtil.getSessionFactory(HibernateUtil.java:90)
at com.openkm.servlet.RepositoryStartupServlet.init(RepositoryStartupServlet.java:100)
at javax.servlet.GenericServlet.init(GenericServlet.java:158)
at org.apache.catalina.core.StandardWrapper.initServlet(StandardWrapper.java:1284)
at org.apache.catalina.core.StandardWrapper.loadServlet(StandardWrapper.java:1197)
at org.apache.catalina.core.StandardWrapper.load(StandardWrapper.java:1087)
at org.apache.catalina.core.StandardContext.loadOnStartup(StandardContext.java:5210)
at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5493)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:150)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:901)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:877)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:632)
at org.apache.catalina.startup.HostConfig.deployDirectory(HostConfig.java:1229)
at org.apache.catalina.startup.HostConfig$DeployDirectory.run(HostConfig.java:1875)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:471)
at java.util.concurrent.FutureTask$Sync.innerRun(FutureTask.java:334)
at java.util.concurrent.FutureTask.run(FutureTask.java:166)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1146)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:615)
at java.lang.Thread.run(Thread.java:701)
```

2014-10-03 18:43:09,399 [localhost-startStop-1] WARN

org.apache.chemistry.opencmis.server.impl.atompub.CmisAtomPubServlet- CMIS version is not defined! Setting it to CMIS 1.0.

2014-10-03 18:43:09,420 [localhost-startStop-1] INFO

org.apache.catalina.startup.HostConfig- Deploying web application directory /opt/openkm-6.3.0-community/tomcat/webapps/ROOT

2014-10-03 18:43:10,069 [main] INFO org.apache.coyote.http11.Http11Protocol- Starting ProtocolHandler ["http-bio-0.0.0.0-8080"]

2014-10-03 18:43:10,083 [main] INFO org.apache.coyote.ajp.AjpProtocol- Starting ProtocolHandler ["ajp-bio-127.0.0.1-8009"]

2014-10-03 18:43:10,086 [main] INFO org.apache.catalina.startup.Catalina- Server startup in 52652 ms

2014-10-03 18:45:27,322 [main] INFO org.apache.catalina.core.StandardServer- A valid shutdown command was received via the shutdown port. Stopping the Server instance.

2014-10-03 18:45:27,322 [main] INFO org.apache.coyote.http11.Http11Protocol- Pausing ProtocolHandler ["http-bio-0.0.0.0-8080"]

2014-10-03 18:45:27,374 [main] INFO org.apache.coyote.ajp.AjpProtocol- Pausing ProtocolHandler ["ajp-bio-127.0.0.1-8009"]

2014-10-03 18:45:27,425 [main] INFO org.apache.catalina.core.StandardService- Stopping service Catalina

2014-10-03 18:45:27,459 [localhost-startStop-2] INFO

com.openkm.servlet.RepositoryStartupServlet- \*\*\* Shutting down OpenOffice manager \*\*\*

2014-10-03 18:45:27,459 [localhost-startStop-2] INFO

org.artofsolving.jodconverter.office.ProcessPoolOfficeManager- stopping

2014-10-03 18:45:27,469 [MessageDispatcher] INFO

org.artofsolving.jodconverter.office.OfficeConnection- disconnected:

'socket,host=127.0.0.1,port=2002,tcpNoDelay=1'

2014-10-03 18:45:27,719 [OfficeProcessThread-0] INFO

org.artofsolving.jodconverter.office.ManagedOfficeProcess- process exited with code 0

2014-10-03 18:45:27,723 [localhost-startStop-2] INFO

org.artofsolving.jodconverter.office.ProcessPoolOfficeManager- stopped

2014-10-03 18:45:27,723 [localhost-startStop-2] INFO

com.openkm.servlet.RepositoryStartupServlet- \*\*\* Shutting down UI Notification... \*\*\*

2014-10-03 18:45:27,723 [localhost-startStop-2] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Shutting down cron... \*\*\*  
2014-10-03 18:45:27,723 [localhost-startStop-2] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Shutting down update info... \*\*\*  
2014-10-03 18:45:27,723 [localhost-startStop-2] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Shutting pending task executor... \*\*\*  
2014-10-03 18:45:27,724 [localhost-startStop-2] INFO  
com.openkm.util.pendtask.PendingTaskExecutor- ### All threads shutdown requested ###  
2014-10-03 18:45:27,724 [localhost-startStop-2] INFO  
com.openkm.util.pendtask.PendingTaskExecutor- ### All threads have finished ###  
2014-10-03 18:45:27,725 [localhost-startStop-2] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Shutting down repository... \*\*\*  
2014-10-03 18:45:27,725 [localhost-startStop-2] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Repository shutted down \*\*\*  
2014-10-03 18:45:27,725 [localhost-startStop-2] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Execute stop script \*\*\*  
2014-10-03 18:45:27,725 [localhost-startStop-2] WARN com.openkm.util.ExecutionUtils- Unable  
to read script: /opt/openkm-6.3.0-community/tomcat/stop.bsh  
2014-10-03 18:45:27,725 [localhost-startStop-2] WARN com.openkm.util.ExecutionUtils- Unable  
to read jar: /opt/openkm-6.3.0-community/tomcat/stop.jar  
2014-10-03 18:45:27,725 [localhost-startStop-2] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Execute stop SQL \*\*\*  
2014-10-03 18:45:27,725 [localhost-startStop-2] WARN  
com.openkm.servlet.RepositoryStartupServlet- Unable to read sql:  
/opt/openkm-6.3.0-community/tomcat/stop.sql  
2014-10-03 18:45:27,725 [localhost-startStop-2] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Shutting down workflow engine... \*\*\*  
2014-10-03 18:45:27,755 [localhost-startStop-2] INFO  
com.openkm.servlet.RepositoryStartupServlet- \*\*\* Hibernate shutdown \*\*\*  
2014-10-03 18:45:27,758 [localhost-startStop-2] INFO  
org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM]- Closing Spring root  
WebApplicationContext  
2014-10-03 18:45:27,758 [localhost-startStop-2] INFO  
org.springframework.web.context.support.XmlWebApplicationContext- Closing Root  
WebApplicationContext: startup date [Fri Oct 03 18:42:31 CEST 2014]; root of context hierarchy  
2014-10-03 18:45:27,760 [localhost-startStop-2] INFO  
org.springframework.beans.factory.support.DefaultListableBeanFactory- Destroying singletons  
in org.springframework.beans.factory.support.DefaultListableBeanFactory@3cac2b19: defining  
beans  
[dbAuthModule,org.springframework.context.annotation.internalConfigurationAnnotationProcessor,  
org.springframework.context.annotation.internalAutowiredAnnotationProcessor,org.springframewor  
k.context.annotation.internalRequiredAnnotationProcessor,org.springframework.context.annotatio  
n.internalCommonAnnotationProcessor,org.springframework.context.annotation.internalPersistence  
AnnotationProcessor,cxf,org.apache.cxf.bus.spring.BusWiringBeanFactoryPostProcessor,org.apache  
.cxf.bus.spring.Jsr250BeanPostProcessor,org.apache.cxf.bus.spring.BusExtensionPostProcessor,WS  
S4JInInterceptor,authService,bookmarkService,documentService,folderService,mailService,noteSer  
vice,notificationService,propertyGroupService,propertyService,repositoryService,searchService,  
dashboardService,workflowService,testService,cmisNavigationService,cmisPolicyService,cmisDisco  
veryService,cmisMultiFilingService,cmisRepositoryService,cmisRelationshipService,cmisVersionin  
gService,cmisObjectService,cmisAclService,restAuth,restDocument,restFolder,restMail,restNote,r  
estPropertyGroup,restSearch,restRepository,restProperty,restTest,org.springframework.security.  
access.method.DelegatingMethodSecurityMetadataSource#0,org.springframework.security.access.vot  
e.AffirmativeBased#0,org.springframework.security.access.intercept.aopalliance.MethodSecurityI  
nterceptor#0,org.springframework.security.methodSecurityMetadataSourceAdvisor,org.springframew  
ork.aop.config.internalAutoProxyCreator,org.springframework.security.access.vote.RoleVoter#0,C  
misLifecycleBean,CmisServiceFactory,org.springframework.security.filterChains,org.springframew  
ork.security.filterChainProxy,org.springframework.security.web.PortMapperImpl#0,org.springfram

ework.security.config.authentication.AuthenticationManagerFactoryBean#0,org.springframework.security.authentication.ProviderManager#0,org.springframework.security.web.context.NullSecurityContextRepository#0,org.springframework.security.web.savedrequest.NullRequestCache#0,org.springframework.security.access.vote.AffirmativeBased#1,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#0,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#0,org.springframework.security.authentication.AnonymousAuthenticationProvider#0,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#0,org.springframework.security.userdetails.UserDetailsService,org.springframework.security.web.DefaultSecurityFilterChain#0,org.springframework.security.web.PortMapperImpl#1,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#1,org.springframework.security.authentication.ProviderManager#1,org.springframework.security.web.context.NullSecurityContextRepository#1,org.springframework.security.web.savedrequest.NullRequestCache#1,org.springframework.security.access.vote.AffirmativeBased#2,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#1,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#1,org.springframework.security.authentication.AnonymousAuthenticationProvider#1,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#1,org.springframework.security.web.DefaultSecurityFilterChain#1,org.springframework.security.web.PortMapperImpl#2,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#2,org.springframework.security.authentication.ProviderManager#2,org.springframework.security.web.context.NullSecurityContextRepository#2,org.springframework.security.web.savedrequest.NullRequestCache#2,org.springframework.security.access.vote.AffirmativeBased#3,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#2,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#2,org.springframework.security.authentication.AnonymousAuthenticationProvider#2,org.springframework.security.web.DefaultSecurityFilterChain#2,org.springframework.security.web.PortMapperImpl#3,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#3,org.springframework.security.authentication.ProviderManager#3,org.springframework.security.web.context.NullSecurityContextRepository#3,org.springframework.security.web.savedrequest.NullRequestCache#3,org.springframework.security.access.vote.AffirmativeBased#4,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#3,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#3,org.springframework.security.authentication.AnonymousAuthenticationProvider#3,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#3,org.springframework.security.web.DefaultSecurityFilterChain#3,org.springframework.security.web.PortMapperImpl#4,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#4,org.springframework.security.authentication.ProviderManager#4,org.springframework.security.web.context.NullSecurityContextRepository#4,org.springframework.security.web.savedrequest.NullRequestCache#4,org.springframework.security.access.vote.AffirmativeBased#5,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#4,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#4,org.springframework.security.authentication.AnonymousAuthenticationProvider#4,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#4,org.springframework.security.web.DefaultSecurityFilterChain#4,org.springframework.security.web.PortMapperImpl#5,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#5,org.springframework.security.authentication.ProviderManager#5,org.springframework.security.web.context.NullSecurityContextRepository#5,org.springframework.security.web.savedrequest.NullRequestCache#5,org.springframework.security.access.vote.AffirmativeBased#6,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#5,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#5,org.springframework.security.authentication.AnonymousAuthenticationProvider#5,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#5,org.springframework.security.web.DefaultSecurityFilterChain#5,org.springframework.security.web.PortMapperImpl#6,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#6,org.springframework.security.authentication.ProviderManager#6,org.springframework.security.web.context.NullSecurityContextRepository#6,org.springframework.security.web.savedrequest.NullRequestCache#6,org.springframework.security.access.vote.AffirmativeBased#7,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#6,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#6,org.springframework.security.authentication.AnonymousAuthenticationProvider#6,org.springframework.security.web.authentication.www.BasicAut

xt.HttpSessionSecurityContextRepository#0, org.springframework.security.web.authentication.session.SessionFixationProtectionStrategy#0, org.springframework.security.web.savedrequest.HttpSessionRequestCache#0, org.springframework.security.access.vote.AffirmativeBased#10, org.springframework.security.web.access.access.intercept.FilterSecurityInterceptor#9, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#9, org.springframework.security.authentication.AnonymousAuthenticationProvider#9, org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter#0, org.springframework.security.web.DefaultSecurityFilterChain#9, loggerListener, dataSource, org.springframework.security.provisioning.JdbcUserDetailsManager#0, org.springframework.security.authentication.dao.DaoAuthenticationProvider#0, org.springframework.security.authentication.DefaultAuthenticationEventPublisher#0, org.springframework.security.authenticationManager, org.springframework.context.annotation.ConfigurationClassPostProcessor\$ImportAwareBeanPostProcessor#0]; root of factory hierarchy  
2014-10-03 18:45:27,817 [localhost-startStop-2] ERROR  
org.apache.catalina.loader.WebappClassLoader- The web application [/OpenKM] appears to have started a thread named [OfficeProcessThread-0] but has failed to stop it. This is very likely to create a memory leak.  
2014-10-03 18:45:27,848 [localhost-startStop-2] INFO  
org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM.old]- Closing Spring root WebApplicationContext  
2014-10-03 18:45:27,849 [localhost-startStop-2] INFO  
org.springframework.web.context.support.XmlWebApplicationContext- Closing Root WebApplicationContext: startup date [Fri Oct 03 18:42:59 CEST 2014]; root of context hierarchy  
2014-10-03 18:45:27,850 [localhost-startStop-2] INFO  
org.springframework.beans.factory.support.DefaultListableBeanFactory- Destroying singletons in org.springframework.beans.factory.support.DefaultListableBeanFactory@1fc7150b: defining beans  
[dbAuthModule, org.springframework.context.annotation.internalConfigurationAnnotationProcessor, org.springframework.context.annotation.internalAutowiredAnnotationProcessor, org.springframework.context.annotation.internalRequiredAnnotationProcessor, org.springframework.context.annotation.internalCommonAnnotationProcessor, org.springframework.context.annotation.internalPersistenceAnnotationProcessor, cxf, org.apache.cxf.bus.spring.BusWiringBeanFactoryPostProcessor, org.apache.cxf.bus.spring.Jsr250BeanPostProcessor, org.apache.cxf.bus.spring.BusExtensionPostProcessor, WS4JInInterceptor, authService, bookmarkService, documentService, folderService, mailService, noteService, notificationService, propertyGroupService, propertyService, repositoryService, searchService, dashboardService, workflowService, testService, cmisNavigationService, cmisPolicyService, cmisDiscoveryService, cmisMultiFilingService, cmisRepositoryService, cmisRelationshipService, cmisVersioningService, cmisObjectService, cmisAclService, restAuth, restDocument, restFolder, restMail, restNote, restPropertyGroup, restSearch, restRepository, restProperty, restTest, org.springframework.security.access.method.DelegatingMethodSecurityMetadataSource#0, org.springframework.security.access.vote.AffirmativeBased#0, org.springframework.security.access.intercept.aopalliance.MethodSecurityInterceptor#0, org.springframework.security.methodSecurityMetadataSourceAdvisor, org.springframework.aop.config.internalAutoProxyCreator, org.springframework.security.access.vote.RoleVoter#0, CmisLifecycleBean, CmisServiceFactory, org.springframework.security.filterChains, org.springframework.security.filterChainProxy, org.springframework.security.web.PortMapperImpl#0, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#0, org.springframework.security.authentication.ProviderManager#0, org.springframework.security.web.context.NullSecurityContextRepository#0, org.springframework.security.web.savedrequest.NullRequestCache#0, org.springframework.security.access.vote.AffirmativeBased#1, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#0, org.springframework.security.authentication.AnonymousAuthenticationProvider#0, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#0, org.springframework.security.userdetailsServiceFactory, org.springframework.security.web.DefaultSecurityFilterChain#0, org.springframework.security.web.PortMapperImpl#1, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#1, org.springframework.security.authentication.ProviderManager#1, org.springframework.security.web.context.NullSecurityContextRepository#1, org.springframework.security.web.savedrequest.NullRequestCache#1, org.springframework.security.access.vote.AffirmativeBased#2, org.springframework.security.web.access.intercept.Filter



2014-10-03 18:47:50,926 [main] INFO org.apache.catalina.core.StandardService- Starting service Catalina  
2014-10-03 18:47:50,926 [main] INFO org.apache.catalina.core.StandardEngine- Starting Servlet Engine: Apache Tomcat/7.0.53  
2014-10-03 18:47:50,948 [localhost-startStop-1] INFO org.apache.catalina.startup.HostConfig- Deploying web application archive /opt/openkm-6.3.0-community/tomcat/webapps/OpenKM.war  
2014-10-03 18:48:03,550 [localhost-startStop-1] INFO org.apache.tomcat.websocket.server.WsSci- JSR 356 WebSocket (Java WebSocket 1.0) support is not available when running on Java 6. To suppress this message, run Tomcat on Java 7, remove the WebSocket JARs from \$CATALINA\_HOME/lib or add the WebSocketJARs to the tomcat.util.scan.DefaultJarScanner.jarsToSkip property in \$CATALINA\_BASE/conf/catalina.properties. Note that the deprecated Tomcat 7 WebSocket API will be available.  
2014-10-03 18:48:03,550 [localhost-startStop-1] INFO org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM]- No Spring WebApplicationInitializer types detected on classpath  
2014-10-03 18:48:03,570 [localhost-startStop-1] INFO org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM]- Initializing Spring root WebApplicationContext  
2014-10-03 18:48:03,570 [localhost-startStop-1] INFO org.springframework.web.context.ContextLoader- Root WebApplicationContext: initialization started  
2014-10-03 18:48:03,622 [localhost-startStop-1] INFO org.springframework.web.context.support.XmlWebApplicationContext- Refreshing Root WebApplicationContext: startup date [Fri Oct 03 18:48:03 CEST 2014]; root of context hierarchy  
2014-10-03 18:48:03,662 [localhost-startStop-1] INFO org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from ServletContext resource [/WEB-INF/applicationContext.xml]  
2014-10-03 18:48:04,024 [localhost-startStop-1] INFO org.springframework.context.annotation.ClassPathBeanDefinitionScanner- JSR-250 'javax.annotation.ManagedBean' found and supported for component scanning  
2014-10-03 18:48:04,975 [localhost-startStop-1] INFO org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from class path resource [META-INF/cxf/cxf.xml]  
2014-10-03 18:48:04,991 [localhost-startStop-1] INFO org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from class path resource [META-INF/cxf/cxf-servlet.xml]  
2014-10-03 18:48:05,049 [localhost-startStop-1] INFO org.springframework.security.core.SpringSecurityCoreVersion- You are running with Spring Security Core 3.1.0.RELEASE  
2014-10-03 18:48:05,049 [localhost-startStop-1] INFO org.springframework.security.config.SecurityNamespaceHandler- Spring Security 'config' module version is 3.1.0.RELEASE  
2014-10-03 18:48:05,096 [localhost-startStop-1] INFO org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted filter chain: [Root bean: class [org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null, order = 300, Root bean: class [org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null, order = 1200, Root bean: class [org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;

```
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#0>, order = 2000]
2014-10-03 18:48:05,099 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#1>, order = 2000]
2014-10-03 18:48:05,102 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
```

```
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#2>, order = 2000]
2014-10-03 18:48:05,104 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#3>, order = 2000]
2014-10-03 18:48:05,107 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#4>, order = 2000]
2014-10-03 18:48:05,110 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
```

```
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#5>, order = 2000]
2014-10-03 18:48:05,112 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#6>, order = 2000]
2014-10-03 18:48:05,115 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
```

```
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#7>, order = 2000]
2014-10-03 18:48:05,118 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#8>, order = 2000]
2014-10-03 18:48:05,128 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300,
<org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter#0>,
order = 800, Root bean: class
[org.springframework.security.web.savedrequest.RequestCacheAwareFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1300, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.session.SessionManagementFilter]; scope=; abstract=false;
lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false;
factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null,
order = 1800, Root bean: class
```

```
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#9>, order = 2000]
2014-10-03 18:48:05,133 [localhost-startStop-1] INFO
org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions
from URL [file:/opt/openkm-6.3.0-community/tomcat/OpenKM.xml]
2014-10-03 18:48:05,330 [localhost-startStop-1] INFO
org.springframework.beans.factory.support.DefaultListableBeanFactory- Pre-instantiating
singletons in org.springframework.beans.factory.support.DefaultListableBeanFactory@13732bcf:
defining beans
[dbAuthModule,org.springframework.context.annotation.internalConfigurationAnnotationProcessor,
org.springframework.context.annotation.internalAutowiredAnnotationProcessor,org.springframework.
context.annotation.internalRequiredAnnotationProcessor,org.springframework.context.annotation.
internalCommonAnnotationProcessor,org.springframework.context.annotation.internalPersistence
AnnotationProcessor,cxf,org.apache.cxf.bus.spring.BusWiringBeanFactoryPostProcessor,org.apache
.cxf.bus.spring.Jsr250BeanPostProcessor,org.apache.cxf.bus.spring.BusExtensionPostProcessor,WS
S4JInInterceptor,authService,bookmarkService,documentService,folderService,mailService,noteSer
vice,notificationService,propertyGroupService,propertyService,repositoryService,searchService,
dashboardService,workflowService,testService,cmisNavigationService,cmisPolicyService,cmisDisco
veryService,cmisMultiFilingService,cmisRepositoryService,cmisRelationshipService,cmisVersionin
gService,cmisObjectService,cmisAclService,restAuth,restDocument,restFolder,restMail,restNote,r
estPropertyGroup,restSearch,restRepository,restProperty,restTest,org.springframework.security.
access.method.DelegatingMethodSecurityMetadataSource#0,org.springframework.security.access.vot
e.AffirmativeBased#0,org.springframework.security.access.intercept.aopalliance.MethodSecurityI
nterceptor#0,org.springframework.security.methodSecurityMetadataSourceAdvisor,org.springframew
ork.aop.config.internalAutoProxyCreator,org.springframework.security.access.vote.RoleVoter#0,C
misLifecycleBean,CmisServiceFactory,org.springframework.security.filterChains,org.springframew
ork.security.filterChainProxy,org.springframework.security.web.PortMapperImpl#0,org.springfram
ework.security.config.authentication.AuthenticationManagerFactoryBean#0,org.springframework.se
curity.authentication.ProviderManager#0,org.springframework.security.web.context.NullSecurityC
ontextRepository#0,org.springframework.security.web.savedrequest.NullRequestCache#0,org.spring
framework.security.access.vote.AffirmativeBased#1,org.springframework.security.web.access.inte
rcept.FilterSecurityInterceptor#0,org.springframework.security.web.access.DefaultWebInvocation
PrivilegeEvaluator#0,org.springframework.security.authentication.AnonymousAuthenticationProvid
er#0,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#0,org.s
pringframework.security.userdetailsServiceFactory,org.springframework.security.web.DefaultSecu
rityFilterChain#0,org.springframework.security.web.PortMapperImpl#1,org.springframework.securi
ty.config.authentication.AuthenticationManagerFactoryBean#1,org.springframework.security.authe
ntication.ProviderManager#1,org.springframework.security.web.context.NullSecurityContextReposi
tory#1,org.springframework.security.web.savedrequest.NullRequestCache#1,org.springframework.se
curity.access.vote.AffirmativeBased#2,org.springframework.security.web.access.intercept.Filter
SecurityInterceptor#1,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEva
luator#1,org.springframework.security.authentication.AnonymousAuthenticationProvider#1,org.spr
ingframework.security.web.authentication.www.BasicAuthenticationEntryPoint#1,org.springframewo
rk.security.web.DefaultSecurityFilterChain#1,org.springframework.security.web.PortMapperImpl#2
,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#2,org.spr
ingframework.security.authentication.ProviderManager#2,org.springframework.security.web.conte
xt.NullSecurityContextRepository#2,org.springframework.security.web.savedrequest.NullRequestCac
he#2,org.springframework.security.access.vote.AffirmativeBased#3,org.springframework.security.
web.access.intercept.FilterSecurityInterceptor#2,org.springframework.security.web.access.Defau
ltWebInvocationPrivilegeEvaluator#2,org.springframework.security.authentication.AnonymousAuthe
nticationProvider#2,org.springframework.security.web.authentication.www.BasicAuthenticationEnt
ryPoint#2,org.springframework.security.web.DefaultSecurityFilterChain#2,org.springframework.se
curity.web.PortMapperImpl#3,org.springframework.security.config.authentication.AuthenticationM
anagerFactoryBean#3,org.springframework.security.authentication.ProviderManager#3,org.springfr
```

amework.security.web.context.NullSecurityContextRepository#3, org.springframework.security.web.savedrequest.NullRequestCache#3, org.springframework.security.access.vote.AffirmativeBased#4, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#3, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#3, org.springframework.security.authentication.AnonymousAuthenticationProvider#3, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#3, org.springframework.security.web.DefaultSecurityFilterChain#3, org.springframework.security.web.PortMapperImpl#4, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#4, org.springframework.security.authentication.ProviderManager#4, org.springframework.security.web.context.NullSecurityContextRepository#4, org.springframework.security.web.savedrequest.NullRequestCache#4, org.springframework.security.access.vote.AffirmativeBased#5, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#4, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#4, org.springframework.security.authentication.AnonymousAuthenticationProvider#4, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#4, org.springframework.security.web.DefaultSecurityFilterChain#4, org.springframework.security.web.PortMapperImpl#5, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#5, org.springframework.security.authentication.ProviderManager#5, org.springframework.security.web.context.NullSecurityContextRepository#5, org.springframework.security.web.savedrequest.NullRequestCache#5, org.springframework.security.access.vote.AffirmativeBased#6, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#5, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#5, org.springframework.security.authentication.AnonymousAuthenticationProvider#5, org.springframework.security.web.PortMapperImpl#6, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#6, org.springframework.security.authentication.ProviderManager#6, org.springframework.security.web.context.NullSecurityContextRepository#6, org.springframework.security.web.savedrequest.NullRequestCache#6, org.springframework.security.access.vote.AffirmativeBased#7, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#6, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#6, org.springframework.security.authentication.AnonymousAuthenticationProvider#6, org.springframework.security.web.DefaultSecurityFilterChain#6, org.springframework.security.web.PortMapperImpl#7, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#7, org.springframework.security.web.context.NullSecurityContextRepository#7, org.springframework.security.web.savedrequest.NullRequestCache#7, org.springframework.security.access.vote.AffirmativeBased#8, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#7, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#7, org.springframework.security.authentication.AnonymousAuthenticationProvider#7, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#7, org.springframework.security.web.DefaultSecurityFilterChain#7, org.springframework.security.web.PortMapperImpl#8, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#8, org.springframework.security.authentication.ProviderManager#8, org.springframework.security.web.context.NullSecurityContextRepository#8, org.springframework.security.web.savedrequest.NullRequestCache#8, org.springframework.security.access.vote.AffirmativeBased#9, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#8, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#8, org.springframework.security.authentication.AnonymousAuthenticationProvider#8, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#8, org.springframework.security.web.DefaultSecurityFilterChain#8, org.springframework.security.web.PortMapperImpl#9, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#9, org.springframework.security.web.context.HttpSessionSecurityContextRepository#0, org.springframework.security.web.authentication.SessionFixationProtectionStrategy#0, org.springframework.security.web.savedrequest.HttpSessionRequestCache#0, org.springframework.security.access.vote.AffirmativeBased#10, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#9, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#9, org.springframework.security.authentication.AnonymousAuthenticationProvider#9, org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter#0, org.springframework.security.web.DefaultSecurityFilterChain#9, logge

Caused by: java.lang.ClassNotFoundException: org.apache.ws.security.cache.ReplayCache  
at org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1720)  
at org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1571)  
... 38 more

2014-10-03 18:48:05,449 [localhost-startStop-1] ERROR  
org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM]- Exception sending  
context initialized event to listener instance of class  
org.springframework.web.context.ContextLoaderListener  
java.lang.NoClassDefFoundError: org/apache/ws/security/cache/ReplayCache  
at java.lang.Class.getDeclaredMethods0(Native Method)  
at java.lang.Class.privateGetDeclaredMethods(Class.java:2534)  
at java.lang.Class.getDeclaredMethod(Class.java:2002)  
at  
org.springframework.core.LocalVariableTableParameterNameDiscoverer\$LocalVariableTableVisit  
or.resolveMember(LocalVariableTableParameterNameDiscoverer.java:236)  
at  
org.springframework.core.LocalVariableTableParameterNameDiscoverer\$LocalVariableTableVisit  
or.visitEnd(LocalVariableTableParameterNameDiscoverer.java:219)  
at org.springframework.asm.ClassReader.accept(Unknown Source)  
at org.springframework.asm.ClassReader.accept(Unknown Source)  
at  
org.springframework.core.LocalVariableTableParameterNameDiscoverer.inspectClass(LocalVaria  
bleTableParameterNameDiscoverer.java:114)  
at  
org.springframework.core.LocalVariableTableParameterNameDiscoverer.getParameterNames(Local  
VariableTableParameterNameDiscoverer.java:86)  
at  
org.springframework.beans.factory.support.ConstructorResolver.autowireConstructor(Constructor  
Resolver.java:193)  
at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConst  
ructor(AbstractAutowireCapableBeanFactory.java:1035)  
at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanIns  
tance(AbstractAutowireCapableBeanFactory.java:939)  
at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(  
AbstractAutowireCapableBeanFactory.java:485)  
at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(Abstract  
AutowireCapableBeanFactory.java:456)  
at  
org.springframework.beans.factory.support.AbstractBeanFactory\$1.getObject(AbstractBeanFact  
ory.java:294)  
at  
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(Default  
SingletonBeanRegistry.java:225)  
at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactor  
y.java:291)  
at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.  
java:193)  
at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSinglet  
ons(DefaultListableBeanFactory.java:585)  
at

```
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplicationContext.java:913)
at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:464)
at
org.springframework.web.context.ContextLoader.configureAndRefreshWebApplicationContext(ContextLoader.java:384)
at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:283)
at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:111)
at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:4973)
at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5467)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:150)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:901)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:877)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:632)
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:1073)
at org.apache.catalina.startup.HostConfig$DeployWar.run(HostConfig.java:1857)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:471)
at java.util.concurrent.FutureTask$Sync.innerRun(FutureTask.java:334)
at java.util.concurrent.FutureTask.run(FutureTask.java:166)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1146)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:615)
at java.lang.Thread.run(Thread.java:701)
```

Caused by: java.lang.ClassNotFoundException: org.apache.ws.security.cache.ReplayCache  
at org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1720)  
at org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1571)  
... 38 more

2014-10-03 18:48:05,449 [localhost-startStop-1] ERROR  
org.apache.catalina.core.StandardContext- Error listenerStart  
2014-10-03 18:48:07,143 [localhost-startStop-1] INFO  
org.apache.catalina.util.SessionIdGenerator- Creation of SecureRandom instance for session ID generation using [SHA1PRNG] took [1,693] milliseconds.  
2014-10-03 18:48:07,143 [localhost-startStop-1] ERROR  
org.apache.catalina.core.StandardContext- Context [/OpenKM] startup failed due to previous errors  
2014-10-03 18:48:07,168 [localhost-startStop-1] INFO  
org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM]- Closing Spring root WebApplicationContext  
2014-10-03 18:48:07,168 [localhost-startStop-1] INFO  
org.springframework.web.context.support.XmlWebApplicationContext- Closing Root WebApplicationContext: startup date [Fri Oct 03 18:48:03 CEST 2014]; root of context hierarchy  
2014-10-03 18:48:07,173 [localhost-startStop-1] WARN  
org.springframework.web.context.support.XmlWebApplicationContext- Exception thrown from LifecycleProcessor on context close  
java.lang.IllegalStateException: LifecycleProcessor not initialized - call 'refresh' before invoking lifecycle methods via the context: Root WebApplicationContext: startup date [Fri Oct 03 18:48:03 CEST 2014]; root of context hierarchy  
at  
org.springframework.context.support.AbstractApplicationContext.getLifecycleProcessor(AbstractApplicationContext.java:350)  
at  
org.springframework.context.support.AbstractApplicationContext.doClose(AbstractApplication

```
Context.java:1033)
at
org.springframework.context.support.AbstractApplicationContext.close(AbstractApplicationCo
nnect.java:988)
at
org.springframework.web.context.ContextLoader.closeWebApplicationContext(ContextLoader.jav
a:541)
at
org.springframework.web.context.ContextLoaderListener.contextDestroyed(ContextLoaderListene
r.java:142)
at org.apache.catalina.core.StandardContext.listenerStop(StandardContext.java:5014)
at org.apache.catalina.core.StandardContext.stopInternal(StandardContext.java:5659)
at org.apache.catalina.util.LifecycleBase.stop(LifecycleBase.java:232)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:160)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:901)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:877)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:632)
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:1073)
at org.apache.catalina.startup.HostConfig$DeployWar.run(HostConfig.java:1857)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:471)
at java.util.concurrent.FutureTask$Sync.innerRun(FutureTask.java:334)
at java.util.concurrent.FutureTask.run(FutureTask.java:166)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1146)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:615)
at java.lang.Thread.run(Thread.java:701)
```

2014-10-03 18:48:07,174 [localhost-startStop-1] INFO

org.springframework.beans.factory.support.DefaultListableBeanFactory- Destroying singletons  
in org.springframework.beans.factory.support.DefaultListableBeanFactory@13732bcf: defining  
beans

[dbAuthModule,org.springframework.context.annotation.internalConfigurationAnnotationProcessor,  
org.springframework.context.annotation.internalAutowiredAnnotationProcessor,org.springframewor
k.context.annotation.internalRequiredAnnotationProcessor,org.springframework.context.annotatio
n.internalCommonAnnotationProcessor,org.springframework.context.annotation.internalPersistence  
AnnotationProcessor,cxf,org.apache.cxf.bus.spring.BusWiringBeanFactoryPostProcessor,org.apache
.cxf.bus.spring.Jsr250BeanPostProcessor,org.apache.cxf.bus.spring.BusExtensionPostProcessor,WS
S4JInInterceptor,authService,bookmarkService,documentService,folderService,mailService,noteSer
vice,notificationService,propertyGroupService,propertyService,repositoryService,searchService,  
dashboardService,workflowService,testService,cmisNavigationService,cmisPolicyService,cmisDisco
veryService,cmisMultiFilingService,cmisRepositoryService,cmisRelationshipService,cmisVersionin
gService,cmisObjectService,cmisAclService,restAuth,restDocument,restFolder,restMail,restNote,r
estPropertyGroup,restSearch,restRepository,restProperty,restTest,org.springframework.security.ac
cess.method.DelegatingMethodSecurityMetadataSource#0,org.springframework.security.access.vot
e.AffirmativeBased#0,org.springframework.security.access.intercept.aopalliance.MethodSecurityI
nterceptor#0,org.springframework.security.methodSecurityMetadataSourceAdvisor,org.springframew
ork.aop.config.internalAutoProxyCreator,org.springframework.security.access.vote.RoleVoter#0,C
misLifecycleBean,CmisServiceFactory,org.springframework.security.filterChains,org.springframew
ork.security.filterChainProxy,org.springframework.security.web.PortMapperImpl#0,org.springfram
ework.security.config.authentication.AuthenticationManagerFactoryBean#0,org.springframework.se
curity.authentication.ProviderManager#0,org.springframework.security.web.context.NullSecurityC
ontextRepository#0,org.springframework.security.web.savedrequest.NullRequestCache#0,org.spring
framework.security.access.vote.AffirmativeBased#1,org.springframework.security.web.access.inte
rcept.FilterSecurityInterceptor#0,org.springframework.security.web.access.DefaultWebInvocation
PrivilegeEvaluator#0,org.springframework.security.authentication.AnonymousAuthenticationProvid
er#0,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#0,org.s
pringframework.security.userdetailsServiceFactory,org.springframework.security.web.DefaultSecu
rityFilterChain#0,org.springframework.security.web.PortMapperImpl#1,org.springframework.securi
ty.config.authentication.AuthenticationManagerFactoryBean#1,org.springframework.security.authe

ntication.ProviderManager#1,org.springframework.security.web.context.NullSecurityContextRepository#1,org.springframework.security.web.savedrequest.NullRequestCache#1,org.springframework.security.access.vote.AffirmativeBased#2,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#1,org.springframework.security.access.DefaultWebInvocationPrivilegeEvaluator#1,org.springframework.security.authentication.AnonymousAuthenticationProvider#1,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#1,org.springframework.web.security.DefaultSecurityFilterChain#1,org.springframework.security.web.PortMapperImpl#2,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#2,org.springframework.security.authentication.ProviderManager#2,org.springframework.security.web.context.NullSecurityContextRepository#2,org.springframework.security.web.savedrequest.NullRequestCache#2,org.springframework.security.access.vote.AffirmativeBased#3,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#2,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#2,org.springframework.security.authentication.AnonymousAuthenticationProvider#2,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#2,org.springframework.security.web.DefaultSecurityFilterChain#2,org.springframework.security.web.PortMapperImpl#3,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#3,org.springframework.security.authentication.ProviderManager#3,org.springframework.security.web.context.NullSecurityContextRepository#3,org.springframework.security.web.savedrequest.NullRequestCache#3,org.springframework.security.access.vote.AffirmativeBased#4,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#3,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#3,org.springframework.security.authentication.AnonymousAuthenticationProvider#3,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#3,org.springframework.security.web.DefaultSecurityFilterChain#3,org.springframework.security.web.PortMapperImpl#4,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#4,org.springframework.security.authentication.ProviderManager#4,org.springframework.security.web.context.NullSecurityContextRepository#4,org.springframework.security.web.savedrequest.NullRequestCache#4,org.springframework.security.access.vote.AffirmativeBased#5,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#4,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#4,org.springframework.security.authentication.AnonymousAuthenticationProvider#4,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#4,org.springframework.security.web.DefaultSecurityFilterChain#4,org.springframework.security.web.PortMapperImpl#5,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#5,org.springframework.security.authentication.ProviderManager#5,org.springframework.security.web.context.NullSecurityContextRepository#5,org.springframework.security.web.savedrequest.NullRequestCache#5,org.springframework.security.access.vote.AffirmativeBased#6,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#5,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#5,org.springframework.security.authentication.AnonymousAuthenticationProvider#5,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#5,org.springframework.security.web.DefaultSecurityFilterChain#5,org.springframework.security.web.PortMapperImpl#6,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#6,org.springframework.security.authentication.ProviderManager#6,org.springframework.security.web.context.NullSecurityContextRepository#6,org.springframework.security.web.savedrequest.NullRequestCache#6,org.springframework.security.access.vote.AffirmativeBased#7,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#6,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#6,org.springframework.security.authentication.AnonymousAuthenticationProvider#6,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#6,org.springframework.security.web.DefaultSecurityFilterChain#6,org.springframework.security.web.PortMapperImpl#7,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#7,org.springframework.security.web.context.NullSecurityContextRepository#7,org.springframework.security.web.savedrequest.NullRequestCache#7,org.springframework.security.access.vote.AffirmativeBased#8,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#7,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#7,org.springframework.security.authentication.AnonymousAuthenticationProvider#7,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#7,org.springframework.security.web.DefaultSecurityFilterChain#7,org.springframework.security.web.PortMapperImpl#8,org.springframework.security.

2014-10-03 18:50:12,868 [main] INFO org.apache.coyote.ajp.AjpProtocol- Pausing ProtocolHandler ["ajp-bio-127.0.0.1-8009"]  
2014-10-03 18:50:12,919 [main] INFO org.apache.catalina.core.StandardService- Stopping service Catalina  
2014-10-03 18:50:12,931 [main] INFO org.apache.coyote.http11.Http11Protocol- Stopping ProtocolHandler ["http-bio-0.0.0-8080"]  
2014-10-03 18:50:12,931 [main] INFO org.apache.coyote.ajp.AjpProtocol- Stopping ProtocolHandler ["ajp-bio-127.0.0.1-8009"]  
2014-10-03 18:50:12,933 [main] INFO org.apache.coyote.http11.Http11Protocol- Destroying ProtocolHandler ["http-bio-0.0.0-8080"]  
2014-10-03 18:50:12,934 [main] INFO org.apache.coyote.ajp.AjpProtocol- Destroying ProtocolHandler ["ajp-bio-127.0.0.1-8009"]  
2014-10-03 18:50:34,275 [main] INFO org.apache.catalina.core.AprLifecycleListener- The APR based Apache Tomcat Native library which allows optimal performance in production environments was not found on the java.library.path:  
/usr/lib/jvm/java-6-openjdk-amd64/jre/lib/amd64/server:/usr/lib/jvm/java-6-openjdk-amd64/jre/lib/amd64:/usr/lib/jvm/java-6-openjdk-amd64/jre/../lib/amd64::/opt/openkm-6.3.0-community/tomcat/lib/sigar:/usr/java/packages/lib/amd64:/usr/lib/jni:/lib:/usr/lib  
2014-10-03 18:50:34,434 [main] INFO org.apache.coyote.http11.Http11Protocol- Initializing ProtocolHandler ["http-bio-0.0.0-8080"]  
2014-10-03 18:50:34,448 [main] INFO org.apache.coyote.ajp.AjpProtocol- Initializing ProtocolHandler ["ajp-bio-127.0.0.1-8009"]  
2014-10-03 18:50:34,451 [main] INFO org.apache.catalina.startup.Catalina- Initialization processed in 409 ms  
2014-10-03 18:50:34,485 [main] INFO org.apache.catalina.core.StandardService- Starting service Catalina  
2014-10-03 18:50:34,485 [main] INFO org.apache.catalina.core.StandardEngine- Starting Servlet Engine: Apache Tomcat/7.0.53  
2014-10-03 18:50:34,505 [localhost-startStop-1] INFO  
org.apache.catalina.startup.HostConfig- Deploying web application archive  
/opt/openkm-6.3.0-community/tomcat/webapps/OpenKM.war  
2014-10-03 18:50:44,282 [localhost-startStop-1] INFO  
org.apache.tomcat.websocket.server.WsSci- JSR 356 WebSocket (Java WebSocket 1.0) support is not available when running on Java 6. To suppress this message, run Tomcat on Java 7, remove the WebSocket JARs from \$CATALINA\_HOME/lib or add the WebSocketJARs to the tomcat.util.scan.DefaultJarScanner.jarsToSkip property in  
\$CATALINA\_BASE/conf/catalina.properties. Note that the deprecated Tomcat 7 WebSocket API will be available.  
2014-10-03 18:50:44,283 [localhost-startStop-1] INFO  
org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM]- No Spring WebApplicationInitializer types detected on classpath  
2014-10-03 18:50:44,302 [localhost-startStop-1] INFO  
org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM]- Initializing Spring root WebApplicationContext  
2014-10-03 18:50:44,302 [localhost-startStop-1] INFO  
org.springframework.web.context.ContextLoader- Root WebApplicationContext: initialization started  
2014-10-03 18:50:44,352 [localhost-startStop-1] INFO  
org.springframework.web.context.support.XmlWebApplicationContext- Refreshing Root WebApplicationContext: startup date [Fri Oct 03 18:50:44 CEST 2014]; root of context hierarchy  
2014-10-03 18:50:44,390 [localhost-startStop-1] INFO  
org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from ServletContext resource [/WEB-INF/applicationContext.xml]  
2014-10-03 18:50:44,753 [localhost-startStop-1] INFO  
org.springframework.context.annotation.ClassPathBeanDefinitionScanner- JSR-250 'javax.annotation.ManagedBean' found and supported for component scanning  
2014-10-03 18:50:45,743 [localhost-startStop-1] INFO

```
org.springframework.beans.factory.xml.XmlBeanDefinitionReader - Loading XML bean definitions
from class path resource [META-INF/cxf/cxf.xml]
2014-10-03 18:50:45,758 [localhost-startStop-1] INFO
org.springframework.beans.factory.xml.XmlBeanDefinitionReader - Loading XML bean definitions
from class path resource [META-INF/cxf/cxf-servlet.xml]
2014-10-03 18:50:45,813 [localhost-startStop-1] INFO
org.springframework.security.core.SpringSecurityCoreVersion - You are running with Spring
Security Core 3.1.0.RELEASE
2014-10-03 18:50:45,813 [localhost-startStop-1] INFO
org.springframework.security.config.SecurityNamespaceHandler - Spring Security 'config'
module version is 3.1.0.RELEASE
2014-10-03 18:50:45,861 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser - Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#0>, order = 2000]
2014-10-03 18:50:45,864 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser - Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
```

```
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#1>, order = 2000]
2014-10-03 18:50:45,867 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#2>, order = 2000]
2014-10-03 18:50:45,870 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#3>, order = 2000]
2014-10-03 18:50:45,873 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
```

```
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#4>, order = 2000]
2014-10-03 18:50:45,876 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#5>, order = 2000]
2014-10-03 18:50:45,879 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
```

```
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#6>, order = 2000]
2014-10-03 18:50:45,882 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#7>, order = 2000]
2014-10-03 18:50:45,885 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1200, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#8>, order = 2000]
2014-10-03 18:50:45,895 [localhost-startStop-1] INFO
```

```
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted
filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 300,
<org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter#0>,
order = 800, Root bean: class
[org.springframework.security.web.savedrequest.RequestCacheAwareFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1300, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1700, Root bean: class
[org.springframework.security.web.session.SessionManagementFilter]; scope=; abstract=false;
lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false;
factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null,
order = 1800, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#9>, order = 2000]
2014-10-03 18:50:45,900 [localhost-startStop-1] INFO
org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions
from URL [file:/opt/openkm-6.3.0-community/tomcat/OpenKM.xml]
2014-10-03 18:50:46,131 [localhost-startStop-1] INFO
org.springframework.beans.factory.support.DefaultListableBeanFactory- Pre-instantiating
singletons in org.springframework.beans.factory.support.DefaultListableBeanFactory@3f45f171:
defining beans
[dbAuthModule,org.springframework.context.annotation.internalConfigurationAnnotationProcessor,
org.springframework.context.annotation.internalAutowiredAnnotationProcessor,org.springframework.
context.annotation.internalRequiredAnnotationProcessor,org.springframework.context.annotation.
internalCommonAnnotationProcessor,org.springframework.context.annotation.internalPersistence
AnnotationProcessor,cxf,org.apache.cxf.bus.spring.BusWiringBeanFactoryPostProcessor,org.apache
.cxf.bus.spring.Jsr250BeanPostProcessor,org.apache.cxf.bus.spring.BusExtensionPostProcessor,WS
S4JInInterceptor,authService,bookmarkService,documentService,folderService,mailService,noteSer
vice,notificationService,propertyGroupService,propertyService,repositoryService,searchService,
dashboardService,workflowService,testService,cmisNavigationService,cmisPolicyService,cmisDisco
veryService,cmisMultiFilingService,cmisRepositoryService,cmisRelationshipService,cmisVersionin
gService,cmisObjectService,cmisAclService,restAuth,restDocument,restFolder,restMail,restNote,r
estPropertyGroup,restSearch,restRepository,restProperty,restTest,org.springframework.security.ac
cess.method.DelegatingMethodMetadataSource#0,org.springframework.security.access.vote.AffirmativeBased#0,org.springframework.security.access.intercept.aopalliance.MethodSecurityI
nterceptor#0,org.springframework.security.methodMetadataSourceAdvisor,org.springframework.
aop.config.internalAutoProxyCreator,org.springframework.security.access.vote.RoleVoter#0,C
misLifecycleBean,CmisServiceFactory,org.springframework.security.filterChains,org.springfram
ework.security.filterChainProxy,org.springframework.security.web.PortMapperImpl#0,org.springfram
ework.security.config.authentication.AuthenticationManagerFactoryBean#0,org.springframework.se
curity.authentication.ProviderManager#0,org.springframework.security.web.context.NullSecurityC
ontextRepository#0,org.springframework.security.web.savedrequest.NullRequestCache#0,org.spring
```

framework.security.access.vote.AffirmativeBased#1,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#0,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#0,org.springframework.security.authentication.AuthenticationProvider#0,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#0,org.springframework.security.userdetailsServiceFactory,org.springframework.security.web.DefaultSecurityFilterChain#0,org.springframework.security.web.PortMapperImpl#1,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#1,org.springframework.security.authentication.ProviderManager#1,org.springframework.security.web.context.NullSecurityContextRepository#1,org.springframework.security.web.savedrequest.NullRequestCache#1,org.springframework.security.access.vote.AffirmativeBased#2,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#1,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#1,org.springframework.security.authentication.AuthenticationProvider#1,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#1,org.springframework.security.web.DefaultSecurityFilterChain#1,org.springframework.security.web.PortMapperImpl#2,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#2,org.springframework.security.authentication.ProviderManager#2,org.springframework.security.web.context.NullSecurityContextRepository#2,org.springframework.security.web.savedrequest.NullRequestCache#2,org.springframework.security.access.vote.AffirmativeBased#3,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#2,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#2,org.springframework.security.authentication.AuthenticationProvider#2,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#2,org.springframework.security.web.DefaultSecurityFilterChain#2,org.springframework.security.web.PortMapperImpl#3,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#3,org.springframework.security.web.context.NullSecurityContextRepository#3,org.springframework.security.web.savedrequest.NullRequestCache#3,org.springframework.security.access.vote.AffirmativeBased#4,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#3,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#3,org.springframework.security.authentication.AuthenticationProvider#3,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#3,org.springframework.security.web.DefaultSecurityFilterChain#3,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#4,org.springframework.security.web.context.NullSecurityContextRepository#4,org.springframework.security.web.savedrequest.NullRequestCache#4,org.springframework.security.access.vote.AffirmativeBased#5,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#4,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#4,org.springframework.security.authentication.AuthenticationProvider#4,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#4,org.springframework.security.web.DefaultSecurityFilterChain#4,org.springframework.security.web.PortMapperImpl#5,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#5,org.springframework.security.authentication.ProviderManager#5,org.springframework.security.web.context.NullSecurityContextRepository#5,org.springframework.security.web.savedrequest.NullRequestCache#5,org.springframework.security.access.vote.AffirmativeBased#6,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#5,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#5,org.springframework.security.authentication.AuthenticationProvider#5,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#5,org.springframework.security.web.DefaultSecurityFilterChain#5,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#6,org.springframework.security.web.authentication.ProviderManager#6,org.springframework.security.web.context.NullSecurityContextRepository#6,org.springframework.security.web.savedrequest.NullRequestCache#6,org.springframework.security.access.vote.AffirmativeBased#7,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#6,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#6,org.springframework.security.authentication.AuthenticationProvider#6,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#6,org.springframework.security.web.DefaultSecurityFilterChain#6,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#7,org.springframework.security.web.authentication.ProviderManager#

```
wordAuthenticationFilter#0,org.springframework.security.web.DefaultSecurityFilterChain#9,loggerListener,dataSource,org.springframework.security.provisioning.JdbcUserDetailsManager#0,org.springframework.security.authentication.dao.DaoAuthenticationProvider#0,org.springframework.security.authentication.DefaultAuthenticationEventPublisher#0,org.springframework.security.authenticationManager,org.springframework.context.annotation.ConfigurationClassPostProcessor$ImportAwareBeanPostProcessor#0]; root of factory hierarchy
2014-10-03 18:50:46,255 [localhost-startStop-1] ERROR
org.springframework.web.context.ContextLoader- Context initialization failed
java.lang.NoClassDefFoundError: org/apache/ws/security/cache/ReplayCache
    at java.lang.Class.getDeclaredMethods0(Native Method)
    at java.lang.Class.privateGetDeclaredMethods(Class.java:2534)
    at java.lang.Class.getDeclaredMethod(Class.java:2002)
    at
    org.springframework.core.LocalVariableTableParameterNameDiscoverer$LocalVariableTableVisitor.resolveMember(LocalVariableTableParameterNameDiscoverer.java:236)
    at
    org.springframework.core.LocalVariableTableParameterNameDiscoverer$LocalVariableTableVisitor.visitEnd(LocalVariableTableParameterNameDiscoverer.java:219)
    at org.springframework.asm.ClassReader.accept(Unknown Source)
    at org.springframework.asm.ClassReader.accept(Unknown Source)
    at
    org.springframework.core.LocalVariableTableParameterNameDiscoverer.inspectClass(LocalVariableTableParameterNameDiscoverer.java:114)
    at
    org.springframework.core.LocalVariableTableParameterNameDiscoverer.getParameterNames(LocalVariableTableParameterNameDiscoverer.java:86)
    at
    org.springframework.beans.factory.support.ConstructorResolver.autowireConstructor(ConstructorResolver.java:193)
    at
    org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java:1035)
    at
    org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanInstance(AbstractAutowireCapableBeanFactory.java:939)
    at
    org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:485)
    at
    org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:456)
    at
    org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:294)
    at
    org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:225)
    at
    org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:291)
    at
    org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:193)
    at
    org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:585)
    at
```

```
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplicationContext.java:913)
at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:464)
at
org.springframework.web.context.ContextLoader.configureAndRefreshWebApplicationContext(ContextLoader.java:384)
at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:283)
at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:111)
at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:4973)
at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5467)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:150)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:901)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:877)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:632)
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:1073)
at org.apache.catalina.startup.HostConfig$DeployWar.run(HostConfig.java:1857)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:471)
at java.util.concurrent.FutureTask$Sync.innerRun(FutureTask.java:334)
at java.util.concurrent.FutureTask.run(FutureTask.java:166)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1146)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:615)
at java.lang.Thread.run(Thread.java:701)
```

Caused by: java.lang.ClassNotFoundException: org.apache.ws.security.cache.ReplayCache  
at org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1720)  
at org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1571)  
... 38 more

2014-10-03 18:50:46,257 [localhost-startStop-1] ERROR  
org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM]- Exception sending context initialized event to listener instance of class  
org.springframework.web.context.ContextLoaderListener  
java.lang.NoClassDefFoundError: org/apache/ws/security/cache/ReplayCache  
at java.lang.Class.getDeclaredMethods0(Native Method)  
at java.lang.Class.privateGetDeclaredMethods(Class.java:2534)  
at java.lang.Class.getDeclaredMethod(Class.java:2002)  
at  
org.springframework.core.LocalVariableTableParameterNameDiscoverer\$LocalVariableTableVisitor.resolveMember(LocalVariableTableParameterNameDiscoverer.java:236)  
at  
org.springframework.core.LocalVariableTableParameterNameDiscoverer\$LocalVariableTableVisitor.visitEnd(LocalVariableTableParameterNameDiscoverer.java:219)  
at org.springframework.asm.ClassReader.accept(Unknown Source)  
at org.springframework.asm.ClassReader.accept(Unknown Source)  
at  
org.springframework.core.LocalVariableTableParameterNameDiscoverer.inspectClass(LocalVariableTableParameterNameDiscoverer.java:114)  
at  
org.springframework.core.LocalVariableTableParameterNameDiscoverer.getParameterNames(LocalVariableTableParameterNameDiscoverer.java:86)  
at  
org.springframework.beans.factory.support.ConstructorResolver.autowireConstructor(ConstructorResolver.java:193)

```
at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConst  
ructor(AbstractAutowireCapableBeanFactory.java:1035)  
at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanIns  
tance(AbstractAutowireCapableBeanFactory.java:939)  
at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(  
AbstractAutowireCapableBeanFactory.java:485)  
at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(Ab  
stractAutowireCapableBeanFactory.java:456)  
at  
org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFact  
ory.java:294)  
at  
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(Defaul  
tSingletonBeanRegistry.java:225)  
at  
org.springframework.beans.factory.support.AbstractBeanFactory doGetBean(AbstractBeanFactor  
y.java:291)  
at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.  
java:193)  
at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSinglet  
ons(DefaultListableBeanFactory.java:585)  
at  
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitializa  
tion(AbstractApplicationContext.java:913)  
at  
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplication  
Context.java:464)  
at  
org.springframework.web.context.ContextLoader.configureAndRefreshWebApplicationContext (Con  
textLoader.java:384)  
at  
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java  
:283)  
at  
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderList  
ener.java:111)  
at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:4973)  
at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5467)  
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:150)  
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:901)  
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:877)  
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:632)  
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:1073)  
at org.apache.catalina.startup.HostConfig$DeployWar.run(HostConfig.java:1857)  
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:471)  
at java.util.concurrent.FutureTask$Sync.innerRun(FutureTask.java:334)  
at java.util.concurrent.FutureTask.run(FutureTask.java:166)  
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1146)  
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:615)  
at java.lang.Thread.run(Thread.java:701)
```

Caused by: java.lang.ClassNotFoundException: org.apache.ws.security.cache.ReplayCache

```
at org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1720)
at org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1571)
... 38 more
2014-10-03 18:50:46,258 [localhost-startStop-1] ERROR
org.apache.catalina.core.StandardContext- Error listenerStart
2014-10-03 18:50:46,260 [localhost-startStop-1] ERROR
org.apache.catalina.core.StandardContext- Context [/OpenKM] startup failed due to previous
errors
2014-10-03 18:50:46,297 [localhost-startStop-1] INFO
org.apache.catalina.core.ContainerBase.[Catalina].[localhost].[/OpenKM]- Closing Spring root
WebApplicationContext
2014-10-03 18:50:46,297 [localhost-startStop-1] INFO
org.springframework.web.context.support.XmlWebApplicationContext- Closing Root
WebApplicationContext: startup date [Fri Oct 03 18:50:44 CEST 2014]; root of context hierarchy
2014-10-03 18:50:46,303 [localhost-startStop-1] WARN
org.springframework.web.context.support.XmlWebApplicationContext- Exception thrown from
LifecycleProcessor on context close
java.lang.IllegalStateException: LifecycleProcessor not initialized - call 'refresh' before
invoking lifecycle methods via the context: Root WebApplicationContext: startup date [Fri
Oct 03 18:50:44 CEST 2014]; root of context hierarchy
at
org.springframework.context.support.AbstractApplicationContext.getLifecycleProcessor(Abstract
ApplicationContext.java:350)
at
org.springframework.context.support.AbstractApplicationContext.doClose(AbstractApplication
Context.java:1033)
at
org.springframework.context.support.AbstractApplicationContext.close(AbstractApplicationCo
nnect.java:988)
at
org.springframework.web.context.ContextLoader.closeWebApplicationContext(ContextLoader.jav
a:541)
at
org.springframework.web.context.ContextLoaderListener.contextDestroyed(ContextLoaderList
ener.java:142)
at org.apache.catalina.core.StandardContext.listenerStop(StandardContext.java:5014)
at org.apache.catalina.core.StandardContext.stopInternal(StandardContext.java:5659)
at org.apache.catalina.util.LifecycleBase.stop(LifecycleBase.java:232)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:160)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:901)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:877)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:632)
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:1073)
at org.apache.catalina.startup.HostConfig$DeployWar.run(HostConfig.java:1857)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:471)
at java.util.concurrent.FutureTask$Sync.innerRun(FutureTask.java:334)
at java.util.concurrent.FutureTask.run(FutureTask.java:166)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1146)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:615)
at java.lang.Thread.run(Thread.java:701)
2014-10-03 18:50:46,304 [localhost-startStop-1] INFO
org.springframework.beans.factory.support.DefaultListableBeanFactory- Destroying singletons
in org.springframework.beans.factory.support.DefaultListableBeanFactory@3f45f171: defining
beans
[dbAuthModule,org.springframework.context.annotation.internalConfigurationAnnotationProcessor,
org.springframework.context.annotation.internalAutowiredAnnotationProcessor,org.springframewor
k.context.annotation.internalRequiredAnnotationProcessor,org.springframework.context.annotatio
```

n.internalCommonAnnotationProcessor,org.springframework.context.annotation.internalPersistenceAnnotationProcessor,cxf,org.apache.cxf.bus.spring.BusWiringBeanFactoryPostProcessor,org.apache.cxf.bus.spring.Jsr250BeanPostProcessor,org.apache.cxf.bus.spring.BusExtensionPostProcessor,WS-S4JInInterceptor,authService,bookmarkService,documentService,folderService,mailService,noteService,notificationService,propertyGroupService,propertyService,repositoryService,searchService,dashboardService,workflowService,testService,cmisNavigationService,cmisPolicyService,cmisDiscoveryService,cmisMultiFilingService,cmisRepositoryService,cmisRelationshipService,cmisVersioningService,cmisObjectService,cmisAclService,restAuth,restDocument,restFolder,restMail,restNote,restPropertyGroup,restSearch,restRepository,restProperty,restTest,org.springframework.security.access.method.DelegatingMethodSecurityMetadataSource#0,org.springframework.security.access.vote.AffirmativeBased#0,org.springframework.security.access.intercept.aopalliance.MethodSecurityInterceptor#0,org.springframework.security.methodSecurityMetadataAdvisor,org.springframework.aop.config.internalAutoProxyCreator,org.springframework.security.access.vote.RoleVoter#0,CmisLifecycleBean,CmisServiceFactory,org.springframework.security.filterChains,org.springframework.security.filterChainProxy,org.springframework.security.web.PortMapperImpl#0,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#0,org.springframework.security.authentication.ProviderManager#0,org.springframework.security.web.context.NullSecurityContextRepository#0,org.springframework.security.web.savedrequest.NullRequestCache#0,org.springframework.security.access.vote.AffirmativeBased#1,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#0,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#0,org.springframework.security.authentication.AuthenticationAnonymousAuthenticationProvider#0,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#0,org.springframework.security.userdetailsServiceFactory,org.springframework.security.web.DefaultSecurityFilterChain#0,org.springframework.security.web.PortMapperImpl#1,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#1,org.springframework.security.authentication.ProviderManager#1,org.springframework.security.web.context.NullSecurityContextRepository#1,org.springframework.security.web.savedrequest.NullRequestCache#1,org.springframework.security.access.vote.AffirmativeBased#2,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#1,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#1,org.springframework.security.authentication.AuthenticationAnonymousAuthenticationProvider#1,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#1,org.springframework.security.web.DefaultSecurityFilterChain#1,org.springframework.security.web.PortMapperImpl#2,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#2,org.springframework.security.config.authentication.ProviderManager#2,org.springframework.security.web.context.NullSecurityContextRepository#2,org.springframework.security.web.savedrequest.NullRequestCache#2,org.springframework.security.access.vote.AffirmativeBased#3,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#2,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#2,org.springframework.security.authentication.AuthenticationAnonymousAuthenticationProvider#2,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#2,org.springframework.security.web.DefaultSecurityFilterChain#2,org.springframework.security.web.PortMapperImpl#3,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#3,org.springframework.security.web.context.NullSecurityContextRepository#3,org.springframework.security.web.savedrequest.NullRequestCache#3,org.springframework.security.access.vote.AffirmativeBased#4,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#3,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#3,org.springframework.security.authentication.AuthenticationAnonymousAuthenticationProvider#3,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#3,org.springframework.security.web.DefaultSecurityFilterChain#3,org.springframework.security.web.PortMapperImpl#4,org.springframework.security.config.authentication.ProviderManager#4,org.springframework.security.web.context.NullSecurityContextRepository#4,org.springframework.security.web.savedrequest.NullRequestCache#4,org.springframework.security.access.vote.AffirmativeBased#5,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#4,org.springframework.security.authentication.AuthenticationAnonymousAuthenticationProvider#4,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#4,org.springframework.security.web.DefaultSecurityFilterChain#4,org.springframework.security.web.PortMapperImpl#5,org.springframework

onPrivilegeEvaluator#5, org.springframework.security.authentication.AuthenticationProvider#5, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#5, org.springframework.security.web.DefaultSecurityFilterChain#5, org.springframework.security.web.PortMapperImpl#6, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#6, org.springframework.security.authentication.ProviderManager#6, org.springframework.security.security.web.context.NullSecurityContextRepository#6, org.springframework.security.web.savedrequest.NullRequestCache#6, org.springframework.security.access.vote.AffirmativeBased#7, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#6, org.springframework.security.authentication.AuthenticationProvider#6, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#6, org.springframework.security.web.DefaultSecurityFilterChain#6, org.springframework.security.web.PortMapperImpl#7, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#7, org.springframework.security.web.context.NullSecurityContextRepository#7, org.springframework.security.web.savedrequest.NullRequestCache#7, org.springframework.security.access.vote.AffirmativeBased#8, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#7, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#7, org.springframework.security.authentication.AuthenticationProvider#7, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#7, org.springframework.security.web.DefaultSecurityFilterChain#7, org.springframework.security.web.PortMapperImpl#8, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#8, org.springframework.security.web.authentication.ProviderManager#8, org.springframework.security.web.context.NullSecurityContextRepository#8, org.springframework.security.web.savedrequest.NullRequestCache#8, org.springframework.security.access.vote.AffirmativeBased#9, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#8, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#8, org.springframework.security.authentication.AuthenticationProvider#8, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#8, org.springframework.security.web.DefaultSecurityFilterChain#8, org.springframework.security.web.PortMapperImpl#9, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#9, org.springframework.security.web.authentication.ProviderManager#9, org.springframework.security.web.context.HttpSessionSecurityContextRepository#0, org.springframework.security.web.authentication.SessionFixationProtectionStrategy#0, org.springframework.security.web.savedrequest.HttpSessionRequestCache#0, org.springframework.security.access.vote.AffirmativeBased#10, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#9, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#9, org.springframework.security.authentication.AuthenticationProvider#9, org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter#0, org.springframework.security.web.DefaultSecurityFilterChain#9, loggerListener, dataSource, org.springframework.security.provisioning.JdbcUserDetailsManager#0, org.springframework.security.authentication.dao.DaoAuthenticationProvider#0, org.springframework.security.authentication.DefaultAuthenticationEventPublisher#0, org.springframework.security.authentication.AuthenticationManager, org.springframework.context.annotation.ConfigurationClassPostProcessor\$ImportAwareBeanPostProcessor#0]; root of factory hierarchy  
2014-10-03 18:50:46,331 [localhost-startStop-1] INFO  
org.apache.catalina.startup.HostConfig- Deploying web application directory  
/opt/openkm-6.3.0-community/tomcat/webapps/ROOT  
2014-10-03 18:50:46,980 [main] INFO org.apache.coyote.http11.Http11Protocol- Starting ProtocolHandler ["http-bio-0.0.0.0-8080"]  
2014-10-03 18:50:46,985 [main] INFO org.apache.coyote.ajp.AjpProtocol- Starting ProtocolHandler ["ajp-bio-127.0.0.1-8009"]  
2014-10-03 18:50:46,986 [main] INFO org.apache.catalina.startup.Catalina- Server startup in  
12535 ms