

catalina.txt
2015-04-27 13:39:51,497 [main] INFO
org.apache.catalina.core.AprLifecycleListener- The APR based
Apache Tomcat Native library which allows optimal
performance in production environments was not found on the
java.library.path:
C:\openkm-6.3.0-community\java\bin;C:\Windows\Sun\Java\bin;C
:\Windows\system32;C:\Windows;C:\ProgramData\Oracle\Java\jav
apath;C:\Windows\system32;C:\Windows;C:\Windows\System32\wbe
m;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\openkm-6.3.
0-community\tomcat\lib\sigar;
2015-04-27 13:39:51,684 [main] INFO
org.apache.coyote.http11.Http11Protocol- Initializing
ProtocolHandler ["http-bio-0.0.0.0-8080"]
2015-04-27 13:39:51,715 [main] INFO
org.apache.coyote.ajp.AjpProtocol- Initializing
ProtocolHandler ["ajp-bio-127.0.0.1-8009"]
2015-04-27 13:39:51,715 [main] INFO
org.apache.catalina.startup.Catalina- Initialization
processed in 391 ms
2015-04-27 13:39:51,762 [main] INFO
org.apache.catalina.core.StandardService- Starting service
Catalina
2015-04-27 13:39:51,762 [main] INFO
org.apache.catalina.core.StandardEngine- Starting Servlet
Engine: Apache Tomcat/7.0.53
2015-04-27 13:39:51,824 [localhost-startStop-1] INFO
org.apache.catalina.startup.HostConfig- Deploying web
application archive
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM.war
2015-04-27 13:40:13,618 [localhost-startStop-1] INFO
org.apache.catalina.core.ContainerBase.[Catalina].[localhost
].[OpenKM]- No Spring WebApplicationInitializer types
detected on classpath
2015-04-27 13:40:13,680 [localhost-startStop-1] INFO
org.apache.catalina.core.ContainerBase.[Catalina].[localhost
].[OpenKM]- Initializing Spring root WebApplicationContext
2015-04-27 13:40:13,680 [localhost-startStop-1] INFO
org.springframework.web.context.ContextLoader- Root
WebApplicationContext: initialization started
2015-04-27 13:40:13,742 [localhost-startStop-1] INFO
org.springframework.web.context.support.XmlWebApplicationCon
text- Refreshing Root WebApplicationContext: startup date
[Mon Apr 27 13:40:13 EDT 2015]; root of context hierarchy
2015-04-27 13:40:13,820 [localhost-startStop-1] INFO

catalina.txt

```
org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from ServletContext resource [/WEB-INF/applicationContext.xml]
2015-04-27 13:40:14,273 [localhost-startStop-1] INFO
org.springframework.context.annotation.ClassPathBeanDefinitionScanner- JSR-250 'javax.annotation.ManagedBean' found and supported for component scanning
2015-04-27 13:40:14,975 [localhost-startStop-1] INFO
org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from class path resource [META-INF/cxf/cxf.xml]
2015-04-27 13:40:14,990 [localhost-startStop-1] INFO
org.springframework.beans.factory.xml.XmlBeanDefinitionReader- Loading XML bean definitions from class path resource [META-INF/cxf/cxf-servlet.xml]
2015-04-27 13:40:15,068 [localhost-startStop-1] INFO
org.springframework.security.core.SpringSecurityCoreVersion- You are running with Spring Security Core 3.1.0.RELEASE
2015-04-27 13:40:15,068 [localhost-startStop-1] INFO
org.springframework.security.config.SecurityNamespaceHandler - Spring Security 'config' module version is 3.1.0.RELEASE
2015-04-27 13:40:15,178 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 300,
Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1200,
Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter]; scope=; abstract=false;
lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAu
```

catalina.txt

```
thenticationFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1700,
Root bean: class
[org.springframework.security.web.access.ExceptionTranslatio
nFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSec
urityInterceptor#0>, order = 2000]
2015-04-27 13:40:15,178 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDef
initionParser- Checking sorted filter chain: [Root bean:
class
[org.springframework.security.web.context.SecurityContextPer
sistenceFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 300,
Root bean: class
[org.springframework.security.web.authentication.www.BasicAu
thenticationFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1200,
Root bean: class
[org.springframework.security.web.servletapi.SecurityContext
HolderAwareRequestFilter]; scope=; abstract=false;
lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAu
thenticationFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1700,
Root bean: class
[org.springframework.security.web.access.ExceptionTranslatio
nFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
```

catalina.txt

```
initMethodName=null; destroyMethodName=null, order = 1900,  
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#1>, order = 2000]
```

2015-04-27 13:40:15,193 [localhost-startStop-1] INFO

```
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted filter chain: [Root bean:  
class
```

```
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=; abstract=false; lazyInit=false;  
autowireMode=0; dependencyCheck=0; autowireCandidate=true;  
primary=false; factoryBeanName=null; factoryMethodName=null;  
initMethodName=null; destroyMethodName=null, order = 300,  
Root bean: class
```

```
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=; abstract=false; lazyInit=false;  
autowireMode=0; dependencyCheck=0; autowireCandidate=true;  
primary=false; factoryBeanName=null; factoryMethodName=null;  
initMethodName=null; destroyMethodName=null, order = 1200,  
Root bean: class
```

```
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter]; scope=; abstract=false;  
lazyInit=false; autowireMode=0; dependencyCheck=0;  
autowireCandidate=true; primary=false; factoryBeanName=null;  
factoryMethodName=null; initMethodName=null;  
destroyMethodName=null, order = 1400, Root bean: class
```

```
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=; abstract=false; lazyInit=false;  
autowireMode=0; dependencyCheck=0; autowireCandidate=true;  
primary=false; factoryBeanName=null; factoryMethodName=null;  
initMethodName=null; destroyMethodName=null, order = 1700,  
Root bean: class
```

```
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=; abstract=false; lazyInit=false;  
autowireMode=0; dependencyCheck=0; autowireCandidate=true;  
primary=false; factoryBeanName=null; factoryMethodName=null;  
initMethodName=null; destroyMethodName=null, order = 1900,  
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#2>, order = 2000]
```

2015-04-27 13:40:15,224 [localhost-startStop-1] INFO

```
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted filter chain: [Root bean:  
class
```

```
[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=; abstract=false; lazyInit=false;
```

catalina.txt

```
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 300,
Root bean: class
[org.springframework.security.web.authentication.www.BasicAuth
enticationFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1200,
Root bean: class
[org.springframework.security.web.servletapi.SecurityContext
HolderAwareRequestFilter]; scope=; abstract=false;
lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuth
enticationFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1700,
Root bean: class
[org.springframework.security.web.access.ExceptionTranslatio
nFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSec
urityInterceptor#3>, order = 2000]
2015-04-27 13:40:15,224 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDef
initionParser- Checking sorted filter chain: [Root bean:
class
[org.springframework.security.web.context.SecurityContextPer
sistenceFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 300,
Root bean: class
[org.springframework.security.web.authentication.www.BasicAuth
enticationFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1200,
```

catalina.txt

```
Root bean: class
[org.springframework.security.web.servletapi.SecurityContext
HolderAwareRequestFilter]; scope=; abstract=false;
lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAu
thenticationFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1700,
Root bean: class
[org.springframework.security.web.access.ExceptionTranslatio
nFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSec
urityInterceptor#4>, order = 2000]
2015-04-27 13:40:15,224 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDef
initionParser- Checking sorted filter chain: [Root bean:
class
[org.springframework.security.web.context.SecurityContextPer
sistenceFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 300,
Root bean: class
[org.springframework.security.web.authentication.www.BasicAu
thenticationFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1200,
Root bean: class
[org.springframework.security.web.servletapi.SecurityContext
HolderAwareRequestFilter]; scope=; abstract=false;
lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAu
thenticationFilter]; scope=; abstract=false; lazyInit=false;
```

catalina.txt

```
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1700,
Root bean: class
[org.springframework.security.web.access.ExceptionTranslatio
nFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSec
urityInterceptor#5>, order = 2000]
2015-04-27 13:40:16,223 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDef
initionParser- Checking sorted filter chain: [Root bean:
class
[org.springframework.security.web.context.SecurityContextPer
sistenceFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 300,
Root bean: class
[org.springframework.security.web.authentication.www.BasicAU
thenticationFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1200,
Root bean: class
[org.springframework.security.web.servletapi.SecurityContext
HolderAwareRequestFilter]; scope=; abstract=false;
lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAu
thenticationFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1700,
Root bean: class
[org.springframework.security.web.access.ExceptionTranslatio
nFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1900,
```

catalina.txt

<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#6>, order = 2000]

2015-04-27 13:40:16,223 [localhost-startStop-1] INFO

org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted filter chain: [Root bean: class

[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null, order = 300,

Root bean: class

[org.springframework.security.web.authentication.www.BasicAuthenticationFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null, order = 1200,

Root bean: class

[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null;

destroyMethodName=null, order = 1400, Root bean: class

[org.springframework.security.web.authentication.AnonymousAuthenticationFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null, order = 1700,

Root bean: class

[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null, order = 1900,

<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#7>, order = 2000]

2015-04-27 13:40:16,223 [localhost-startStop-1] INFO

org.springframework.security.config.http.HttpSecurityBeanDefinitionParser- Checking sorted filter chain: [Root bean: class

[org.springframework.security.web.context.SecurityContextPersistenceFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0; autowireCandidate=true;

catalina.txt

```
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 300,
Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticati
onFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1200,
Root bean: class
[org.springframework.security.web.servletapi.SecurityContext
HolderAwareRequestFilter]; scope=; abstract=false;
lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticati
onFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1700,
Root bean: class
[org.springframework.security.web.access.ExceptionTranslatio
nFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSec
urityInterceptor#8>, order = 2000]
2015-04-27 13:40:16,238 [localhost-startStop-1] INFO
org.springframework.security.config.http.HttpSecurityBeanDef
initionParser- Checking sorted filter chain: [Root bean:
class
[org.springframework.security.web.context.SecurityContextPer
sistenceFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 300,
<org.springframework.security.web.authentication.UsernamePas
swordAuthenticationFilter#0>, order = 800, Root bean: class
[org.springframework.security.web.savedrequest.RequestCacheA
wareFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1300,
```

catalina.txt

```
Root bean: class
[org.springframework.security.web.servletapi.SecurityContext
HolderAwareRequestFilter]; scope=; abstract=false;
lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null;
destroyMethodName=null, order = 1400, Root bean: class
[org.springframework.security.web.authentication.AnonymousAu
thenticationFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1700,
Root bean: class
[org.springframework.security.web.session.SessionManagementF
ilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1800,
Root bean: class
[org.springframework.security.web.access.ExceptionTranslatio
nFilter]; scope=; abstract=false; lazyInit=false;
autowireMode=0; dependencyCheck=0; autowireCandidate=true;
primary=false; factoryBeanName=null; factoryMethodName=null;
initMethodName=null; destroyMethodName=null, order = 1900,
<org.springframework.security.web.access.intercept.FilterSec
urityInterceptor#9>, order = 2000]
2015-04-27 13:40:16,254 [localhost-startStop-1] INFO
org.springframework.beans.factory.xml.XmlBeanDefinitionReade
r- Loading XML bean definitions from URL
[file:C:/openkm-6.3.0-community/tomcat/OpenKM.xml]
2015-04-27 13:40:16,504 [localhost-startStop-1] INFO
org.springframework.beans.factory.support.DefaultListableBea
nFactory- Pre-instantiating singletons in
org.springframework.beans.factory.support.DefaultListableBea
nFactory@8a5fd5: defining beans
[dbAuthModule,org.springframework.context.annotation.interna
lConfigurationAnnotationProcessor,org.springframework.context
.annotation.internalAutowiredAnnotationProcessor,org.spring
framework.context.annotation.internalRequiredAnnotationProce
ssor,org.springframework.context.annotation.internalCommonAn
notationProcessor,org.springframework.context.annotation.int
ernalPersistenceAnnotationProcessor,cxf,org.apache.cxf.bus.s
pring.BusWiringBeanFactoryPostProcessor,org.apache.cxf.bus.s
pring.Jsr250BeanPostProcessor,org.apache.cxf.bus.spring.BusE
```

catalina.txt

xtensionPostProcessor, WSS4JInInterceptor, authService, bookmarkService, documentService, folderService, mailService, noteService, notificationService, propertyGroupService, propertyService, repositoryService, searchService, dashboardService, workflowService, testService, cmisNavigationService, cmisPolicyService, cmisDiscoveryService, cmisMultiFilingService, cmisRepositoryService, cmisRelationshipService, cmisVersioningService, cmisObjectsService, cmisAclService, restAuth, restDocument, restFolder, restMail, restNote, restPropertyGroup, restSearch, restRepository, restProperty, restTest, org.springframework.security.access.method.DelegatingMethodSecurityMetadataSource#0, org.springframework.security.access.vote.AffirmativeBased#0, org.springframework.security.access.intercept.aopalliance.MethodSecurityInterceptor#0, org.springframework.security.methodSecurityMetadataSourceAdvisor, org.springframework.aop.config.internalAutoProxyCreator, org.springframework.security.access.vote.RoleVoter#0, CmisLifecycleBean, CmisServiceFactory, org.springframework.security.filterChains, org.springframework.security.filterChainProxy, org.springframework.security.web.PortMapperImpl#0, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#0, org.springframework.security.authentication.ProviderManager#0, org.springframework.security.web.context.NullSecurityContextRepository#0, org.springframework.security.web.savedrequest.NullRequestCache#0, org.springframework.security.access.vote.AffirmativeBased#1, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#0, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#0, org.springframework.security.authentication.AnonymousAuthenticationProvider#0, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#0, org.springframework.security.userdetails.ServiceFactory, org.springframework.security.web.DefaultSecurityFilterChain#0, org.springframework.security.web.PortMapperImpl#1, org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#1, org.springframework.security.authentication.ProviderManager#1, org.springframework.security.web.context.NullSecurityContextRepository#1, org.springframework.security.web.savedrequest.NullRequestCache#1, org.springframework.security.access.vote.AffirmativeBased#2, org.springframework.security.web.access.intercept.FilterSecurityInterceptor#1, org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#1, org.springframework.security.authentication.AnonymousAuthenticationProvider#1, org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#1, o

catalina.txt

rg.springframework.security.web.DefaultSecurityFilterChain#1,org.springframework.security.web.PortMapperImpl#2,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#2,org.springframework.security.authentication.ProviderManager#2,org.springframework.security.web.context.NullSecurityContextRepository#2,org.springframework.security.web.savedrequest.NullRequestCache#2,org.springframework.security.access.vote.AffirmativeBased#3,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#2,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#2,org.springframework.security.authentication.AnonymousAuthenticationProvider#2,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#2,org.springframework.security.web.DefaultSecurityFilterChain#2,org.springframework.security.web.PortMapperImpl#3,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#3,org.springframework.security.authentication.ProviderManager#3,org.springframework.security.web.context.NullSecurityContextRepository#3,org.springframework.security.web.savedrequest.NullRequestCache#3,org.springframework.security.access.vote.AffirmativeBased#4,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#3,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#3,org.springframework.security.authentication.AnonymousAuthenticationProvider#3,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#3,org.springframework.security.web.DefaultSecurityFilterChain#3,org.springframework.security.web.PortMapperImpl#4,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#4,org.springframework.security.authentication.ProviderManager#4,org.springframework.security.web.context.NullSecurityContextRepository#4,org.springframework.security.web.savedrequest.NullRequestCache#4,org.springframework.security.access.vote.AffirmativeBased#5,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#4,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#4,org.springframework.security.authentication.AnonymousAuthenticationProvider#4,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#4,org.springframework.security.web.DefaultSecurityFilterChain#4,org.springframework.security.web.PortMapperImpl#5,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#5,org.springframework.security.authentication.ProviderManager#5,org.springframework.security.web.context.Null

catalina.txt

lSecurityContextRepository#5,org.springframework.security.web.savedrequest.NullRequestCache#5,org.springframework.security.access.vote.AffirmativeBased#6,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#5,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#5,org.springframework.security.authentication.AnonymousAuthenticationProvider#5,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#5,org.springframework.security.web.DefaultSecurityFilterChain#5,org.springframework.security.web.PortMapperImpl#6,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#6,org.springframework.security.authentication.ProviderManager#6,org.springframework.security.web.context.NullSecurityContextRepository#6,org.springframework.security.web.savedrequest.NullRequestCache#6,org.springframework.security.access.vote.AffirmativeBased#7,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#6,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#6,org.springframework.security.authentication.AnonymousAuthenticationProvider#6,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#6,org.springframework.security.web.DefaultSecurityFilterChain#6,org.springframework.security.web.PortMapperImpl#7,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#7,org.springframework.security.authentication.ProviderManager#7,org.springframework.security.web.context.NullSecurityContextRepository#7,org.springframework.security.web.savedrequest.NullRequestCache#7,org.springframework.security.access.vote.AffirmativeBased#8,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#7,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEvaluator#7,org.springframework.security.authentication.AnonymousAuthenticationProvider#7,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#7,org.springframework.security.web.DefaultSecurityFilterChain#7,org.springframework.security.web.PortMapperImpl#8,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#8,org.springframework.security.authentication.ProviderManager#8,org.springframework.security.web.context.NullSecurityContextRepository#8,org.springframework.security.web.savedrequest.NullRequestCache#8,org.springframework.security.access.vote.AffirmativeBased#9,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#8,org.springframework.security.web.access.DefaultWebInvocationPrivilegeEv

catalina.txt

aluator#8,org.springframework.security.authentication.AnonymousAuthenticationProvider#8,org.springframework.security.web.authentication.www.BasicAuthenticationEntryPoint#8,org.springframework.security.web.DefaultSecurityFilterChain#8,org.springframework.security.web.PortMapperImpl#9,org.springframework.security.config.authentication.AuthenticationManagerFactoryBean#9,org.springframework.security.authentication.ProviderManager#9,org.springframework.security.web.context.HttpSessionSecurityContextRepository#0,org.springframework.security.web.authentication.session.SessionFixationProtectionStrategy#0,org.springframework.security.web.savedrequest.HttpSessionRequestCache#0,org.springframework.security.access.vote.AffirmativeBased#10,org.springframework.security.web.access.intercept.FilterSecurityInterceptor#9,org.springframework.security.web.access.DefaultwebInvocationPrivilegeEvaluator#9,org.springframework.security.authentication.AnonymousAuthenticationProvider#9,org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter#0,org.springframework.security.web.DefaultSecurityFilterChain#9,loggerListener,dataSource,org.springframework.security.provisioning.JdbcUserDetailsManager#0,org.springframework.security.authentication.dao.DaoAuthenticationProvider#0,org.springframework.security.authentication.DefaultAuthenticationEventPublisher#0,org.springframework.security.authenticationManager,org.springframework.context.annotation.ConfigurationClassPostProcessor\$ImportAwareBeanPostProcessor#0]; root of factory hierarchy
2015-04-27 13:40:16,831 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMAuth from class
com.openkm.ws.endpoint.AuthService
2015-04-27 13:40:17,533 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMAuth
2015-04-27 13:40:17,564 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMBookmark from
class com.openkm.ws.endpoint.BookmarkService
2015-04-27 13:40:17,611 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMBookmark
2015-04-27 13:40:17,627 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMDocument from
class com.openkm.ws.endpoint.DocumentService

catalina.txt

2015-04-27 13:40:17,830 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMDocument
2015-04-27 13:40:17,845 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMFolder from class
com.openkm.ws.endpoint.FolderService
2015-04-27 13:40:17,939 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMFolder
2015-04-27 13:40:17,954 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMMail from class
com.openkm.ws.endpoint.MailService
2015-04-27 13:40:18,032 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMMail
2015-04-27 13:40:18,032 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMNote from class
com.openkm.ws.endpoint.NoteService
2015-04-27 13:40:18,064 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMNote
2015-04-27 13:40:18,079 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMNotification from
class com.openkm.ws.endpoint.NotificationService
2015-04-27 13:40:18,110 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMNotification
2015-04-27 13:40:18,110 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMPropertyGroup from
class com.openkm.ws.endpoint.PropertyGroupService
2015-04-27 13:40:18,188 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMPropertyGroup
2015-04-27 13:40:18,204 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMProperty from
class com.openkm.ws.endpoint.PropertyService
2015-04-27 13:40:18,235 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's

catalina.txt

```
publish address to be /OKMProperty
2015-04-27 13:40:18,251 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMRepository from
class com.openkm.ws.endpoint.RepositoryService
2015-04-27 13:40:18,329 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMRepository
2015-04-27 13:40:18,344 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMSearch from class
com.openkm.ws.endpoint.SearchService
2015-04-27 13:40:18,454 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMSearch
2015-04-27 13:40:18,500 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMDashboard from
class com.openkm.ws.endpoint.DashboardService
2015-04-27 13:40:18,610 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMDashboard
2015-04-27 13:40:18,625 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMWorkflow from
class com.openkm.ws.endpoint.workflowService
2015-04-27 13:40:18,859 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMWorkflow
2015-04-27 13:40:18,875 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service {http://ws.openkm.com}OKMTest from class
com.openkm.ws.endpoint.TestService
2015-04-27 13:40:18,906 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /OKMTest
2015-04-27 13:40:18,922 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service
{http://webservices.impl.server.opencmis.chemistry.apache.or
g/}NavigationServiceService from class
org.apache.chemistry.opencmis.commons.impl.jaxb.NavigationSe
rvicePort
2015-04-27 13:40:19,468 [localhost-startStop-1] INFO
```

catalina.txt

```
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /cmis/NavigationService
2015-04-27 13:40:19,483 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service
{http://webservices.impl.server.opencmis.chemistry.apache.or
g/}PolicyServiceService from class
org.apache.chemistry.opencmis.commons.impl.jaxb.PolicyServic
ePort
2015-04-27 13:40:19,733 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /cmis/PolicyService
2015-04-27 13:40:19,733 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service
{http://webservices.impl.server.opencmis.chemistry.apache.or
g/}DiscoveryServiceService from class
org.apache.chemistry.opencmis.commons.impl.jaxb.DiscoverySer
vicePort
2015-04-27 13:40:19,920 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /cmis/DiscoveryService
2015-04-27 13:40:19,936 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service
{http://webservices.impl.server.opencmis.chemistry.apache.or
g/}MultiFilingServiceService from class
org.apache.chemistry.opencmis.commons.impl.jaxb.MultiFilingS
ervicePort
2015-04-27 13:40:20,154 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /cmis/MultiFilingService
2015-04-27 13:40:20,170 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
Creating Service
{http://webservices.impl.server.opencmis.chemistry.apache.or
g/}RepositoryServiceService from class
org.apache.chemistry.opencmis.commons.impl.jaxb.RepositorySe
rvicePort
2015-04-27 13:40:20,357 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /cmis/RepositoryService
2015-04-27 13:40:20,372 [localhost-startStop-1] INFO
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-
```

catalina.txt

Creating Service

```
{http://webservices.impl.server.opencmis.chemistry.apache.org/}RelationshipServiceService from class  
org.apache.chemistry.opencmis.commons.impl.jaxb.RelationshipServicePort
```

```
2015-04-27 13:40:20,544 [localhost-startStop-1] INFO  
org.apache.cxf.endpoint.ServerImpl- Setting the server's  
publish address to be /cmis/RelationshipService
```

```
2015-04-27 13:40:20,606 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-  
Creating Service
```

```
{http://webservices.impl.server.opencmis.chemistry.apache.org/}VersioningServiceService from class  
org.apache.chemistry.opencmis.commons.impl.jaxb.VersioningServicePort
```

```
2015-04-27 13:40:20,794 [localhost-startStop-1] INFO  
org.apache.cxf.endpoint.ServerImpl- Setting the server's  
publish address to be /cmis/VersioningService
```

```
2015-04-27 13:40:20,809 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-  
Creating Service
```

```
{http://webservices.impl.server.opencmis.chemistry.apache.org/}ObjectServiceService from class  
org.apache.chemistry.opencmis.commons.impl.jaxb.ObjectServicePort
```

```
2015-04-27 13:40:21,371 [localhost-startStop-1] INFO  
org.apache.cxf.endpoint.ServerImpl- Setting the server's  
publish address to be /cmis/ObjectService
```

```
2015-04-27 13:40:21,386 [localhost-startStop-1] INFO  
org.apache.cxf.service.factory.ReflectionServiceFactoryBean-  
Creating Service
```

```
{http://webservices.impl.server.opencmis.chemistry.apache.org/}ACLServiceService from class  
org.apache.chemistry.opencmis.commons.impl.jaxb.ACLServicePort
```

```
2015-04-27 13:40:21,542 [localhost-startStop-1] INFO  
org.apache.cxf.endpoint.ServerImpl- Setting the server's  
publish address to be /cmis/ACLService
```

```
2015-04-27 13:40:21,667 [localhost-startStop-1] INFO  
org.apache.cxf.endpoint.ServerImpl- Setting the server's  
publish address to be /rest/auth
```

```
2015-04-27 13:40:21,730 [localhost-startStop-1] INFO  
org.apache.cxf.endpoint.ServerImpl- Setting the server's  
publish address to be /rest/document
```

catalina.txt
2015-04-27 13:40:21,730 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /rest/folder
2015-04-27 13:40:21,745 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /rest/mail
2015-04-27 13:40:21,776 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /rest/note
2015-04-27 13:40:21,792 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /rest/propertyGroup
2015-04-27 13:40:21,792 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /rest/search
2015-04-27 13:40:21,808 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /rest/repository
2015-04-27 13:40:21,823 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /rest/property
2015-04-27 13:40:21,823 [localhost-startStop-1] INFO
org.apache.cxf.endpoint.ServerImpl- Setting the server's
publish address to be /rest/test
2015-04-27 13:40:22,057 [localhost-startStop-1] INFO
org.springframework.security.provisioning.JdbcUserDetailsMan
ager- No authentication manager set. Reauthentication of
users when changing passwords will not be performed.
2015-04-27 13:40:22,151 [localhost-startStop-1] INFO
org.springframework.security.web.DefaultSecurityFilterChain-
Creating filter chain: Ant [pattern='/status'],
[org.springframework.security.web.context.SecurityContextPer
sistenceFilter@704d41,
org.springframework.security.web.authentication.www.BasicAut
henticationFilter@e01cfe,
org.springframework.security.web.servletapi.SecurityContextH
olderAwareRequestFilter@18fa29d,
org.springframework.security.web.authentication.AnonymousAut
henticationFilter@fd1e54,
org.springframework.security.web.access.ExceptionTranslation
Filter@1d22896,
org.springframework.security.web.access.intercept.FilterSecu
rityInterceptor@66b2a3]
2015-04-27 13:40:22,151 [localhost-startStop-1] INFO

catalina.txt

```
org.springframework.security.web.DefaultSecurityFilterChain-
Creating filter chain: Ant [pattern='/download'],
[org.springframework.security.web.context.SecurityContextPer
sistenceFilter@1e06584,
org.springframework.security.web.authentication.www.BasicAut
henticationFilter@128ce7c,
org.springframework.security.web.servletapi.SecurityContextH
olderAwareRequestFilter@c38b7,
org.springframework.security.web.authentication.AnonymousAut
henticationFilter@5fa597,
org.springframework.security.web.access.ExceptionTranslation
Filter@170702f,
org.springframework.security.web.access.intercept.FilterSecu
rityInterceptor@d5476e]
2015-04-27 13:40:22,166 [localhost-startStop-1] INFO
org.springframework.security.web.DefaultSecurityFilterChain-
Creating filter chain: Ant [pattern='/workflow-register'],
[org.springframework.security.web.context.SecurityContextPer
sistenceFilter@1ffc19,
org.springframework.security.web.authentication.www.BasicAut
henticationFilter@1e004c4,
org.springframework.security.web.servletapi.SecurityContextH
olderAwareRequestFilter@58f44f,
org.springframework.security.web.authentication.AnonymousAut
henticationFilter@fa201,
org.springframework.security.web.access.ExceptionTranslation
Filter@54f5d6,
org.springframework.security.web.access.intercept.FilterSecu
rityInterceptor@1d7e0e1]
2015-04-27 13:40:22,166 [localhost-startStop-1] INFO
org.springframework.security.web.DefaultSecurityFilterChain-
Creating filter chain: Ant [pattern='/webdav/**'],
[org.springframework.security.web.context.SecurityContextPer
sistenceFilter@54aa52,
org.springframework.security.web.authentication.www.BasicAut
henticationFilter@7a0a62,
org.springframework.security.web.servletapi.SecurityContextH
olderAwareRequestFilter@3fc7f9,
org.springframework.security.web.authentication.AnonymousAut
henticationFilter@161cc5c,
org.springframework.security.web.access.ExceptionTranslation
Filter@1afd3b4,
org.springframework.security.web.access.intercept.FilterSecu
rityInterceptor@73f74b]
```

catalina.txt

2015-04-27 13:40:22,182 [localhost-startStop-1] INFO
org.springframework.security.web.DefaultSecurityFilterChain-
Creating filter chain: Ant [pattern='/feed/**'],
[org.springframework.security.web.context.SecurityContextPer
sistenceFilter@1ff322,
org.springframework.security.web.authentication.www.BasicAut
henticationFilter@1937bd1,
org.springframework.security.web.servletapi.SecurityContextH
olderAwareRequestFilter@1a5fb0d,
org.springframework.security.web.authentication.AnonymousAut
henticationFilter@524c3,
org.springframework.security.web.access.ExceptionTranslation
Filter@1b0b288,
org.springframework.security.web.access.intercept.FilterSecu
rityInterceptor@1992dbf]

2015-04-27 13:40:22,182 [localhost-startStop-1] INFO
org.springframework.security.web.DefaultSecurityFilterChain-
Creating filter chain: Ant [pattern='/cmis/browser/**'],
[org.springframework.security.web.context.SecurityContextPer
sistenceFilter@1c494c5,
org.springframework.security.web.authentication.www.BasicAut
henticationFilter@103419b,
org.springframework.security.web.servletapi.SecurityContextH
olderAwareRequestFilter@c831e4,
org.springframework.security.web.authentication.AnonymousAut
henticationFilter@143743d,
org.springframework.security.web.access.ExceptionTranslation
Filter@184589f,
org.springframework.security.web.access.intercept.FilterSecu
rityInterceptor@1d639c2]

2015-04-27 13:40:22,198 [localhost-startStop-1] INFO
org.springframework.security.web.DefaultSecurityFilterChain-
Creating filter chain: Ant [pattern='/cmis/atom/**'],
[org.springframework.security.web.context.SecurityContextPer
sistenceFilter@1d7cba,
org.springframework.security.web.authentication.www.BasicAut
henticationFilter@1e7d0d7,
org.springframework.security.web.servletapi.SecurityContextH
olderAwareRequestFilter@3fe39e,
org.springframework.security.web.authentication.AnonymousAut
henticationFilter@78b0c4,
org.springframework.security.web.access.ExceptionTranslation
Filter@19d1f62,
org.springframework.security.web.access.intercept.FilterSecu

catalina.txt

```
rityInterceptor@7782bd]
2015-04-27 13:40:22,198 [localhost-startStop-1] INFO
org.springframework.security.web.DefaultSecurityFilterChain-
Creating filter chain: Ant [pattern='/cmis/atom11/**'],
[org.springframework.security.web.context.SecurityContextPer-
sistenceFilter@1cabbb,
org.springframework.security.web.authentication.www.BasicAut-
henticationFilter@4ebc84,
org.springframework.security.web.servletapi.SecurityContextH-
olderAwareRequestFilter@13a9afd,
org.springframework.security.web.authentication.AnonymousAut-
henticationFilter@957565,
org.springframework.security.web.access.ExceptionTranslation
Filter@4e55e2,
org.springframework.security.web.access.intercept.FilterSecu-
rityInterceptor@e86fc4]
2015-04-27 13:40:22,213 [localhost-startStop-1] INFO
org.springframework.security.web.DefaultSecurityFilterChain-
Creating filter chain: Ant [pattern='/services/rest/**'],
[org.springframework.security.web.context.SecurityContextPer-
sistenceFilter@69b195,
org.springframework.security.web.authentication.www.BasicAut-
henticationFilter@109c2f4,
org.springframework.security.web.servletapi.SecurityContextH-
olderAwareRequestFilter@1de21b4,
org.springframework.security.web.authentication.AnonymousAut-
henticationFilter@76c4de,
org.springframework.security.web.access.ExceptionTranslation
Filter@1770066,
org.springframework.security.web.access.intercept.FilterSecu-
rityInterceptor@1bb5045]
2015-04-27 13:40:22,276 [localhost-startStop-1] INFO
org.springframework.security.web.DefaultSecurityFilterChain-
Creating filter chain:
org.springframework.security.web.util.AnyRequestMatcher@1,
[org.springframework.security.web.context.SecurityContextPer-
sistenceFilter@ce3582,
org.springframework.security.web.authentication.UsernamePass-
wordAuthenticationFilter@1b28ca,
org.springframework.security.web.savedrequest.RequestCacheAw-
areFilter@1132360,
org.springframework.security.web.servletapi.SecurityContextH-
olderAwareRequestFilter@17793fa,
org.springframework.security.web.authentication.AnonymousAut
```

```
                catalina.txt
henticationFilter@19402d6,
org.springframework.security.web.session.SessionManagementFi
lter@465971,
org.springframework.security.web.access.ExceptionTranslation
Filter@9a30d6,
org.springframework.security.web.access.intercept.FilterSecu
rityInterceptor@fc414c]
2015-04-27 13:40:22,322 [localhost-startStop-1] INFO
org.springframework.security.config.http.DefaultFilterChainV
alidator- Checking whether login URL '/login.jsp' is
accessible with your configuration
2015-04-27 13:40:22,338 [localhost-startStop-1] INFO
org.springframework.web.context.ContextLoader- Root
WebApplicationContext: initialization completed in 8658 ms
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- ** Application OpenKM has DTDs at
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\clas
ses\dtd **
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- ** Language profiles at
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\clas
ses\lang-profiles **
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- ** Reading config file
C:\openkm-6.3.0-community\tomcat\OpenKM.cfg **
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD - hibernate.create.autofix=true
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
hibernate.datasource=java:/comp/env/jdbc/OpenKMDS
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
hibernate.dialect=org.hibernate.dialect.HSQLDialect
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD - hibernate.hbm2ddl=create
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
hibernate.search.analyzer=org.apache.lucene.analysis.standar
d.StandardAnalyzer
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
hibernate.search.index.exclusive=true
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
```

catalina.txt

```
hibernate.search.index.home=C:\openkm-6.3.0-community\tomcat
(repository)\index
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD - hibernate.show_sql=false
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD - hibernate.statistics=false
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD - instance.chroot.path=
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
instance.home=C:\openkm-6.3.0-community\tomcat
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
jbpm.config=C:\openkm-6.3.0-community\tomcat\jbpm.xml
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
property.groups.cnd=C:\openkm-6.3.0-community\tomcat\Propert
yGroups.cnd
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
property.groups.xml=C:\openkm-6.3.0-community\tomcat\Propert
yGroups.xml
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
repository.cache.dxf=C:\openkm-6.3.0-community\tomcat\reposit
ory\cache\dxf
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
repository.cache.home=C:\openkm-6.3.0-community\tomcat\reposi
tory\cache
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
repository.cache.pdf=C:\openkm-6.3.0-community\tomcat\reposit
ory\cache\pdf
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
repository.cache.swf=C:\openkm-6.3.0-community\tomcat\reposit
ory\cache\swf
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD - repository.config=NULL:
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
repository.datastore.backend=fs
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
```

```

catalina.txt
com.openkm.core.Config- LOAD -
repository.datastore.home=C:\openkm-6.3.0-community\tomcat\re
pository\datastore
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
repository.home=C:\openkm-6.3.0-community\tomcat\repository
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD - repository.native=true
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.core.Config- LOAD -
system.multiple.instances=false
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.util.warUtils- Implementation-Version: 6.3.0
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.util.warUtils- Implementation-Build: 8156
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** Application
version: 6.3.0 (build: 8156) ***
2015-04-27 13:40:22,354 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** Hibernate
initialize ***
2015-04-27 13:40:23,040 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Hibernate 'hibernate.dialect'
= org.hibernate.dialect.HSQLDialect
2015-04-27 13:40:23,040 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Hibernate
'hibernate.connection.datasource' =
java:/comp/env/jdbc/OpenKMDS
2015-04-27 13:40:23,040 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Hibernate
'hibernate.hbm2ddl.auto' = create
2015-04-27 13:40:23,040 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Hibernate 'hibernate.show_sql'
= false
2015-04-27 13:40:23,040 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Hibernate
'hibernate.generate_statistics' = false
2015-04-27 13:40:23,040 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Hibernate
'hibernate.search.default.directory_provider' =
org.hibernate.search.store.FSDirectoryProvider
2015-04-27 13:40:23,040 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Hibernate
'hibernate.search.default.indexBase' =

```

catalina.txt

```
C:\openkm-6.3.0-community\tomcat\repository\index
2015-04-27 13:40:23,040 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Cleaning filesystem data from:
C:\openkm-6.3.0-community\tomcat\repository
2015-04-27 13:42:02,553 [localhost-startStop-1] INFO
hsqldb.db.HSQLDB4CFBF8B40A.ENGINE- Checkpoint start
2015-04-27 13:42:02,553 [localhost-startStop-1] INFO
hsqldb.db.HSQLDB4CFBF8B40A.ENGINE- checkpointClose start
2015-04-27 13:42:02,662 [localhost-startStop-1] INFO
hsqldb.db.HSQLDB4CFBF8B40A.ENGINE- checkpointClose end
2015-04-27 13:42:02,693 [localhost-startStop-1] INFO
hsqldb.db.HSQLDB4CFBF8B40A.ENGINE- Checkpoint end
2015-04-27 13:42:02,880 [localhost-startStop-1] WARN
org.hibernate.search.store.DirectoryProviderHelper- Index
directory not found, creating:
'C:\openkm-6.3.0-community\tomcat\repository\index'
2015-04-27 13:42:02,880 [localhost-startStop-1] WARN
org.hibernate.search.store.DirectoryProviderHelper- Index
directory not found, creating:
'C:\openkm-6.3.0-community\tomcat\repository\index\com.openk
m.dao.bean.NodeBase'
2015-04-27 13:42:03,005 [localhost-startStop-1] WARN
org.hibernate.search.store.DirectoryProviderHelper- Index
directory not found, creating:
'C:\openkm-6.3.0-community\tomcat\repository\index\com.openk
m.dao.bean.NodeDocumentVersion'
2015-04-27 13:42:03,364 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.graph.def.Node]; using defaults.
2015-04-27 13:42:03,379 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [com.openkm.dao.bean.Bookmark]; using defaults.
2015-04-27 13:42:03,411 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.instantiation.Delegation]; using defaults.
2015-04-27 13:42:03,411 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [com.openkm.dao.bean.User]; using defaults.
2015-04-27 13:42:03,411 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
```

catalina.txt

Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ProcessDefinition]; using defaults.

2015-04-27 13:42:03,426 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Action]; using defaults.

2015-04-27 13:42:03,442 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Transition]; using defaults.

2015-04-27 13:42:03,473 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.NodeProperty]; using defaults.

2015-04-27 13:42:03,473 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.Language]; using defaults.

2015-04-27 13:42:03,489 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.Translation]; using defaults.

2015-04-27 13:42:03,504 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.DatabaseMetadataValue]; using defaults.

2015-04-27 13:42:03,504 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.NodeDocumentVersion]; using defaults.

2015-04-27 13:42:03,520 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.RegisteredPropertyGroup]; using defaults.

2015-04-27 13:42:03,535 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.module.def.ModuleDefinition]; using defaults.

2015-04-27 13:42:03,535 [localhost-startStop-1] WARN

catalina.txt

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.graph.def.ExceptionHandler]; using defaults.
2015-04-27 13:42:03,567 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [com.openkm.dao.bean.Css]; using defaults.
2015-04-27 13:42:03,598 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [com.openkm.dao.bean.DatabaseMetadataType]; using
defaults.
2015-04-27 13:42:03,598 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [com.openkm.dao.bean.MimeType]; using defaults.
2015-04-27 13:42:03,613 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [com.openkm.dao.bean.DatabaseMetadataSequence]; using
defaults.
2015-04-27 13:42:03,613 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [com.openkm.dao.bean.Role]; using defaults.
2015-04-27 13:42:03,629 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.taskmgmt.def.Task]; using defaults.
2015-04-27 13:42:03,645 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.graph.def.Event]; using defaults.
2015-04-27 13:42:03,660 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.context.def.VariableAccess]; using defaults.
2015-04-27 13:42:03,660 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.taskmgmt.def.TaskController]; using
defaults.
2015-04-27 13:42:03,676 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-

catalina.txt

Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.NodeNote]; using defaults.

2015-04-27 13:42:03,691 [localhost-startStop-1] WARN

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.UserConfig]; using defaults.

2015-04-27 13:42:03,723 [localhost-startStop-1] WARN

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache named [com.openkm.dao.bean.Language.translations]; using defaults.

2015-04-27 13:42:03,754 [localhost-startStop-1] WARN

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ProcessDefinition.nodes]; using defaults.

2015-04-27 13:42:03,769 [localhost-startStop-1] WARN

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ProcessDefinition.actions]; using defaults.

2015-04-27 13:42:03,769 [localhost-startStop-1] WARN

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache named [org.jbpm.taskmgmt.def.TaskMgmtDefinition.tasks]; using defaults.

2015-04-27 13:42:03,769 [localhost-startStop-1] WARN

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Node.events]; using defaults.

2015-04-27 13:42:03,769 [localhost-startStop-1] WARN

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ProcessDefinition.definitions]; using defaults.

2015-04-27 13:42:03,769 [localhost-startStop-1] WARN

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Node.leavingTransitions]; using defaults.

2015-04-27 13:42:03,769 [localhost-startStop-1] WARN

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache named [org.jbpm.taskmgmt.def.Task.events]; using defaults.

catalina.txt

2015-04-27 13:42:03,769 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.node.TaskNode.tasks]; using defaults.
2015-04-27 13:42:03,769 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ExceptionHandler.actions]; using defaults.
2015-04-27 13:42:04,222 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Event.actions]; using defaults.
2015-04-27 13:42:04,222 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.SuperState.nodes]; using defaults.
2015-04-27 13:42:04,222 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Transition.exceptionHandlers]; using defaults.
2015-04-27 13:42:04,222 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.taskmgmt.def.Task.exceptionHandlers]; using defaults.
2015-04-27 13:42:04,222 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Node.arrivingTransitions]; using defaults.
2015-04-27 13:42:04,222 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.Node.exceptionHandlers]; using defaults.
2015-04-27 13:42:04,222 [localhost-startStop-1] WARN net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory- Couldn't find a specific ehcache configuration for cache named [org.jbpm.graph.def.ProcessDefinition.exceptionHandlers]; using defaults.
2015-04-27 13:42:04,222 [localhost-startStop-1] WARN

catalina.txt

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.graph.action.Script.variableAccesses]; using
defaults.

2015-04-27 13:42:04,222 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [com.openkm.dao.bean.User.roles]; using defaults.

2015-04-27 13:42:04,222 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.file.def.FileDefinition.processFiles]; using
defaults.

2015-04-27 13:42:04,222 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.graph.node.ProcessState.variableAccesses];
using defaults.

2015-04-27 13:42:04,222 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.graph.def.ProcessDefinition.events]; using
defaults.

2015-04-27 13:42:04,222 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.taskmgmt.def.TaskMgmtDefinition.swimlanes];
using defaults.

2015-04-27 13:42:04,222 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.graph.node.Decision.decisionConditions];
using defaults.

2015-04-27 13:42:04,237 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.graph.def.Transition.events]; using
defaults.

2015-04-27 13:42:04,237 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.jbpm.taskmgmt.def.Swimlane.tasks]; using
defaults.

2015-04-27 13:42:04,237 [localhost-startStop-1] WARN

catalina.txt

net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named

[org.jbpm.taskmgmt.def.TaskController.variableAccesses];
using defaults.

2015-04-27 13:42:04,612 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.hibernate.cache.UpdateTimestampsCache]; using
defaults.

2015-04-27 13:42:04,612 [localhost-startStop-1] WARN
net.sf.ehcache.hibernate.AbstractEhcacheRegionFactory-
Couldn't find a specific ehcache configuration for cache
named [org.hibernate.cache.StandardQueryCache]; using
defaults.

2015-04-27 13:42:04,908 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Executing specific import for:
org.hibernate.dialect.HSQLDialect

2015-04-27 13:42:04,908 [localhost-startStop-1] INFO
com.openkm.util.DatabaseDialectAdapter- Generation SQL for
GeneralDialect...

2015-04-27 13:42:05,439 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Importing translation:
en-GB.sql

2015-04-27 13:42:05,517 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Importing translation:
es-ES.sql

2015-04-27 13:42:05,548 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Importing translation:
fr-FR.sql

2015-04-27 13:42:05,579 [localhost-startStop-1] INFO
com.openkm.dao.HibernateUtil- Executing Hibernate create
autofix

2015-04-27 13:42:05,579 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- Create missing
directory

C:\openkm-6.3.0-community\tomcat\repository\cache\dx

2015-04-27 13:42:05,579 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- Create missing
directory

C:\openkm-6.3.0-community\tomcat\repository\cache\pdf

2015-04-27 13:42:05,579 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- Create missing
directory

catalina.txt

```
C:\openkm-6.3.0-community\tomcat\repository\cache\swf
2015-04-27 13:42:05,579 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- Create missing
directory
C:\openkm-6.3.0-community\tomcat\repository\datastore
2015-04-27 13:42:05,579 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** Initialize
property groups... ***
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO
com.openkm.util.FormUtils$LocalResolver- new
LocalResolver(C:\openkm-6.3.0-community\tomcat\webapps\OpenK
M\WEB-INF\classes\dtd)
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO
com.openkm.util.FormUtils$LocalResolver-
registerDTD(-//OpenKM//DTD Property Groups 1.0//EN,
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\clas
ses\dtd\property-groups-1.0.dtd)
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO
com.openkm.util.FormUtils$LocalResolver-
registerDTD(-//OpenKM//DTD Property Groups 1.1//EN,
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\clas
ses\dtd\property-groups-1.1.dtd)
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO
com.openkm.util.FormUtils$LocalResolver-
registerDTD(-//OpenKM//DTD Property Groups 2.0//EN,
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\clas
ses\dtd\property-groups-2.0.dtd)
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO
com.openkm.util.FormUtils$LocalResolver-
registerDTD(-//OpenKM//DTD Property Groups 2.1//EN,
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\clas
ses\dtd\property-groups-2.1.dtd)
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO
com.openkm.util.FormUtils$LocalResolver-
registerDTD(-//OpenKM//DTD Property Groups 2.2//EN,
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\clas
ses\dtd\property-groups-2.2.dtd)
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO
com.openkm.util.FormUtils$LocalResolver-
registerDTD(-//OpenKM//DTD Property Groups 2.3//EN,
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\clas
ses\dtd\property-groups-2.3.dtd)
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO
com.openkm.util.FormUtils$LocalResolver-
```

catalina.txt

```
registerDTD(-//OpenKM//DTD Report Parameters 2.0//EN,  
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\classes\dtd\report-parameters-2.0.dtd)  
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils$LocalResolver-  
registerDTD(-//OpenKM//DTD workflow Forms 1.0//EN,  
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\classes\dtd\workflow-forms-1.0.dtd)  
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils$LocalResolver-  
registerDTD(-//OpenKM//DTD workflow Forms 1.1//EN,  
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\classes\dtd\workflow-forms-1.1.dtd)  
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils$LocalResolver-  
registerDTD(-//OpenKM//DTD workflow Forms 2.0//EN,  
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\classes\dtd\workflow-forms-2.0.dtd)  
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils$LocalResolver-  
registerDTD(-//OpenKM//DTD workflow Forms 2.1//EN,  
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\classes\dtd\workflow-forms-2.1.dtd)  
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils$LocalResolver-  
registerDTD(-//OpenKM//DTD workflow Forms 2.2//EN,  
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\classes\dtd\workflow-forms-2.2.dtd)  
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils$LocalResolver-  
registerDTD(-//OpenKM//DTD workflow Forms 2.3//EN,  
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\classes\dtd\workflow-forms-2.3.dtd)  
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils$LocalResolver-  
registerDTD(-//OpenKM//DTD workflow Forms 2.4//EN,  
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\classes\dtd\workflow-forms-2.4.dtd)  
2015-04-27 13:42:05,595 [localhost-startStop-1] INFO  
com.openkm.util.FormUtils$LocalResolver-  
registerDTD(-//OpenKM//DTD workflow Forms 2.5//EN,  
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\classes\dtd\workflow-forms-2.5.dtd)  
2015-04-27 13:42:05,610 [localhost-startStop-1] INFO
```

```
                                catalina.txt
com.openkm.util.FormUtils$LocalResolver-
resolveEntity(publicId=-//OpenKM//DTD Property Groups
2.0//EN,
systemId=http://www.openkm.com/dtd/property-groups-2.0.dtd)
=>
C:\openkm-6.3.0-community\tomcat\webapps\OpenKM\WEB-INF\clas
ses\dtd\property-groups-2.0.dtd
2015-04-27 13:42:05,626 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** Initialize
language detection engine... ***
2015-04-27 13:42:06,063 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Initializing text
extractors
2015-04-27 13:42:06,063 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.PlainTextExtractor for
'text/plain'
2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.MsWordTextExtractor for
'application/vnd.ms-word'
2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.MsWordTextExtractor for
'application/msword'
2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.MsExcelTextExtractor for
'application/vnd.ms-excel'
2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.MsExcelTextExtractor for
'application/msexcel'
2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.MsExcelTextExtractor for
'application/excel'
2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.MsPowerPointTextExtractor
for 'application/vnd.ms-powerpoint'
2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.MsPowerPointTextExtractor
```

catalina.txt

for 'application/mspowerpoint'

2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.MSPowerPointTextExtractor
for 'application/powerpoint'

2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.oasis.opendocument.database'

2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.oasis.opendocument.formula'

2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.oasis.opendocument.graphics'

2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.oasis.opendocument.presentation'

2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.oasis.opendocument.spreadsheet'

2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.oasis.opendocument.text'

2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.sun.xml.calc'

2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.sun.xml.draw'

2015-04-27 13:42:06,078 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for
'application/vnd.sun.xml.impress'

2015-04-27 13:42:06,094 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor for

catalina.txt
'application/vnd.sun.xml.writer'
2015-04-27 13:42:06,094 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.RTFTextExtractor for
'application/rtf'
2015-04-27 13:42:06,094 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.RTFTextExtractor for
'text/rtf'
2015-04-27 13:42:06,094 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.HTMLTextExtractor for
'text/html'
2015-04-27 13:42:06,094 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.XMLTextExtractor for
'text/xml'
2015-04-27 13:42:06,094 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.XMLTextExtractor for
'application/xml'
2015-04-27 13:42:06,094 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.PngTextExtractor for
'image/png'
2015-04-27 13:42:06,094 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.PngTextExtractor for
'image/apng'
2015-04-27 13:42:06,094 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.PngTextExtractor for
'image/mng'
2015-04-27 13:42:06,094 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
org.apache.jackrabbit.extractor.MsOutlookTextExtractor for
'application/vnd.ms-outlook'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.PdfTextExtractor for 'application/pdf'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.AudioTextExtractor for 'audio/mpeg'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO

catalina.txt

```
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.AudioTextExtractor for 'audio/x-ogg'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.ExifTextExtractor for 'image/jpeg'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.CuneiformTextExtractor for 'image/tiff'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.CuneiformTextExtractor for 'image/gif'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.CuneiformTextExtractor for 'image/jpg'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.CuneiformTextExtractor for 'image/jpeg'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.CuneiformTextExtractor for 'image/png'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.SourceCodeTextExtractor for
'text/x-java'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.SourceCodeTextExtractor for 'text/css'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.SourceCodeTextExtractor for
'text/x-csrc'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.SourceCodeTextExtractor for
'text/x-sql'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.SourceCodeTextExtractor for
'application/x-php'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.SourceCodeTextExtractor for
'application/javascript'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
```

catalina.txt

```
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.wordprocessingml.document'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.wordprocessingml.template'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.presentationml.template'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.presentationml.slideshow'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.presentationml.presentation'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.spreadsheetml.sheet'
2015-04-27 13:42:06,109 [localhost-startStop-1] INFO
com.openkm.extractor.RegisteredExtractors- Registering
com.openkm.extractor.MsOffice2007TextExtractor for
'application/vnd.openxmlformats-officedocument.spreadsheetml.template'
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - amazon.access.key=
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - amazon.secret.key=
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
application.url=http://test-PC/OpenKM/index.jsp
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
default.admin.role=ROLE_ADMIN
```

```

catalina.txt
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - default.lang=
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
default.script=print("UserId: " + session.getUserID());
print("EventType: " + eventType);
print("EventNode: " + eventNode.getPath());
print("ScriptNode: " + scriptNode.getPath());
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - default.user.role=ROLE_USER
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
hibernate.create.autofix=true
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
hibernate.datasource=java:/comp/env/jdbc/OpenKMDS
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
hibernate.dialect=org.hibernate.dialect.HSQLDialect
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - hibernate.hbm2ddl=create
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
hibernate.indexer.batch.size.load.objects=30
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
hibernate.indexer.mass.indexer=false
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
hibernate.indexer.threads.index.writer=3
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
hibernate.indexer.threads.load.objects=4
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
hibernate.indexer.threads.subsequent.fetching=8
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
hibernate.search.analyzer=org.apache.lucene.analysis.standar
d.StandardAnalyzer
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
hibernate.search.index.exclusive=true
2015-04-27 13:42:06,406 [localhost-startStop-1] INFO

```

```

catalina.txt
com.openkm.core.Config- RELOAD -
hibernate.search.index.home=C:\openkm-6.3.0-community\tomcat
\repository\index
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - hibernate.show_sql=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - hibernate.statistics=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - instance.chroot.path=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
instance.home=C:\openkm-6.3.0-community\tomcat
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
jbpm.config=C:\openkm-6.3.0-community\tomcat\jbpm.xml
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - kea.thesaurus.base.url=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - kea.thesaurus.owl.file=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - kea.thesaurus.skos.file=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - kea.thesaurus.tree.childs=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - kea.thesaurus.tree.root=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
kea.thesaurus.vocabulary.serql=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
keep.session.alive.interval=5
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
managed.text.extraction=true
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
managed.text.extraction.batch=10
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
managed.text.extraction.concurrent=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
managed.text.extraction.pool.size=5
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO

```

```

catalina.txt
com.openkm.core.Config- RELOAD -
managed.text.extraction.pool.threads=5
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
managed.text.extraction.pool.timeout=1
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - max.file.size=0
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - max.search.results=500
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - min.search.characters=3
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
notification.message.body=<b>Message:
</b>${notificationMessage}<br/><b>User:
</b>${userId}<br/><#list documentList as doc><b>Document:
</b><a href="${doc.url}">${doc.path}</a><br/></#list>
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
notification.message.subject=OpenKM - NOTIFICATION
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - notify.twitter.password=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
notify.twitter.status=OpenKM - ${documentUrl} -
${documentPath} - ${userId} - ${eventType}
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - notify.twitter.user=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - openmeetings.credentials=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - openmeetings.port=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - openmeetings.url=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - openmeetings.user=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - plugin.debug=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.adapter=com.openkm.principal.DatabasePrincipalAdap
ter
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -

```

```

                                catalina.txt
principal.database.filter.inactive.users=true
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.hide.connection.roles=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.identifier.validation=^[a-zA-Z0-9_]+$
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.mail.attribute=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.mail.search.base=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.mail.search.filter=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - principal.ldap.referral=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.role.attribute=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.role.search.base=[]
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.role.search.filter=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.roles.by.user.attribute=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.roles.by.user.search.base=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.roles.by.user.search.filter=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.security.credentials=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.security.principal=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - principal.ldap.server=

```

```

catalina.txt
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.user.attribute=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.user.search.base=[]
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.user.search.filter=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.username.attribute=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.username.search.base=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.username.search.filter=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.users.by.role.attribute=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.users.by.role.search.base=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.users.by.role.search.filter=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
principal.ldap.users.from.roles=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
property.groups.cnd=C:\openkm-6.3.0-community\tomcat\PropertyGroups.cnd
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
property.groups.xml=C:\openkm-6.3.0-community\tomcat\PropertyGroups.xml
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
registered.text.extractors=[org.apache.jackrabbit.extractor.PlainTextExtractor,
org.apache.jackrabbit.extractor.MSwordTextExtractor,
org.apache.jackrabbit.extractor.MSExcelTextExtractor,

```

catalina.txt

```
org.apache.jackrabbit.extractor.MSPowerPointTextExtractor,  
org.apache.jackrabbit.extractor.OpenOfficeTextExtractor,  
org.apache.jackrabbit.extractor.RTFTextExtractor,  
org.apache.jackrabbit.extractor.HTMLTextExtractor,  
org.apache.jackrabbit.extractor.XMLTextExtractor,  
org.apache.jackrabbit.extractor.PngTextExtractor,  
org.apache.jackrabbit.extractor.MsOutlookTextExtractor,  
com.openkm.extractor.PdfTextExtractor,  
com.openkm.extractor.AudioTextExtractor,  
com.openkm.extractor.ExifTextExtractor,  
com.openkm.extractor.CuneiformTextExtractor,  
com.openkm.extractor.SourceCodeTextExtractor,  
com.openkm.extractor.MsOffice2007TextExtractor]  
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO  
com.openkm.core.Config- RELOAD - remote.conversion.server=  
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO  
com.openkm.core.Config- RELOAD -  
repository.cache.dxf=C:\openkm-6.3.0-community\tomcat\reposit  
ory\cache\dxf  
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO  
com.openkm.core.Config- RELOAD -  
repository.cache.home=C:\openkm-6.3.0-community\tomcat\repos  
itory\cache  
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO  
com.openkm.core.Config- RELOAD -  
repository.cache.pdf=C:\openkm-6.3.0-community\tomcat\reposit  
ory\cache\pdf  
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO  
com.openkm.core.Config- RELOAD -  
repository.cache.swf=C:\openkm-6.3.0-community\tomcat\reposit  
ory\cache\swf  
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO  
com.openkm.core.Config- RELOAD - repository.config=NUL:  
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO  
com.openkm.core.Config- RELOAD -  
repository.content.checksum=true  
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO  
com.openkm.core.Config- RELOAD -  
repository.datastore.backend=fs  
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO  
com.openkm.core.Config- RELOAD -  
repository.datastore.home=C:\openkm-6.3.0-community\tomcat\r  
epository\datastore  
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
```

```

catalina.txt
com.openkm.core.Config- RELOAD -
repository.home=C:\openkm-6.3.0-community\tomcat\repository
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - repository.native=true
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - repository.purgatory.home=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - restrict.file.mime=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - restrict.file.name=*~;*.bak
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
schedule.dashboard.refresh=30
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
schedule.session.keepalive=15
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - schedule.ui.notification=1
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
security.access.manager=simple
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
security.live.change.node.limit=100
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
security.mode.multiple=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
security.search.evaluation=lucene
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - store.node.path=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
subscription.message.body=<b>Document: </b><a
href="{documentUrl}">{documentPath}</a><br/><b>User:
</b>{userId}<br/><b>Event: </b>{eventType}<br/><b>Comment:
</b>{subscriptionComment}<br/>
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
subscription.message.subject=OpenKM - {eventType} -
{documentPath}
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.antivir=

```

```
                catalina.txt
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
system.apache.request.header.fix=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.catdoc.xls2csv=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
system.document.name.mismatch.check=true
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.execution.timeout=5
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.ghostscript.ps2pdf=
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
system.imagemagick.convert=/usr/bin/convert
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
system.keyword.lowercase=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
system.login.lowercase=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.maintenance=false
2015-04-27 13:42:06,421 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
system.multiple.instances=false
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.ocr=
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.ocr.rotate=
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
system.openoffice.dictionary=
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
system.openoffice.path=/usr/lib/libreoffice
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.openoffice.port=2002
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.openoffice.server=
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.openoffice.tasks=200
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.pdf.force.ocr=false
```

```

catalina.txt
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.previewer=flexpaper
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.profiling=false
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.readonly=false
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
system.swftools.pdf2swf=/opt/openkm/bin/pdf2swf -f -T 9 -t
-s storeallcharacters ${fileIn} -o ${fileOut}
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.webdav.fix=false
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - system.webdav.server=false
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
tomcat.connector.uri.encoding=ISO-8859-1
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
upload.throttle.filter=false
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - user.admin=okmAdmin
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
user.assign.document.creation=true
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - user.password.reset=false
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - user.system=system
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
validator.password=com.openkm.validator.password.NoPasswordV
alidator
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
validator.password.max.length=0
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
validator.password.min.digits=0
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
validator.password.min.length=0
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -

```

```

catalina.txt
validator.password.min.lowercase=0
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
validator.password.min.uppercase=0
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
validator.password.min.special=0
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
version.numeration.adapter=com.openkm.vernum.MajorMinorVersi
onNumerationAdapter
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
version.numeration.format=%d
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
workflow.run.config.form=run_config
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD -
workflow.start.task.auto.run=true
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - zoho.api.key=
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - zoho.password=
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - zoho.secret.key=
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.core.Config- RELOAD - zoho.user=
2015-04-27 13:42:06,437 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** Repository
initializing... ***
2015-04-27 13:42:06,468 [localhost-startStop-1] INFO
com.openkm.module.db.DbRepositoryModule- No okm:root node
found
2015-04-27 13:42:06,468 [localhost-startStop-1] INFO
com.openkm.module.db.DbRepositoryModule- Repository creation
2015-04-27 13:42:06,468 [localhost-startStop-1] INFO
com.openkm.module.db.DbRepositoryModule- Create okm:root
2015-04-27 13:42:06,577 [localhost-startStop-1] INFO
com.openkm.module.db.DbRepositoryModule- Create
okm:thesaurus
2015-04-27 13:42:06,577 [localhost-startStop-1] INFO
com.openkm.module.db.DbRepositoryModule- Create
okm:categories

```

catalina.txt

```
2015-04-27 13:42:06,593 [localhost-startStop-1] INFO
com.openkm.module.db.DbRepositoryModule- Create
okm:templates
2015-04-27 13:42:06,593 [localhost-startStop-1] INFO
com.openkm.module.db.DbRepositoryModule- Create okm:personal
2015-04-27 13:42:06,655 [localhost-startStop-1] INFO
com.openkm.module.db.DbRepositoryModule- Create okm:mail
2015-04-27 13:42:06,671 [localhost-startStop-1] INFO
com.openkm.module.db.DbRepositoryModule- Create okm:trash
2015-04-27 13:42:06,671 [localhost-startStop-1] INFO
com.openkm.module.db.DbRepositoryModule- Create config
2015-04-27 13:42:06,702 [localhost-startStop-1] INFO
com.openkm.module.db.DbAuthModule- Create okm:trash/system
2015-04-27 13:42:06,702 [localhost-startStop-1] INFO
com.openkm.module.db.stuff.SecurityHelper- Configuring
AccessManager with
com.openkm.module.db.stuff.DbSimpleAccessManager
2015-04-27 13:42:06,718 [localhost-startStop-1] INFO
com.openkm.module.db.DbAuthModule- Create
okm:personal/system
2015-04-27 13:42:06,733 [localhost-startStop-1] INFO
com.openkm.module.db.DbAuthModule- Create okm:mail/system
2015-04-27 13:42:06,749 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** Repository
initialized ***
2015-04-27 13:42:06,749 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** User
database initialized ***
2015-04-27 13:42:06,749 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- ***
Initializing workflow engine... ***
2015-04-27 13:42:06,749 [localhost-startStop-1] INFO
com.openkm.util.JBPMUtils- Creating JBPM default
configuration
2015-04-27 13:42:06,796 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- ***
Initializing MIME types... ***
2015-04-27 13:42:06,843 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** Activating
update info ***
2015-04-27 13:42:06,843 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** Activating
cron ***
2015-04-27 13:42:06,843 [localhost-startStop-1] INFO
```

catalina.txt

```
com.openkm.servlet.RepositoryStartupServlet- *** Activating
UI Notification ***
2015-04-27 13:42:06,858 [localhost-startStop-1] INFO
com.openkm.module.common.CommonAuthModule- PrincipalAdapter:
com.openkm.principal.DatabasePrincipalAdapter
2015-04-27 13:42:06,874 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** Activating
thesaurus repository ***
2015-04-27 13:42:06,874 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** Start
OpenOffice manager ***
2015-04-27 13:42:06,889 [localhost-startStop-1] INFO
com.openkm.util.DocConverter- *** Build Office Manager ***
2015-04-27 13:42:06,889 [localhost-startStop-1] INFO
com.openkm.util.DocConverter-
system.openoffice.path=/usr/lib/libreoffice
2015-04-27 13:42:06,889 [localhost-startStop-1] INFO
com.openkm.util.DocConverter- system.openoffice.tasks=200
2015-04-27 13:42:06,889 [localhost-startStop-1] INFO
com.openkm.util.DocConverter- system.openoffice.port=2002
2015-04-27 13:42:06,889 [localhost-startStop-1] WARN
com.openkm.servlet.RepositoryStartupServlet- officeHome must
exist and be a directory
java.lang.IllegalArgumentException: officeHome must exist
and be a directory
    at
org.artofsolving.jodconverter.office.DefaultOfficeManagerCon
figuration.checkArgument(DefaultOfficeManagerConfiguration.j
ava:221)
    at
org.artofsolving.jodconverter.office.DefaultOfficeManagerCon
figuration.setOfficeHome(DefaultOfficeManagerConfiguration.j
ava:54)
    at
org.artofsolving.jodconverter.office.DefaultOfficeManagerCon
figuration.setOfficeHome(DefaultOfficeManagerConfiguration.j
ava:49)
    at
com.openkm.util.DocConverter.getInstance(DocConverter.java:1
67)
    at
com.openkm.servlet.RepositoryStartupServlet.start(Repository
StartupServlet.java:279)
    at
```

```
                                catalina.txt
com.openkm.servlet.RepositoryStartupServlet.init(RepositoryS
tartupServlet.java:127)
    at
javax.servlet.GenericServlet.init(GenericServlet.java:158)
    at
org.apache.catalina.core.StandardWrapper.initServlet(Standar
dwrapper.java:1284)
    at
org.apache.catalina.core.StandardWrapper.loadServlet(Standar
dwrapper.java:1197)
    at
org.apache.catalina.core.StandardWrapper.load(Standardwrappe
r.java:1087)
    at
org.apache.catalina.core.StandardContext.loadOnStartup(Stand
ardContext.java:5210)
    at
org.apache.catalina.core.StandardContext.startInternal(Stand
ardContext.java:5493)
    at
org.apache.catalina.util.LifecycleBase.start(LifecycleBase.j
ava:150)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(Cont
ainerBase.java:901)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBas
e.java:877)
    at
org.apache.catalina.core.StandardHost.addChild(StandardHost.
java:632)
    at
org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.
java:1073)
    at
org.apache.catalina.startup.HostConfig$DeployWar.run(HostCon
fig.java:1857)
    at
java.util.concurrent.Executors$RunnableAdapter.call(Executor
s.java:471)
    at
java.util.concurrent.FutureTask.run(FutureTask.java:262)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPool
```

catalina.txt

```
Executor.java:1145)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:615)
    at java.lang.Thread.run(Thread.java:745)
2015-04-27 13:42:06,889 [localhost-startStop-1] INFO
com.openkm.extension.core.ExtensionManager- Initialize and
load plugins...
2015-04-27 13:42:06,952 [localhost-startStop-1] WARN
net.xeoh.plugins.base.impl.classpath.loader.FileLoader-
Supplied path does not exist. Unable to add plugins from
there.
2015-04-27 13:42:06,952 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** Execute
start script ***
2015-04-27 13:42:06,952 [localhost-startStop-1] WARN
com.openkm.util.ExecutionUtils- Unable to read script:
C:\openkm-6.3.0-community\tomcat\start.bsh
2015-04-27 13:42:06,952 [localhost-startStop-1] WARN
com.openkm.util.ExecutionUtils- Unable to read jar:
C:\openkm-6.3.0-community\tomcat\start.jar
2015-04-27 13:42:06,952 [localhost-startStop-1] INFO
com.openkm.servlet.RepositoryStartupServlet- *** Execute
start SQL ***
2015-04-27 13:42:06,952 [localhost-startStop-1] WARN
com.openkm.servlet.RepositoryStartupServlet- Unable to read
sql: C:\openkm-6.3.0-community\tomcat\start.sql
2015-04-27 13:42:06,983 [localhost-startStop-1] WARN
org.apache.chemistry.opencmis.server.impl.atompub.CmisAtomPu
bServlet- CMIS version is not defined! Setting it to CMIS
1.0.
2015-04-27 13:42:07,030 [localhost-startStop-1] INFO
org.apache.catalina.startup.HostConfig- Deploying web
application directory
C:\openkm-6.3.0-community\tomcat\webapps\ROOT
2015-04-27 13:42:07,810 [main] INFO
org.apache.coyote.http11.Http11Protocol- Starting
ProtocolHandler ["http-bio-0.0.0.0-8080"]
2015-04-27 13:42:07,810 [main] INFO
org.apache.coyote.ajp.AjpProtocol- Starting ProtocolHandler
["ajp-bio-127.0.0.1-8009"]
2015-04-27 13:42:07,810 [main] INFO
org.apache.catalina.startup.Catalina- Server startup in
136101 ms
```

catalina.txt
2015-04-27 13:47:06,909 [Update Info] INFO
com.openkm.core.UpdateInfo- *** UpdateInfo activated ***
2015-04-27 13:47:06,909 [Update Info] ERROR
com.openkm.util.Update- UnknownHostException:
update.openkm.com
2015-04-27 13:47:06,909 [Update Info] INFO
com.openkm.util.Update- checkVersion:
2015-04-27 13:50:31,098 [http-bio-0.0.0.0-8080-exec-4] INFO
org.apache.jasper.compiler.TldLocationsCache- At least one
JAR was scanned for TLDs yet contained no TLDs. Enable debug
logging for this logger for a complete list of JARs that
were scanned but no TLDs were found in them. Skipping
unnneeded JARs during scanning can improve startup time and
JSP compilation time.
2015-04-27 13:50:45,341 [http-bio-0.0.0.0-8080-exec-8] INFO
com.openkm.module.db.DbAuthModule- Create okm:trash/okmAdmin
2015-04-27 13:50:45,372 [http-bio-0.0.0.0-8080-exec-8] INFO
com.openkm.module.db.DbAuthModule- Create
okm:personal/okmAdmin
2015-04-27 13:50:45,388 [http-bio-0.0.0.0-8080-exec-8] INFO
com.openkm.module.db.DbAuthModule- Create okm:mail/okmAdmin
2015-04-27 13:50:47,441 [http-bio-0.0.0.0-8080-exec-2] INFO
org.dozer.config.GlobalSettings- Trying to find Dozer
configuration file: dozer.properties
2015-04-27 13:50:47,456 [http-bio-0.0.0.0-8080-exec-2] WARN
org.dozer.config.GlobalSettings- Dozer configuration file
not found: dozer.properties. Using defaults for all Dozer
global properties.
2015-04-27 13:50:47,456 [http-bio-0.0.0.0-8080-exec-2] INFO
org.dozer.DozerInitializer- Initializing Dozer. Version:
5.3.2, Thread Name: http-bio-0.0.0.0-8080-exec-2
2015-04-27 13:50:47,456 [http-bio-0.0.0.0-8080-exec-2] INFO
org.dozer.jmx.JMXPlatformImpl- Dozer JMX MBean
[org.dozer.jmx:type=DozerStatisticsController] auto
registered with the Platform MBean Server
2015-04-27 13:50:47,456 [http-bio-0.0.0.0-8080-exec-2] INFO
org.dozer.jmx.JMXPlatformImpl- Dozer JMX MBean
[org.dozer.jmx:type=DozerAdminController] auto registered
with the Platform MBean Server
2015-04-27 13:50:47,472 [http-bio-0.0.0.0-8080-exec-2] INFO
org.dozer.DozerBeanMapper- Initializing a new instance of
dozer bean mapper.
2015-04-27 13:50:47,474 [http-bio-0.0.0.0-8080-exec-2] INFO
org.dozer.loader.CustomMappingsLoader- Using the following

```
                catalina.txt
xml files to load custom mappings for the bean mapper
instance: [dozerBeanMapping.xml]
2015-04-27 13:50:47,474 [http-bio-0.0.0.0-8080-exec-2] INFO
org.dozer.loader.CustomMappingsLoader- Trying to find xml
mapping file: dozerBeanMapping.xml
2015-04-27 13:50:47,474 [http-bio-0.0.0.0-8080-exec-2] INFO
org.dozer.loader.CustomMappingsLoader- Using URL
[file:/C:/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-I
NF/classes/dozerBeanMapping.xml] to load custom xml mappings
2015-04-27 13:50:47,474 [http-bio-0.0.0.0-8080-exec-2] INFO
org.dozer.loader.CustomMappingsLoader- Successfully loaded
custom xml mappings from URL:
[file:/C:/openkm-6.3.0-community/tomcat/webapps/OpenKM/WEB-I
NF/classes/dozerBeanMapping.xml]
2015-04-27 13:50:47,568 [http-bio-0.0.0.0-8080-exec-2] INFO
com.openkm.vernum.VersionNumerationFactory-
VersionNumerationAdapter:
com.openkm.vernum.MajorMinorVersionNumerationAdapter
```