

catalina.2018-10-27.txt

```
27-Oct-2018 14:29:40.444 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Server version:
Apache Tomcat/8.5.24
27-Oct-2018 14:29:40.449 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Server built:      Nov
27 2017 13:05:30 UTC
27-Oct-2018 14:29:40.449 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Server number:
8.5.24.0
27-Oct-2018 14:29:40.449 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log OS Name:
Windows 10
27-Oct-2018 14:29:40.450 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log OS Version:
10.0
27-Oct-2018 14:29:40.450 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Architecture:
amd64
27-Oct-2018 14:29:40.450 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Java Home:
C:\Program Files\Java\jdk-11.0.1
27-Oct-2018 14:29:40.450 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log JVM Version:
11.0.1+13-LTS
27-Oct-2018 14:29:40.451 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log JVM Vendor:
Oracle Corporation
27-Oct-2018 14:29:40.451 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log CATALINA_BASE:
C:\Program Files (x86)\OpenKM\tomcat-8.5.24
27-Oct-2018 14:29:40.451 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log CATALINA_HOME:
C:\Program Files (x86)\OpenKM\tomcat-8.5.24
27-Oct-2018 14:29:40.452 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
--add-opens=java.base/java.lang=ALL-UNNAMED
27-Oct-2018 14:29:40.452 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
--add-opens=java.rmi/sun.rmi.transport=ALL-UNNAMED
27-Oct-2018 14:29:40.453 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Djava.util.logging.config.file=C:\Program Files
(x86)\OpenKM\tomcat-8.5.24\conf\logging.properties
27-Oct-2018 14:29:40.453 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Djava.util.logging.manager=org.apache.juli.ClassLoaderLogManager
27-Oct-2018 14:29:40.453 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Xms256m
27-Oct-2018 14:29:40.454 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Xmx2048m
```

catalina.2018-10-27.txt

```
27-Oct-2018 14:29:40.454 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-XX:+UseG1GC
27-Oct-2018 14:29:40.455 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Djava.awt.headless=true
27-Oct-2018 14:29:40.456 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Dfile.encoding=UTF-8
27-Oct-2018 14:29:40.456 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Dsun.jnu.encoding=UTF-8
27-Oct-2018 14:29:40.457 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Dmail.mime.ignoreunknownencoding=true
27-Oct-2018 14:29:40.457 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Djdk.tls.ephemeralDHKeySize=2048
27-Oct-2018 14:29:40.457 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Djava.protocol.handler.pkgs=org.apache.catalina.webresources
27-Oct-2018 14:29:40.458 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Dignore.endorsed.dirs=
27-Oct-2018 14:29:40.458 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Dcatalina.base=C:\Program Files (x86)\OpenKM\tomcat-8.5.24
27-Oct-2018 14:29:40.459 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Dcatalina.home=C:\Program Files (x86)\OpenKM\tomcat-8.5.24
27-Oct-2018 14:29:40.459 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line argument:
-Djava.io.tmpdir=C:\Program Files (x86)\OpenKM\tomcat-8.5.24\temp
27-Oct-2018 14:29:40.460 INFO [main]
org.apache.catalina.core.AprLifecycleListener.lifecycleEvent Loaded APR based
Apache Tomcat Native library [1.2.16] using APR version [1.6.3].
27-Oct-2018 14:29:40.464 INFO [main]
org.apache.catalina.core.AprLifecycleListener.lifecycleEvent APR capabilities:
IPv6 [true], sendfile [true], accept filters [false], random [true].
27-Oct-2018 14:29:40.465 INFO [main]
org.apache.catalina.core.AprLifecycleListener.lifecycleEvent APR/OpenSSL
configuration: useAprConnector [false], useOpenSSL [true]
27-Oct-2018 14:29:41.199 INFO [main]
org.apache.catalina.core.AprLifecycleListener.initializeSSL OpenSSL successfully
initialized [OpenSSL 1.0.2m 2 Nov 2017]
27-Oct-2018 14:29:41.310 INFO [main] org.apache.coyote.AbstractProtocol.init
Initializing ProtocolHandler ["http-nio-0.0.0.0-8080"]
27-Oct-2018 14:29:41.493 INFO [main]
org.apache.tomcat.util.net.NioSelectorPool.getSharedSelector Using a shared
selector for servlet write/read
27-Oct-2018 14:29:41.500 INFO [main] org.apache.coyote.AbstractProtocol.init
Initializing ProtocolHandler ["ajp-nio-127.0.0.1-8009"]
```

catalina.2018-10-27.txt

```
27-Oct-2018 14:29:41.504 INFO [main]
org.apache.tomcat.util.net.NioSelectorPool.getSharedSelector Using a shared
selector for servlet write/read
27-Oct-2018 14:29:41.506 INFO [main] org.apache.catalina.startup.Catalina.load
Initialization processed in 1571 ms
27-Oct-2018 14:29:41.520 WARNING [main]
org.apache.tomcat.dbcp.dbcp2.BasicDataSourceFactory.getObjectInstance Name =
OpenKMDS Property maxActive is not used in DBCP2, use maxTotal instead. maxTotal
default value is 8. You have set value of "100" for "maxActive" property, which
is being ignored.
27-Oct-2018 14:29:41.521 WARNING [main]
org.apache.tomcat.dbcp.dbcp2.BasicDataSourceFactory.getObjectInstance Name =
OpenKMDS Property maxWait is not used in DBCP2 , use maxWaitMillis instead.
maxWaitMillis default value is -1. You have set value of "10000" for "maxWait"
property, which is being ignored.
27-Oct-2018 14:29:41.619 INFO [main]
org.apache.catalina.core.StandardService.startInternal Starting service
[Catalina]
27-Oct-2018 14:29:41.620 INFO [main]
org.apache.catalina.core.StandardEngine.startInternal Starting Servlet Engine:
Apache Tomcat/8.5.24
27-Oct-2018 14:29:41.694 INFO [localhost-startStop-1]
org.apache.catalina.startup.HostConfig.deployWAR Deploying web application
archive [C:\Program Files (x86)\OpenKM\tomcat-8.5.24\webapps\OpenKM.war]
27-Oct-2018 14:29:41.713 WARNING [localhost-startStop-1]
org.apache.catalina.startup.SetContextPropertiesRule.begin
[SetContextPropertiesRule]{Context} Setting property 'antiJARLocking' to 'true'
did not find a matching property.
27-Oct-2018 14:29:41.719 WARNING [localhost-startStop-1]
org.apache.catalina.startup.SetContextPropertiesRule.begin
[SetContextPropertiesRule]{Context} Setting property 'allowLinking' to 'true'
did not find a matching property.
27-Oct-2018 14:30:25.375 INFO [localhost-startStop-1]
org.apache.jasper.servlet.TldScanner.scanJars At least one JAR was scanned for
TLDs yet contained no TLDs. Enable debug logging for this logger for a complete
list of JARs that were scanned but no TLDs were found in them. Skipping unneeded
JARs during scanning can improve startup time and JSP compilation time.
27-Oct-2018 14:30:26.708 INFO [localhost-startStop-1]
org.springframework.web.context.ContextLoader.initWebApplicationContext Root
WebApplicationContext: initialization started
27-Oct-2018 14:30:27.026 INFO [localhost-startStop-1]
org.springframework.context.support.AbstractApplicationContext.prepareRefresh
Refreshing Root WebApplicationContext: startup date [Sat Oct 27 14:30:27 CEST
2018]; root of context hierarchy
27-Oct-2018 14:30:27.305 INFO [localhost-startStop-1]
org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinition
s Loading XML bean definitions from ServletContext resource
[/WEB-INF/appContext.xml]
27-Oct-2018 14:30:32.666 INFO [localhost-startStop-1]
org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinition
s Loading XML bean definitions from ServletContext resource [/WEB-INF/soap.xml]
27-Oct-2018 14:30:32.880 INFO [localhost-startStop-1]
```

catalina.2018-10-27.txt

```
org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinition
s Loading XML bean definitions from ServletContext resource [/WEB-INF/rest.xml]
27-Oct-2018 14:30:32.939 INFO [localhost-startStop-1]
org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinition
s Loading XML bean definitions from ServletContext resource [/WEB-INF/cmisis.xml]
27-Oct-2018 14:30:32.983 INFO [localhost-startStop-1]
org.springframework.security.core.SpringSecurityCoreVersion.performVersionChecks
You are running with Spring Security Core 3.2.3.RELEASE
27-Oct-2018 14:30:32.984 INFO [localhost-startStop-1]
org.springframework.security.config.SecurityNamespaceHandler.<init> Spring
Security 'config' module version is 3.2.3.RELEASE
27-Oct-2018 14:30:33.254 INFO [localhost-startStop-1]
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser.checkF
ilterChainOrder Checking sorted filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
200, Root bean: class
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrati
onFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
400, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1500, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFi
lter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1700, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2000, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2200,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#0>,
order = 2300]
27-Oct-2018 14:30:33.266 INFO [localhost-startStop-1]
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser.checkF
ilterChainOrder Checking sorted filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
```

catalina.2018-10-27.txt

```
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
200, Root bean: class
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrati
onFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
400, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1500, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFi
lter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1700, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2000, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2200,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#1>,
order = 2300]
27-Oct-2018 14:30:33.274 INFO [localhost-startStop-1]
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser.checkF
ilterChainOrder Checking sorted filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
200, Root bean: class
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrati
onFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
400, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1500, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFi
lter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1700, Root bean: class
```

catalina.2018-10-27.txt

```
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2000, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2200,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#2>,
order = 2300]
27-Oct-2018 14:30:33.280 INFO [localhost-startStop-1]
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser.checkF
ilterChainOrder Checking sorted filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
200, Root bean: class
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrati
onFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
400, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1500, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFi
lter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1700, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2000, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2200,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#3>,
order = 2300]
27-Oct-2018 14:30:33.284 INFO [localhost-startStop-1]
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser.checkF
ilterChainOrder Checking sorted filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
```

catalina.2018-10-27.txt

```
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
200, Root bean: class
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrati
onFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
400, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1500, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFi
lter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1700, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2000, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2200,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#4>,
order = 2300]
27-Oct-2018 14:30:33.288 INFO [localhost-startStop-1]
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser.checkF
ilterChainOrder Checking sorted filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
200, Root bean: class
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrati
onFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
400, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1500, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFi
lter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
```

```
1700, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2000, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2200,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#5>,
order = 2300]
27-Oct-2018 14:30:33.298 INFO [localhost-startStop-1]
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser.checkF
ilterChainOrder Checking sorted filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
200, Root bean: class
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrati
onFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
400, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1500, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFi
lter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1700, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2000, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2200,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#6>,
order = 2300]
27-Oct-2018 14:30:33.300 INFO [localhost-startStop-1]
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser.checkF
ilterChainOrder Checking sorted filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter];
```



catalina.2018-10-27.txt

```
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
200, Root bean: class
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrati
onFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
400, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1500, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFi
lter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1700, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2000, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2200,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#7>,
order = 2300]
27-Oct-2018 14:30:33.304 INFO [localhost-startStop-1]
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser.checkF
ilterChainOrder Checking sorted filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
200, Root bean: class
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrati
onFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
400, Root bean: class
[org.springframework.security.web.authentication.www.BasicAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1500, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFi
lter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
```

catalina.2018-10-27.txt

```
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1700, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2000, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2200,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#8>,
order = 2300]
27-Oct-2018 14:30:33.360 INFO [localhost-startStop-1]
org.springframework.security.config.http.HttpSecurityBeanDefinitionParser.checkF
ilterChainOrder Checking sorted filter chain: [Root bean: class
[org.springframework.security.web.context.SecurityContextPersistenceFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
200, Root bean: class
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrati
onFilter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
400,
<org.springframework.security.web.authentication.UsernamePasswordAuthenticationF
ilter#0>, order = 1100, Root bean: class
[org.springframework.security.web.savedrequest.RequestCacheAwareFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1600, Root bean: class
[org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFi
lter]; scope=; abstract=false; lazyInit=false; autowireMode=0;
dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
1700, Root bean: class
[org.springframework.security.web.authentication.AnonymousAuthenticationFilter];
scope=; abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2000, Root bean: class
[org.springframework.security.web.session.SessionManagementFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2100, Root bean: class
[org.springframework.security.web.access.ExceptionTranslationFilter]; scope=;
abstract=false; lazyInit=false; autowireMode=0; dependencyCheck=0;
autowireCandidate=true; primary=false; factoryBeanName=null;
```

catalina.2018-10-27.txt

```
factoryMethodName=null; initMethodName=null; destroyMethodName=null, order =
2200,
<org.springframework.security.web.access.intercept.FilterSecurityInterceptor#9>,
order = 2300]
27-Oct-2018 14:30:33.384 INFO [localhost-startStop-1]
org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinition
s Loading XML bean definitions from URL [file:C:/Program]
27-Oct-2018 14:30:33.387 SEVERE [localhost-startStop-1]
org.springframework.web.context.ContextLoader.initWebApplicationContext Context
initialization failed
    org.springframework.beans.factory.BeanDefinitionStoreException: IOException
parsing XML document from URL [file:C:/Program]; nested exception is
java.io.FileNotFoundException: C:\Program (The system cannot find the file
specified)
        at
org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinition
s(XmlBeanDefinitionReader.java:341)
        at
org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinition
s(XmlBeanDefinitionReader.java:302)
        at
org.springframework.beans.factory.support.AbstractBeanDefinitionReader.loadBeanD
efinitions(AbstractBeanDefinitionReader.java:174)
        at
org.springframework.beans.factory.support.AbstractBeanDefinitionReader.loadBeanD
efinitions(AbstractBeanDefinitionReader.java:209)
        at
org.springframework.beans.factory.support.AbstractBeanDefinitionReader.loadBeanD
efinitions(AbstractBeanDefinitionReader.java:180)
        at
org.springframework.web.context.support.XmlWebApplicationContext.loadBeanDefinit
ions(XmlWebApplicationContext.java:125)
        at
org.springframework.web.context.support.XmlWebApplicationContext.loadBeanDefinit
ions(XmlWebApplicationContext.java:94)
        at
org.springframework.context.support.AbstractRefreshableApplicationContext.refres
hBeanFactory(AbstractRefreshableApplicationContext.java:130)
        at
org.springframework.context.support.AbstractApplicationContext.obtainFreshBeanFa
ctory(AbstractApplicationContext.java:537)
        at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java:451)
        at
org.springframework.web.context.ContextLoader.configureAndRefreshWebApplicationC
ontext(ContextLoader.java:410)
        at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextL
oader.java:306)
        at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
```

```

LoaderListener.java:112)
    at
org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:4745
)
    at
org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5207
)
    at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:150)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:752)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:728)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:734)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:986)
    at
org.apache.catalina.startup.HostConfig$DeployWar.run(HostConfig.java:1857)
    at
java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515
)
    at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)
    at
java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.j
ava:1128)
    at
java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.
java:628)
    at java.base/java.lang.Thread.run(Thread.java:834)
Caused by: java.io.FileNotFoundException: C:\Program (The system cannot find the
file specified)
    at java.base/java.io.FileInputStream.open0(Native Method)
    at java.base/java.io.FileInputStream.open(FileInputStream.java:219)
    at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157)
    at java.base/java.io.FileInputStream.<init>(FileInputStream.java:112)
    at
java.base/sun.net.www.protocol.file.FileURLConnection.connect(FileURLConnection.
java:86)
    at
java.base/sun.net.www.protocol.file.FileURLConnection.getInputStream(FileURLConn
ection.java:184)
    at
org.springframework.core.io.UrlResource.getInputStream(UrlResource.java:167)
    at
org.springframework.beans.factory.xml.XmlBeanDefinitionReader.loadBeanDefinition
s(XmlBeanDefinitionReader.java:328)
... 25 more

```

27-Oct-2018 14:30:33.392 SEVERE [localhost-startStop-1]

org.apache.catalina.core.StandardContext.startInternal One or more listeners failed to start. Full details will be found in the appropriate container log file

27-Oct-2018 14:30:33.542 WARNING [localhost-startStop-1]

org.apache.catalina.util.SessionIdGeneratorBase.createSecureRandom Creation of

catalina.2018-10-27.txt

SecureRandom instance for session ID generation using [SHA1PRNG] took [148] milliseconds.

27-Oct-2018 14:30:33.543 SEVERE [localhost-startStop-1]

org.apache.catalina.core.StandardContext.startInternal Context [/OpenKM] startup failed due to previous errors

27-Oct-2018 14:30:33.617 INFO [localhost-startStop-1]

org.springframework.context.support.AbstractApplicationContext.doClose Closing Root WebApplicationContext: startup date [Sat Oct 27 14:30:27 CEST 2018]; root of context hierarchy

27-Oct-2018 14:30:33.675 WARNING [localhost-startStop-1]

org.springframework.context.support.AbstractApplicationContext.doClose Exception thrown from ApplicationListener handling ContextClosedEvent

java.lang.IllegalStateException: ApplicationEventMulticaster not initialized - call 'refresh' before multicasting events via the context: Root WebApplicationContext: startup date [Sat Oct 27 14:30:27 CEST 2018]; root of context hierarchy

at

org.springframework.context.support.AbstractApplicationContext.getApplicationEventMulticaster(AbstractApplicationContext.java:347)

at

org.springframework.context.support.AbstractApplicationContext.publishEvent(AbstractApplicationContext.java:334)

at

org.springframework.context.support.AbstractApplicationContext.doClose(AbstractApplicationContext.java:1049)

at

org.springframework.context.support.AbstractApplicationContext.close(AbstractApplicationContext.java:1010)

at

org.springframework.web.context.ContextLoader.closeWebApplicationContext(ContextLoader.java:586)

at

org.springframework.web.context.ContextLoaderListener.contextDestroyed(ContextLoaderListener.java:143)

at

org.apache.catalina.core.StandardContext.listenerStop(StandardContext.java:4792)

at

org.apache.catalina.core.StandardContext.stopInternal(StandardContext.java:5429)

at org.apache.catalina.util.LifecycleBase.stop(LifecycleBase.java:226)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:154)

at

org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:752)

at

org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:728)

at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:734)

at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:986)

at

org.apache.catalina.startup.HostConfig\$DeployWar.run(HostConfig.java:1857)

at

java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515)

at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)

catalina.2018-10-27.txt

```
    at
java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.j
ava:1128)
    at
java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.
java:628)
    at java.base/java.lang.Thread.run(Thread.java:834)

27-Oct-2018 14:30:33.676 WARNING [localhost-startStop-1]
org.springframework.context.support.AbstractApplicationContext.doClose Exception
thrown from LifecycleProcessor on context close
java.lang.IllegalStateException: LifecycleProcessor not initialized - call
'refresh' before invoking lifecycle methods via the context: Root
WebApplicationContext: startup date [Sat Oct 27 14:30:27 CEST 2018]; root of
context hierarchy
    at
org.springframework.context.support.AbstractApplicationContext.getLifecycleProce
ssor(AbstractApplicationContext.java:360)
    at
org.springframework.context.support.AbstractApplicationContext.doClose(AbstractA
pplicationContext.java:1057)
    at
org.springframework.context.support.AbstractApplicationContext.close(AbstractApp
licationContext.java:1010)
    at
org.springframework.web.context.ContextLoader.closeWebApplicationContext(Context
Loader.java:586)
    at
org.springframework.web.context.ContextLoaderListener.contextDestroyed(ContextLo
aderListener.java:143)
    at
org.apache.catalina.core.StandardContext.listenerStop(StandardContext.java:4792)
    at
org.apache.catalina.core.StandardContext.stopInternal(StandardContext.java:5429)
    at org.apache.catalina.util.LifecycleBase.stop(LifecycleBase.java:226)
    at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:154)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:752)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:728)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:734)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:986)
    at
org.apache.catalina.startup.HostConfig$DeployWar.run(HostConfig.java:1857)
    at
java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515
)
    at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)
    at
java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.j
ava:1128)
    at
```

```
catalina.2018-10-27.txt
java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.
java:628)
    at java.base/java.lang.Thread.run(Thread.java:834)

27-Oct-2018 14:30:33.701 INFO [localhost-startStop-1]
org.apache.catalina.startup.HostConfig.deployWAR Deployment of web application
archive [C:\Program Files (x86)\OpenKM\tomcat-8.5.24\webapps\OpenKM.war] has
finished in [52,007] ms
27-Oct-2018 14:30:33.704 INFO [localhost-startStop-1]
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application
directory [C:\Program Files (x86)\OpenKM\tomcat-8.5.24\webapps\ROOT]
27-Oct-2018 14:30:33.707 WARNING [localhost-startStop-1]
org.apache.catalina.startup.SetContextPropertiesRule.begin
[SetContextPropertiesRule]{Context} Setting property 'antiJARLocking' to 'true'
did not find a matching property.
27-Oct-2018 14:30:34.811 INFO [localhost-startStop-1]
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web
application directory [C:\Program Files (x86)\OpenKM\tomcat-8.5.24\webapps\ROOT]
has finished in [1,107] ms
27-Oct-2018 14:30:34.816 INFO [main] org.apache.coyote.AbstractProtocol.start
Starting ProtocolHandler ["http-nio-0.0.0.0-8080"]
27-Oct-2018 14:30:34.845 INFO [main] org.apache.coyote.AbstractProtocol.start
Starting ProtocolHandler ["ajp-nio-127.0.0.1-8009"]
27-Oct-2018 14:30:34.851 INFO [main] org.apache.catalina.startup.Catalina.start
Server startup in 53344 ms
```